

# Reinout Raijmakers

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/630070/reinout-raijmakers-publications-by-year.pdf>  
**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

54 papers	4,572 citations	33 h-index	56 g-index
56 ext. papers	4,978 ext. citations	7.6 avg, IF	4.98 L-index

#	Paper	IF	Citations
54	A search for ceramide binding proteins using bifunctional lipid analogs yields CERT-related protein StarD7. <i>Journal of Lipid Research</i> , <b>2018</b> , 59, 515-530	6.3	27
53	The human peptidylarginine deiminases type 2 and type 4 have distinct substrate specificities. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , <b>2014</b> , 1844, 829-36	4	45
52	Peptidylarginine deiminase expression and activity in PAD2 knock-out and PAD4-low mice. <i>Biochimie</i> , <b>2013</b> , 95, 299-308	4.6	34
51	In vivo profiling and visualization of cellular protein-lipid interactions using bifunctional fatty acids. <i>Angewandte Chemie - International Edition</i> , <b>2013</b> , 52, 4033-8	16.4	86
50	Bifunktionalisierte Fettsäuren zur Visualisierung und Identifizierung von Protein-Lipid-Interaktionen in lebenden Zellen. <i>Angewandte Chemie</i> , <b>2013</b> , 125, 4125-4130	3.6	14
49	Inhibition of peptidyl-arginine deiminases reverses protein-hypercitrullination and disease in mouse models of multiple sclerosis. <i>DMM Disease Models and Mechanisms</i> , <b>2013</b> , 6, 467-78	4.1	71
48	Fully automated isotopic dimethyl labeling and phosphopeptide enrichment using a microfluidic HPLC phosphochip. <i>Analytical and Bioanalytical Chemistry</i> , <b>2012</b> , 404, 2507-12	4.4	15
47	Deep proteome profiling of circulating granulocytes reveals bactericidal/permeability-increasing protein as a biomarker for severe atherosclerotic coronary stenosis. <i>Journal of Proteome Research</i> , <b>2012</b> , 11, 5235-44	5.6	16
46	Elevated levels of fibrinogen-derived endogenous citrullinated peptides in synovial fluid of rheumatoid arthritis patients. <i>Arthritis Research and Therapy</i> , <b>2012</b> , 14, R114	5.7	52
45	Applications of stable isotope dimethyl labeling in quantitative proteomics. <i>Analytical and Bioanalytical Chemistry</i> , <b>2012</b> , 404, 991-1009	4.4	57
44	Site-specific methionine oxidation in calmodulin affects structural integrity and interaction with Ca <sup>2+</sup> /calmodulin-dependent protein kinase II. <i>Journal of Structural Biology</i> , <b>2011</b> , 174, 187-95	3.4	33
43	Evaluation of the deuterium isotope effect in zwitterionic hydrophilic interaction liquid chromatography separations for implementation in a quantitative proteomic approach. <i>Analytical Chemistry</i> , <b>2011</b> , 83, 8352-6	7.8	25
42	Metal-free and pH-controlled introduction of azides in proteins. <i>Chemical Science</i> , <b>2011</b> , 2, 701	9.4	60
41	Oxidative stress-induced modifications of histidyl-tRNA synthetase affect its tRNA aminoacylation activity but not its immunoreactivity. <i>Biochemistry and Cell Biology</i> , <b>2011</b> , 89, 545-53	3.6	2
40	RockerBox: analysis and filtering of massive proteomics search results. <i>Journal of Proteome Research</i> , <b>2011</b> , 10, 1420-4	5.6	28
39	Dis3-like 1: a novel exoribonuclease associated with the human exosome. <i>EMBO Journal</i> , <b>2010</b> , 29, 2358-67	6.7	109
38	Profiling of N-acetylated protein termini provides in-depth insights into the N-terminal nature of the proteome. <i>Molecular and Cellular Proteomics</i> , <b>2010</b> , 9, 928-39	7.6	92

37	Exploring the human leukocyte phosphoproteome using a microfluidic reversed-phase-TiO <sub>2</sub> -reversed-phase high-performance liquid chromatography phosphochip coupled to a quadrupole time-of-flight mass spectrometer. <i>Analytical Chemistry</i> , <b>2010</b> , 82, 824-32	7.8	70
36	Mapping of citrullinated fibrinogen B-cell epitopes in rheumatoid arthritis by imaging surface plasmon resonance. <i>Arthritis Research and Therapy</i> , <b>2010</b> , 12, R219	5.7	44
35	Cleavage specificities of the brother and sister proteases Lys-C and Lys-N. <i>Chemical Communications</i> , <b>2010</b> , 46, 8827-9	5.8	44
34	Quantifying cross-tissue diversity in proteasome complexes by mass spectrometry. <i>Molecular BioSystems</i> , <b>2010</b> , 6, 1450-3		18
33	Target profiling of a small library of phosphodiesterase 5 (PDE5) inhibitors using chemical proteomics. <i>ChemMedChem</i> , <b>2010</b> , 5, 1927-36	3.7	17
32	Phosphatidylethanolamine-binding proteins, including RKIP, exhibit affinity for phosphodiesterase-5 inhibitors. <i>ChemBioChem</i> , <b>2009</b> , 10, 2654-62	3.8	11
31	Multiplex peptide stable isotope dimethyl labeling for quantitative proteomics. <i>Nature Protocols</i> , <b>2009</b> , 4, 484-94	18.8	1072
30	Comparative multiplexed mass spectrometric analyses of endogenously expressed yeast nuclear and cytoplasmic exosomes. <i>Journal of Molecular Biology</i> , <b>2009</b> , 385, 1300-13	6.5	46
29	Assessing biological variation and protein processing in primary human leukocytes by automated multiplex stable isotope labeling coupled to 2 dimensional peptide separation. <i>Molecular BioSystems</i> , <b>2009</b> , 5, 992-1003		10
28	Myelin localization of peptidylarginine deiminases 2 and 4: comparison of PAD2 and PAD4 activities. <i>Laboratory Investigation</i> , <b>2008</b> , 88, 354-64	5.9	101
27	Kinetics of human peptidylarginine deiminase 2 (hPAD2)--reduction of Ca <sup>2+</sup> dependence by phospholipids and assessment of proposed inhibition by paclitaxel side chains. <i>Biochemistry and Cell Biology</i> , <b>2008</b> , 86, 437-47	3.6	15
26	Automated online sequential isotope labeling for protein quantitation applied to proteasome tissue-specific diversity. <i>Molecular and Cellular Proteomics</i> , <b>2008</b> , 7, 1755-62	7.6	63
25	C1D is a major autoantibody target in patients with the polymyositis-scleroderma overlap syndrome. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 2449-54		13
24	ABAP: antibody-based assay for peptidylarginine deiminase activity. <i>Analytical Biochemistry</i> , <b>2007</b> , 369, 232-40	3.1	23
23	Novel aspects of autoantibodies to the PM/Scl complex: clinical, genetic and diagnostic insights. <i>Autoimmunity Reviews</i> , <b>2007</b> , 6, 432-7	13.6	100
22	Synthetic peptides: the future of patient management in systemic rheumatic diseases?. <i>Current Medicinal Chemistry</i> , <b>2007</b> , 14, 2831-8	4.3	26
21	Challenges and Controversies in Autoantibodies Associated with Systemic Rheumatic Diseases. <i>Current Rheumatology Reviews</i> , <b>2007</b> , 3, 67-78	1.6	12
20	Methylation of arginine residues interferes with citrullination by peptidylarginine deiminases in vitro. <i>Journal of Molecular Biology</i> , <b>2007</b> , 367, 1118-29	6.5	119

19	Caspase-mediated cleavage of the exosome subunit PM/Scl-75 during apoptosis. <i>Arthritis Research and Therapy</i> , <b>2007</b> , 9, R12	5.7	7
18	Experimental autoimmune encephalomyelitis induction in peptidylarginine deiminase 2 knockout mice. <i>Journal of Comparative Neurology</i> , <b>2006</b> , 498, 217-26	3.4	66
17	Cell and molecular biology of the exosome: how to make or break an RNA. <i>International Review of Cytology</i> , <b>2006</b> , 251, 159-208		28
16	Increased citrullination of histone H3 in multiple sclerosis brain and animal models of demyelination: a role for tumor necrosis factor-induced peptidylarginine deiminase 4 translocation. <i>Journal of Neuroscience</i> , <b>2006</b> , 26, 11387-96	6.6	197
15	MPP6 is an exosome-associated RNA-binding protein involved in 5.8S rRNA maturation. <i>Nucleic Acids Research</i> , <b>2005</b> , 33, 6795-804	20.1	85
14	Clinical evaluation of autoantibodies to a novel PM/Scl peptide antigen. <i>Arthritis Research</i> , <b>2005</b> , 7, R704-13		40
13	Citrullination of central nervous system proteins during the development of experimental autoimmune encephalomyelitis. <i>Journal of Comparative Neurology</i> , <b>2005</b> , 486, 243-53	3.4	43
12	The exosome, a molecular machine for controlled RNA degradation in both nucleus and cytoplasm. <i>European Journal of Cell Biology</i> , <b>2004</b> , 83, 175-83	6.1	68
11	PM-Scl-75 is the main autoantigen in patients with the polymyositis/scleroderma overlap syndrome. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 565-9		51
10	Increased peptidylarginine deiminase type II in hypoxic astrocytes. <i>Biochemical and Biophysical Research Communications</i> , <b>2004</b> , 325, 1324-9	3.4	36
9	The association of the human PM/Scl-75 autoantigen with the exosome is dependent on a newly identified N terminus. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 30698-704	5.4	23
8	Autoantigenicity of nucleolar complexes. <i>Autoimmunity Reviews</i> , <b>2003</b> , 2, 313-21	13.6	15
7	Protein-protein interactions of hCsl4p with other human exosome subunits. <i>Journal of Molecular Biology</i> , <b>2002</b> , 315, 809-18	6.5	33
6	The mammalian exosome mediates the efficient degradation of mRNAs that contain AU-rich elements. <i>EMBO Journal</i> , <b>2002</b> , 21, 165-74	13	288
5	Autoantibodies directed to novel components of the PM/Scl complex, the human exosome. <i>Arthritis Research</i> , <b>2002</b> , 4, 134-8		69
4	Protein-protein interactions between human exosome components support the assembly of RNase PH-type subunits into a six-membered PNPase-like ring. <i>Journal of Molecular Biology</i> , <b>2002</b> , 323, 653-63	6.5	82
3	The heterogeneous nuclear ribonucleoproteins I and K interact with a subset of the ro ribonucleoprotein-associated Y RNAs in vitro and in vivo. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 20711-8	5.4	41
2	Three novel components of the human exosome. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 6177-84	5.4	89

1      AU binding proteins recruit the exosome to degrade ARE-containing mRNAs. *Cell*, **2001**, 107, 451-64      56.2    738