## Paul Muellner

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6301359/publications.pdf

Version: 2024-02-01

1039406 887659 28 331 9 17 citations h-index g-index papers 28 28 28 478 times ranked docs citations citing authors all docs

#	Article	IF	CITATIONS
1	Waveguide Mach-Zehnder biosensor with laser diode pumped integrated single-mode silicon nitride organic hybrid solid-state laser. Biosensors and Bioelectronics, 2022, 197, 113816.	5.3	11
2	Toward optical coherence tomography on a chip: in vivo three-dimensional human retinal imaging using photonic integrated circuit-based arrayed waveguide gratings. Light: Science and Applications, 2021, 10, 6.	7.7	37
3	REAP: revealing drug tolerant persister cells in cancer using contrast enhanced optical coherence and photoacoustic tomography. JPhys Photonics, 2021, 3, 021001.	2.2	1
4	In vivo human retinal swept source optical coherence tomography and angiography at 830Ânm with a CMOS compatible photonic integrated circuit. Scientific Reports, 2021, 11, 21052.	1.6	3
5	Multi-channel swept source optical coherence tomography concept based on photonic integrated circuits. Optics Express, 2020, 28, 32468.	1.7	8
6	Broadband low loss and ultra-low crosstalk waveguide crossings based on a multimode interferometer for 840 nm operation. OSA Continuum, 2020, 3, 334.	1.8	8
7	PECVD Silicon Nitride Photonic Integrated Circuits and Key Building Blocks for Sensing Applications. , 2020, , .		O
8	CMOS-compatible silicon nitride waveguide photonic building blocks and their application for optical coherence tomography and other sensing applications. , 2020, , .		2
9	Silicon-nitride waveguide-based integrated photonic circuits for medical diagnostic and other sensing applications. , 2019, , .		8
10	PECVD silicon nitride optical waveguide devices for sensing applications in the visible and $<\!1\hat{A}\mu m$ near infrared wavelength region. , 2019, , .		1
11	Spectral domain and swept source optical coherence tomography on a photonic integrated circuit at 840nm for ophthalmic application. , 2019, , .		1
12	Design of a Photonic Crystal Defect Waveguide Biosensor Operating in Aqueous Solutions at 1.34 $\hat{A}\mu m$ . Proceedings (mdpi), 2018, 2, 1026.	0.2	4
13	Monolithically Integrated, CMOS-Compatible SiN Photonics for Sensing Applications. Proceedings (mdpi), 2018, 2, .	0.2	10
14	Compact Quantum-Optic Photon-Pair Engine 3D-Integrated on BiCMOS Electronics., 2018,,.		0
15	Broadband SiN asymmetric directional coupler for 840 nm operation. OSA Continuum, 2018, 1, 1324.	1.8	13
16	Preparation of Mach-Zehnder interferometric photonic biosensors by inkjet printing technology. , 2017, , .		0
17	Human IgG detection in serum on polymer based Mach-Zehnder interferometric biosensors. Journal of Biophotonics, 2016, 9, 218-223.	1.1	18
18	Surface Modification of Integrated Optical MZI Sensor Arrays Using Inkjet Printing Technology. Procedia Engineering, 2016, 168, 337-340.	1.2	9

#	Article	IF	CITATIONS
19	Local functionalization of CMOS-compatible Si3N4 Mach-Zehnder interferometers with printable functional polymers. Sensors and Actuators B: Chemical, 2016, 236, 1061-1068.	4.0	15
20	CMOS-compatible Si 3 N 4 Waveguides for Optical Biosensing. Procedia Engineering, 2015, 120, 578-581.	1.2	42
21	Integrated optical waveguide and nanoparticle based label-free molecular biosensing concepts. , 2014, ,		0
22	Streptavidin binding as a model to characterize thiol–ene chemistry-based polyamine surfaces for reversible photonic protein biosensing. Chemical Communications, 2014, 50, 2424.	2.2	15
23	Monitoring Dynamic Interactions of Tumor Cells with Tissue and Immune Cells in a Lab-on-a-Chip. Analytical Chemistry, 2013, 85, 11471-11478.	3.2	39
24	Nonlinearity of optimized horizontal slot waveguides. , 2009, , .		1
25	Nonlinearity of optimized silicon photonic slot waveguides. Optics Express, 2009, 17, 9282.	1.7	74
26	Design of silicon and polymer photonic waveguide structures for sensing applications., 2009,,.		2
27	Lateral leakage in symmetric SOI rib-type slot waveguides. Optics Express, 2008, 16, 287.	1.7	9
28	Lateral confinement in horizontal SOI slot waveguide structures. Proceedings of SPIE, 2008, , .	0.8	O