Afshin Yazdani-Elah-Abadi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6301377/publications.pdf

Version: 2024-02-01

36 papers 480 citations

687363 13 h-index 752698 20 g-index

36 all docs

36 docs citations

36 times ranked 325 citing authors

#	Article	IF	CITATIONS
1	Microwave-Promoted Facile and Rapid Access to Novel Spirooxindole-furo[2,3- <i>c</i>) pyrazole Derivatives Using Pyridinium Ylide-Assisted Domino Reaction. Polycyclic Aromatic Compounds, 2021, 41, 63-72.	2.6	7
2	Nano-Fe ₃ O ₄ -Promoted Five-Component Domino Reactions for the Green Synthesis of Novel Benzo[<i>>a</i>)phthalazino[2′,3′:1,2]pyrazolo[3,4-⟨i⟩c)phenazines in PEG-400 as an Efficient Eco-Friendly Reaction Medium. Polycyclic Aromatic Compounds, 2020, 40, 268-279.	2.6	6
3	Synthesis of Functionalized \hat{I}^3 -Spiroiminolactones through a One-Pot Three-Component Reaction of Isocyanides, Acetylenic Esters, and $6 < i > H < / i > -Indeno[1,2-< i > b < / i >] pyrido[3,2-< i > e < / i >] pyrazin-6-one. Polycyclic Aromatic Compounds, 2020, 40, 214-218.$	2.6	O
4	An Efficient and Green Stereoselective Synthesis of Functionalized 3-Indol-3-yl-oxoindolin-3-yl-3-acrylates via Nano-Fe ₃ O ₄ -PromotedÂOne-Pot Four-Component Domino Reactions. Polycyclic Aromatic Compounds, 2020, 40, 76-87.	2.6	1
5	CeCl ₃ -Catalyzed a Highly Efficient and Eco-friendly Synthesis of New and Densely Functionalized Thiazolo[3,2- <i>a</i>)Pyrimidins <i>via</i>)Biginelli-type Reaction. Polycyclic Aromatic Compounds, 2020, 40, 732-742.	2.6	2
6	DABCO-catalyzed Five-component Domino Protocol for the Synthesis of Novel Benzo[<i>>a</i>)pyrazolo[4',3':5,6]pyrano[2,3- <i><i>>c</i>)phenazines in PEG-400 as an Efficient Green Reaction Medium. Organic Preparations and Procedures International, 2020, 52, 261-273.</i>	1.3	3
7	MNPs–PhSO3H: A Sustainable, Recyclable and Eco-Friendly Catalyst Promoting the Green Synthesis of 3-Aminoisoxazolmethylnaphthols Under Solvent–Free Conditions. Iranian Journal of Science and Technology, Transaction A: Science, 2020, 44, 1379-1385.	1.5	O
8	Fulvic Acid: An Efficient and Green Catalyst for the One-pot Four-component Domino Synthesis of Benzo[a]phenazine Annulated Heterocycles in Aqueous Medium. Organic Preparations and Procedures International, 2020, 52, 48-55.	1.3	8
9	Mild and Efficient Synthesis of Polysubstituted Phthalimides and Piperidines Catalyzed by DABCO. Iranian Journal of Science and Technology, Transaction A: Science, 2019, 43, 2851-2859.	1.5	2
10	A Rapid and Highly Efficient Microwave-Promoted Four-Component Domino Reaction for the Synthesis of Novel Spiro[benzo[a]chromeno[2,3-c]phenazine] Derivatives Under Solvent-Free Conditions. Polycyclic Aromatic Compounds, 2019, 39, 148-158.	2.6	8
11	One-Pot, Sequential Four-Component Synthesis of Benzo[⟨i⟩a⟨ i⟩]chromeno[2,3-⟨i⟩c⟨ i⟩]phenazine Derivatives Using SiO⟨sub⟩2⟨ sub⟩–SO⟨sub⟩3⟨ sub⟩H as an Efficient and Recoverable Catalyst Under Conventional Heating and Microwave Irradiation. Polycyclic Aromatic Compounds, 2018, 38, 92-101.	2.6	17
12	An Efficient Eco-Friendly Synthesis of Pyran Annulated Heterocyclic Systems under Conventional Heating and Microwave Irradiation in Solvent-Free Conditions. Polycyclic Aromatic Compounds, 2018, 38, 180-188.	2.6	6
13	Lactic Acid: An Efficient and Green Catalyst for the One-Pot Five-Components Synthesis of Highly Substituted Piperidines. Polycyclic Aromatic Compounds, 2018, 38, 322-328.	2.6	13
14	Nanomagnetically modified vitamin B ₃ (Fe ₃ O ₄ @Niacin): An efficient and reusable green biocatalyst for microwaveâ€assisted rapid synthesis of 2â€aminoâ€3â€cyanopyridines in aqueous medium. Applied Organometallic Chemistry, 2018, 32, e4103.	3.5	31
15	Synthesis of 1,3-Oxazine-4-thione Derivatives through an Efficient, Rapid and Green Method Catalyzed by L-Proline in Aqueous Medium. Organic Preparations and Procedures International, 2018, 50, 424-431.	1.3	4
16	Green synthesis of novel pyrazoloâ€fused benzophenazines using H ₃ PW ₁₂ O ₄₀ as efficient and recyclable catalyst under microwave irradiation. Journal of the Chinese Chemical Society, 2018, 65, 1259-1265.	1.4	10
17	Microwave Domino Diastereoselective Synthesis of Novel Trans-4,5-Dihydro-1H-Furo[2,3-c]Pyrazoles Using Pyridinium Salts in an Aqueous Medium. Journal of Chemical Research, 2018, 42, 219-223.	1.3	5

DABCO-catalyzed multi-component domino reactions for green and efficient synthesis of novel 3-oxo-3 H -benzo[a]pyrano[2,3- c]phenazine-1-carboxylate and 3-(5-hydroxybenzo[a) Tj ETQq0 0 0 rgBT /Overloc 0 Tf 5 2 5 Td (]ph

#	Article	IF	CITATIONS
19	Caffeine catalyzed green synthesis of novel benzo[a][1,3]oxazino[6,5-c]phenazines via a one-pot multi-component sequential protocol in a basic ionic liquid. Chinese Chemical Letters, 2017, 28, 1340-1344.	9.0	26
20	Microwave-assisted Domino Cyclization for the Synthesis of Novel Spiro-benzo[<i>a</i>]phenazine Annulated Heterocycles Catalyzed by a Basic Ionic Liquid. Journal of the Chinese Chemical Society, 2017, 64, 690-698.	1.4	11
21	Carboxymethyl cellulose (CMC)-loaded Co-Cu doped manganese ferrite nanorods as a new dual-modal simultaneous contrast agent for magnetic resonance imaging and nanocarrier for drug delivery system. Journal of Magnetism and Magnetic Materials, 2017, 438, 85-94.	2.3	33
22	Na2EDTA: an efficient, green and reusable catalyst for the synthesis of biologically important spirooxindoles, spiroacenaphthylenes and spiro-2-amino-4H-pyrans under solvent-free conditions. Journal of the Iranian Chemical Society, 2017, 14, 2117-2125.	2.2	20
23	An efficient domino one-pot synthesis of novel spirofuran-indenoquinoxalines by vinyltriphenylphosphonium salts. Journal of Chemical Sciences, 2017, 129, 691-698.	1.5	6
24	Efficient Synthesis of 5-Carboxanilide-Dihydropyrimidinones Using Cobalt(II) Nitrate Hexahydrate. Journal of the Chinese Chemical Society, 2017, 64, 481-485.	1.4	3
25	Nanomagnetically modified thioglycolic acid (γâ€Fe 2 O 3 @SiO 2 â€6CH 2 CO 2 H): Efficient and reusable green catalyst for the oneâ€pot domino synthesis of spiro[benzo[a]benzo[6,7]chromeno[2,3―c]phenazine] and benzo[a]benzo[6,7]chromeno[2,3―c]phenazines. Applied Organometallic Chemistry, 2017. 31. e3791.	3.5	13
26	Piperidineâ€Promoted Threeâ€Component Condensation: Synthesis of Chromene Heterocycles and Pyrazolotriazoles. Journal of the Chinese Chemical Society, 2017, 64, 1259-1269.	1.4	6
27	l-Proline catalyzed domino cyclization for the green synthesis of novel 1,4-dihydrobenzo[a]pyrido[2,3-c]phenazines. Monatshefte FÃ 1 /4r Chemie, 2017, 148, 2135-2142.	1.8	7
28	DABCO-catalyzed multi-component domino reactions for the one-pot efficient synthesis of diverse and densely functionalized benzofurans in water. Research on Chemical Intermediates, 2017, 43, 1735-1749.	2.7	14
29	Theophylline as a new and green catalyst for the one-pot synthesis of spiro[benzo[a]pyrano[2,3- c]phenazine] and benzo[a]pyrano[2,3- c]phenazine derivatives under solvent-free conditions. Chinese Chemical Letters, 2017, 28, 446-452.	9.0	38
30	A rapid, efficient, and green synthesis of benzo[\$a\$]chromeno[2,3-\$c\$]phenazine derivatives via microwave assistance and DABCO~catalyzed a novel domino cyclization. Turkish Journal of Chemistry, 2017, 41, 567-576.	1.2	5
31	Microwave-Assisted and L-proline Catalysed Domino Cyclisation in an Aqueous Medium: A Rapid, Highly Efficient and Green Synthesis of Benzo[a]Phenazine Annulated Heterocycles. Journal of Chemical Research, 2016, 40, 722-726.	1.3	17
32	PTSA-catalyzed four-component domino reactions for the one-pot synthesis of functionalized $11\text{H-benzo}[a]$ benzo $[6,7]$ chromeno $[2,3\text{-c}]$ phenazine- $11,16(17\text{H})$ -diones in PEG. Research on Chemical Intermediates, 2016, 42, 5915-5926.	2.7	29
33	Theophylline as the catalyst for the diastereoselective synthesis of trans-1,2-dihydrobenzo[a]furo[2,3-c]phenazines in water. RSC Advances, 2016, 6, 84326-84333.	3.6	30
34	An efficient four-component domino protocol for the rapid and green synthesis of functionalized benzo[a]pyrano[2,3-c]phenazine derivatives using caffeine as a homogeneous catalyst. Research on Chemical Intermediates, 2016, 42, 1227-1235.	2.7	44
35	A rapid and efficient domino protocol for the synthesis of functionalized benzo[a]pyrano[2,3-c]phenazine and benzo[f]pyrano[2,3-h]quinoxaline derivatives. Research on Chemical Intermediates, 2016, 42, 6039-6048.	2.7	17
36	A green and efficient four-component sequential protocol for the synthesis of novel 16-(aryl)benzo[a]indeno[2′,1′:5,6]pyrano[2,3-c]phenazin-15(16H)-one derivatives using oxalic acid as a reusable and cost-effective organic catalyst. Research on Chemical Intermediates, 2016, 42, 7121-7132.	2.7	15