

Yi L Hwa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6301897/publications.pdf>

Version: 2024-02-01

153
papers

2,460
citations

249298

26
h-index

274796

44
g-index

155
all docs

155
docs citations

155
times ranked

2724
citing authors

#	ARTICLE	IF	CITATIONS
1	Mortality trends in multiple myeloma after the introduction of novel therapies in the United States. <i>Leukemia</i> , 2022, 36, 801-808.	3.3	43
2	Outcomes of triple class (proteasome inhibitor, IMiDs and monoclonal antibody) refractory patients with multiple myeloma. <i>Leukemia</i> , 2022, 36, 873-876.	3.3	12
3	Characteristics and risk factors for thrombosis in <scp>POEMS</scp> syndrome: A retrospective evaluation of 230 patients. <i>American Journal of Hematology</i> , 2022, 97, 209-215.	2.0	5
4	Impact of achieving a complete response to initial therapy of multiple myeloma and predictors of subsequent outcome. <i>American Journal of Hematology</i> , 2022, , .	2.0	5
5	A simple additive staging system for newly diagnosed multiple myeloma. <i>Blood Cancer Journal</i> , 2022, 12, 21.	2.8	30
6	Multicentric Castleman disease: A single center experience of treatment with a focus on autologous stem cell transplantation. <i>American Journal of Hematology</i> , 2022, , .	2.0	2
7	Characterization and prognostic implication of delayed complete response in AL amyloidosis. <i>European Journal of Haematology</i> , 2021, 106, 354-361.	1.1	4
8	Use of beta blockers is associated with survival outcome of multiple myeloma patients treated with pomalidomide. <i>European Journal of Haematology</i> , 2021, 106, 433-436.	1.1	3
9	Outcomes with different administration schedules of bortezomib in bortezomib, lenalidomide and dexamethasone (<scp>VRd</scp>) as first-line therapy in multiple myeloma. <i>American Journal of Hematology</i> , 2021, 96, 330-337.	2.0	13
10	Clinical Characteristics and Outcomes of Patients With Primary Plasma Cell Leukemia in the Era of Novel Agent Therapy. <i>Mayo Clinic Proceedings</i> , 2021, 96, 677-687.	1.4	16
11	MASS-FIX for the detection of monoclonal proteins and light chain N-glycosylation in routine clinical practice: a cross-sectional study of 6315 patients. <i>Blood Cancer Journal</i> , 2021, 11, 50.	2.8	25
12	Treatment of AL Amyloidosis: Mayo Stratification of Myeloma and Risk-Adapted Therapy (mSMART) Consensus Statement 2020 Update. <i>Mayo Clinic Proceedings</i> , 2021, 96, 1546-1577.	1.4	32
13	The Impact of Socioeconomic Risk Factors on the Survival Outcomes of Patients With Newly Diagnosed Multiple Myeloma: A Cross-analysis of a Population-based Registry and a Tertiary Care Center. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, 451-460.e2.	0.2	9
14	Second Stem Cell Transplantation for Relapsed Refractory Light Chain (AL) Amyloidosis. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 589.e1-589.e6.	0.6	3
15	The Effect of Duration of Lenalidomide Maintenance and Outcomes of Different Salvage Regimens in Patients with Multiple Myeloma (MM). <i>Blood Cancer Journal</i> , 2021, 11, 158.	2.8	9
16	Comparison of the current renal staging, progression and response criteria to predict renal survival in <scp>AL</scp> amyloidosis using a <scp>Mayo</scp> cohort. <i>American Journal of Hematology</i> , 2021, 96, 446-454.	2.0	8
17	Prognostic significance of acquired 1q22 gain in multiple myeloma. <i>American Journal of Hematology</i> , 2021, , .	2.0	6
18	"Real-Life" Data of the Efficacy and Safety of Belantamab Mafodotin in Relapsed Multiple Myeloma- the Mayo Clinic Experience. <i>Blood</i> , 2021, 138, 1639-1639.	0.6	3

#	ARTICLE	IF	CITATIONS
19	An Analysis of Virus Amplification and Antitumor Responses in T-Cell Lymphoma Patients Treated with Voyager-V1 (VSV-IFN γ -NIS). <i>Blood</i> , 2021, 138, 1333-1333.	0.6	0
20	Prognostic Role of IL-6 in POEMS Syndrome. <i>Blood</i> , 2021, 138, 2700-2700.	0.6	0
21	Impact of Achieving an Early Complete Response in Multiple Myeloma and Predictors of Subsequent Outcome. <i>Blood</i> , 2021, 138, 3773-3773.	0.6	0
22	Ocular Toxicity of Commercially Available Belantamab Mafodotin in Patients with Advanced Multiple Myeloma. <i>Blood</i> , 2021, 138, 2711-2711.	0.6	2
23	Outcomes of Triple Class (Proteasome Inhibitor, IMiDs and Monoclonal Antibody) Refractory Patients with Multiple Myeloma. <i>Blood</i> , 2021, 138, 1632-1632.	0.6	0
24	Factors Associated with Renal Impairment at Diagnosis in Multiple Myeloma with Survival Trends over Last Two Decades. <i>Blood</i> , 2021, 138, 1630-1630.	0.6	0
25	Mortality Trends in Multiple Myeloma after the Introduction of Novel Therapies in the United States. <i>Blood</i> , 2021, 138, 119-119.	0.6	0
26	Cytogenetic Features and Clinical Outcomes of Patients With Non-secretory Multiple Myeloma in the Era of Novel Agent Induction Therapy. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, 53-56.	0.2	8
27	Enhancing the R α ISS classification of newly diagnosed multiple myeloma by quantifying circulating clonal plasma cells. <i>American Journal of Hematology</i> , 2020, 95, 310-315.	2.0	37
28	Implications and outcomes of MRD α negative multiple myeloma patients with immunofixation positivity. <i>American Journal of Hematology</i> , 2020, 95, E60-E62.	2.0	4
29	Bone marrow plasma cells 20% or greater discriminate presentation, response, and survival in AL amyloidosis. <i>Leukemia</i> , 2020, 34, 1135-1143.	3.3	29
30	Colon perforation in multiple myeloma patients α A complication of high α dose steroid treatment. <i>Cancer Medicine</i> , 2020, 9, 8895-8901.	1.3	3
31	Implications of MYC Rearrangements in Newly Diagnosed Multiple Myeloma. <i>Clinical Cancer Research</i> , 2020, 26, 6581-6588.	3.2	32
32	Utility of repeating bone marrow biopsy for confirmation of complete response in multiple myeloma. <i>Blood Cancer Journal</i> , 2020, 10, 95.	2.8	3
33	Refining amyloid complete hematological response: Quantitative serum free light chains superior to ratio. <i>American Journal of Hematology</i> , 2020, 95, 1280-1287.	2.0	17
34	Clinical characteristics and treatment outcomes of newly diagnosed multiple myeloma with chromosome 1q abnormalities. <i>Blood Advances</i> , 2020, 4, 3509-3519.	2.5	58
35	Cytogenetic abnormalities in multiple myeloma: association with disease characteristics and treatment response. <i>Blood Cancer Journal</i> , 2020, 10, 82.	2.8	59
36	Correlation between urine ACR and 24-h proteinuria in a real-world cohort of systemic AL amyloidosis patients. <i>Blood Cancer Journal</i> , 2020, 10, 124.	2.8	12

#	ARTICLE	IF	CITATIONS
37	The role of bone marrow biopsy in patients with plasma cell disorders: should all patients with a monoclonal protein be biopsied?. <i>Blood Cancer Journal</i> , 2020, 10, 52.	2.8	8
38	Outcomes with early vs. deferred stem cell transplantation in light chain amyloidosis. <i>Bone Marrow Transplantation</i> , 2020, 55, 1297-1304.	1.3	5
39	Utilizing multiparametric flow cytometry in the diagnosis of patients with primary plasma cell leukemia. <i>American Journal of Hematology</i> , 2020, 95, 637-642.	2.0	12
40	Blood mass spectrometry detects residual disease better than standard techniques in light-chain amyloidosis. <i>Blood Cancer Journal</i> , 2020, 10, 20.	2.8	26
41	Long-term outcomes of IMiD-based trials in patients with immunoglobulin light-chain amyloidosis: a pooled analysis. <i>Blood Cancer Journal</i> , 2020, 10, 4.	2.8	18
42	Phase 2 Trial of Ixazomib, Cyclophosphamide and Dexamethasone for Treatment of Previously Untreated Light Chain Amyloidosis. <i>Blood</i> , 2020, 136, 52-53.	0.6	4
43	MASS-FIX for the Diagnosis of Plasma Cell Disorders: A Single Institution Experience of 4118 Patients. <i>Blood</i> , 2020, 136, 48-49.	0.6	2
44	Daratumumab, Ixazomib, Lenalidomide, and Dexamethasone for Newly Diagnosed Multiple Myeloma. <i>Blood</i> , 2020, 136, 36-37.	0.6	4
45	Continued Improvement in Survival of Patients with Newly Diagnosed Multiple Myeloma (MM). <i>Blood</i> , 2020, 136, 30-31.	0.6	4
46	Phase I Trial of Systemic Administration of Vesicular Stomatitis Virus Genetically Engineered to Express NIS and Human Interferon Beta, in Patients with Relapsed or Refractory Multiple Myeloma (MM), Acute Myeloid Leukemia (AML), and T-Cell Neoplasms (TCL). <i>Blood</i> , 2020, 136, 7-8.	0.6	1
47	Sequential Comparison of Conventional Serum Immunofixation (IFE) to Mass Spectrometry-Based Assessment (MASS FIX) in Patients with Multiple Myeloma (MM). <i>Blood</i> , 2020, 136, 12-13.	0.6	3
48	Mayo Clinic Hematology Fellowship for Advanced Practice Providers. <i>Journal of the Advanced Practitioner in Oncology</i> , 2020, 11, 395-400.	0.2	1
49	The why and how of maintaining hydration during cancer therapy. <i>Current Opinion in Supportive and Palliative Care</i> , 2020, 14, 324-332.	0.5	1
50	Comparison of Conventional Xrays with CT Based Approaches for Detection of Lytic Lesions in Multiple Myeloma. <i>Blood</i> , 2020, 136, 27-28.	0.6	0
51	The Prognostic Significance of Acquired 1q22 Gain in Multiple Myeloma. <i>Blood</i> , 2020, 136, 9-10.	0.6	0
52	A Cross Sectional Evaluation of Light Chain N-Glycosylation By MASS-FIX in Plasma Cell Disorders. <i>Blood</i> , 2020, 136, 44-45.	0.6	0
53	Prognostic Impact of PET Findings Post-Transplant in Multiple Myeloma. <i>Blood</i> , 2020, 136, 15-16.	0.6	0
54	Prognostic Restaging after Treatment Initiation in Patients with AL Amyloidosis. <i>Blood</i> , 2020, 136, 6-7.	0.6	0

#	ARTICLE	IF	CITATIONS
55	A 3-Question Symptom Assessment Score Can Predict Outcomes in Newly Diagnosed Multiple Myeloma (MM). <i>Blood</i> , 2020, 136, 21-22.	0.6	0
56	Unmet Needs in AL Amyloidosis: Outcomes in the Modern Era Among the Highest Risk, Newly Diagnosed AL Amyloidosis Patients. <i>Blood</i> , 2020, 136, 31-32.	0.6	1
57	Peripheral blood biomarkers of early immune reconstitution in newly diagnosed multiple myeloma. <i>American Journal of Hematology</i> , 2019, 94, 306-311.	2.0	18
58	Utilization of hematopoietic stem cell transplantation for the treatment of multiple myeloma: a Mayo Stratification of Myeloma and Risk-Adapted Therapy (mSMART) consensus statement. <i>Bone Marrow Transplantation</i> , 2019, 54, 353-367.	1.3	81
59	Ten-year survivors in AL amyloidosis: characteristics and treatment pattern. <i>British Journal of Haematology</i> , 2019, 187, 588-594.	1.2	40
60	Depth of organ response in AL amyloidosis is associated with improved survival: new proposed organ response criteria. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2019, 26, 101-102.	1.4	9
61	Comparative analysis of staging systems in AL amyloidosis. <i>Leukemia</i> , 2019, 33, 811-814.	3.3	22
62	Development of thrombocytopenia during first-line treatment and survival outcomes in newly diagnosed multiple myeloma. <i>Leukemia and Lymphoma</i> , 2019, 60, 2960-2967.	0.6	4
63	Natural history of multiple myeloma with de novo del(17p). <i>Blood Cancer Journal</i> , 2019, 9, 32.	2.8	38
64	Prognostic value of minimal residual disease and polyclonal plasma cells in myeloma patients achieving a complete response to therapy. <i>American Journal of Hematology</i> , 2019, 94, 751-756.	2.0	15
65	Substratification of patients with newly diagnosed standard-risk multiple myeloma. <i>British Journal of Haematology</i> , 2019, 185, 254-260.	1.2	12
66	Prognostic restaging at the time of second-line therapy in patients with AL amyloidosis. <i>Leukemia</i> , 2019, 33, 1268-1272.	3.3	7
67	Impact of prior diagnosis of monoclonal gammopathy on outcomes in newly diagnosed multiple myeloma. <i>Leukemia</i> , 2019, 33, 1273-1277.	3.3	12
68	A Modern Primer on Light Chain Amyloidosis in 592 Patients With Mass Spectrometry-Verified Typing. <i>Mayo Clinic Proceedings</i> , 2019, 94, 472-483.	1.4	59
69	Impact of acquired del(17p) in multiple myeloma. <i>Blood Advances</i> , 2019, 3, 1930-1938.	2.5	41
70	Outcomes with early response to first-line treatment in patients with newly diagnosed multiple myeloma. <i>Blood Advances</i> , 2019, 3, 744-750.	2.5	28
71	Relapse after complete response in newly diagnosed multiple myeloma: implications of duration of response and patterns of relapse. <i>Leukemia</i> , 2019, 33, 730-738.	3.3	20
72	Optimizing deep response assessment for AL amyloidosis using involved free light chain level at end of therapy: failure of the serum free light chain ratio. <i>Leukemia</i> , 2019, 33, 527-531.	3.3	36

#	ARTICLE	IF	CITATIONS
73	Mortality of Patients with Multiple Myeloma after the Introduction of Novel Therapies in the United States. <i>Blood</i> , 2019, 134, 72-72.	0.6	2
74	Utilizing Multiparametric Flow Cytometry to Identify Patients with Primary Plasma Cell Leukemia at Diagnosis. <i>Blood</i> , 2019, 134, 4334-4334.	0.6	1
75	A Prospective Pilot Study of Ixazomib, Lenalidomide, and Dexamethasone for Patients with Newly Diagnosed or Relapsed/Refractory POEMS Syndrome. <i>Blood</i> , 2019, 134, 1846-1846.	0.6	2
76	Phase 2 Trial of Daratumumab, Ixazomib, Lenalidomide and Modified Dose Dexamethasone in Patients with Newly Diagnosed Multiple Myeloma. <i>Blood</i> , 2019, 134, 864-864.	0.6	13
77	Phase 2 Trial of LDE225 and Lenalidomide Maintenance Post Autologous Stem Cell Transplant for Multiple Myeloma. <i>Blood</i> , 2019, 134, 1905-1905.	0.6	2
78	Immunoglobulin Light-Chain Amyloidosis: Clinical Presentations and Diagnostic Approach. <i>Journal of the Advanced Practitioner in Oncology</i> , 2019, 10, 470-481.	0.2	3
79	Hypovitaminosis D Is Prevalent in Patients with Renal AL Amyloidosis and Associated with Non-t(11;14). <i>Blood</i> , 2019, 134, 5523-5523.	0.6	0
80	Metaphase Cytogenetics for Risk Stratification in Newly Diagnosed Multiple Myeloma. <i>Blood</i> , 2019, 134, 4396-4396.	0.6	0
81	Impact of sFLC Ratio on Outcome in Patients with MM: Validating the Utility of sFLC in Response Definition. <i>Blood</i> , 2019, 134, 3080-3080.	0.6	0
82	Determinants of Clinical Trial Participation and Impact on Survival Outcomes Among Patients with Newly Diagnosed Multiple Myeloma. <i>Blood</i> , 2019, 134, 5833-5833.	0.6	0
83	Phase 2 Trial of Ixazomib, Cyclophosphamide and Dexamethasone in Relapsed Multiple Myeloma. <i>Blood</i> , 2019, 134, 1904-1904.	0.6	0
84	A Novel Approach to Risk Stratification in Multiple Myeloma Using ISS Stage and FISH. <i>Blood</i> , 2019, 134, 1800-1800.	0.6	1
85	The Impact of Socioeconomic Risk Factors on the Survival Outcomes of Patients with Newly Diagnosed Multiple Myeloma. <i>Blood</i> , 2019, 134, 2197-2197.	0.6	0
86	Clinical Outcomes and Cytogenetic Features of Primary Plasma Cell Leukemia (pPCL) in the Era of Novel Agent Induction Therapy. <i>Blood</i> , 2019, 134, 5490-5490.	0.6	1
87	Prognostic significance of circulating plasma cells by multi-parametric flow cytometry in light chain amyloidosis. <i>Leukemia</i> , 2018, 32, 1421-1426.	3.3	8
88	Depth of organ response in AL amyloidosis is associated with improved survival: grading the organ response criteria. <i>Leukemia</i> , 2018, 32, 2240-2249.	3.3	64
89	Time to plateau as a predictor of survival in newly diagnosed multiple myeloma. <i>American Journal of Hematology</i> , 2018, 93, 889-894.	2.0	14
90	Prognostic significance of interphase FISH in monoclonal gammopathy of undetermined significance. <i>Leukemia</i> , 2018, 32, 1811-1815.	3.3	28

#	ARTICLE	IF	CITATIONS
91	Impact of prior melphalan exposure on stem cell collection in light chain amyloidosis. Bone Marrow Transplantation, 2018, 53, 326-333.	1.3	4
92	Efficacy of VDT PACE-like regimens in treatment of relapsed/refractory multiple myeloma. American Journal of Hematology, 2018, 93, 179-186.	2.0	49
93	Impact of involved free light chain (FLC) levels in patients achieving normal FLC ratio after initial therapy in light chain amyloidosis (AL). American Journal of Hematology, 2018, 93, 17-22.	2.0	11
94	Overall survival of transplant eligible patients with newly diagnosed multiple myeloma: comparative effectiveness analysis of modern induction regimens on outcome. Blood Cancer Journal, 2018, 8, 125.	2.8	29
95	Utility and prognostic value of ¹⁸ F-FDG positron emission tomography-computed tomography scans in patients with newly diagnosed multiple myeloma. American Journal of Hematology, 2018, 93, 1518-1523.	2.0	19
96	Phase 1/2 trial of ixazomib, cyclophosphamide and dexamethasone in patients with previously untreated symptomatic multiple myeloma. Blood Cancer Journal, 2018, 8, 70.	2.8	18
97	Serum free light chain measurements to reduce 24h urine monitoring in patients with multiple myeloma with measurable urine monoclonal protein. American Journal of Hematology, 2018, 93, 1207-1210.	2.0	3
98	Risk stratification of smoldering multiple myeloma incorporating revised IMWG diagnostic criteria. Blood Cancer Journal, 2018, 8, 59.	2.8	171
99	Phase 2 Trial of Ixazomib, Lenalidomide, Dexamethasone and Daratumumab in Patients with Newly Diagnosed Multiple Myeloma. Blood, 2018, 132, 304-304.	0.6	10
100	Comparative Analysis of Staging Systems in AL Amyloidosis. Blood, 2018, 132, 3228-3228.	0.6	0
101	Early Prediction of Treatment Response in Newly Diagnosed Multiple Myeloma. Blood, 2018, 132, 3159-3159.	0.6	0
102	Prognostic Significance of Early Immune Reconstitution in Newly Diagnosed Multiple Myeloma. Blood, 2018, 132, 3158-3158.	0.6	0
103	Impact of Acquired Del(17p) in Patients with Multiple Myeloma. Blood, 2018, 132, 4449-4449.	0.6	0
104	Long-Term AL Amyloidosis Survivors Among Non-Selected Referral Population. Blood, 2018, 132, 3226-3226.	0.6	0
105	Expected Survival in Patients with Smoldering Multiple Myeloma and Multiple Myeloma. Blood, 2018, 132, 4497-4497.	0.6	0
106	Mass Spectrometry to Measure Response in Immunoglobulin Light Chain Amyloidosis (AL). Blood, 2018, 132, 4502-4502.	0.6	0
107	Development of Thrombocytopenia and Survival Outcomes in Newly Diagnosed Multiple Myeloma. Blood, 2018, 132, 1902-1902.	0.6	1
108	Prognostic Restaging at the Time of 2nd-Line Therapy in Patients with AL Amyloidosis. Blood, 2018, 132, 5594-5594.	0.6	0

#	ARTICLE	IF	CITATIONS
109	Optimizing Deep Response Assessment for AL Amyloidosis Using Involved Free Light Chain Level at End of Therapy. <i>Blood</i> , 2018, 132, 3227-3227.	0.6	0
110	Characterization of Exceptional Responders to Autologous Stem Cell Transplantation in Multiple Myeloma. <i>Blood</i> , 2018, 132, 4615-4615.	0.6	0
111	Plasma Cell Proliferative Index Is an Independent Predictor of Progression in Smoldering Multiple Myeloma. <i>Blood</i> , 2018, 132, 3160-3160.	0.6	2
112	Development of a Hematology-Specific Fellowship Curriculum for Advanced Practice Providers Utilizing a Needs-Based Assessment. <i>Blood</i> , 2018, 132, 2236-2236.	0.6	0
113	Patient-Reported Outcome Driven Case Management System for Hematology – a Prospective Study. <i>Blood</i> , 2018, 132, 719-719.	0.6	1
114	Improved outcomes for newly diagnosed AL amyloidosis between 2000 and 2014: cracking the glass ceiling of early death. <i>Blood</i> , 2017, 129, 2111-2119.	0.6	249
115	The prognostic significance of polyclonal bone marrow plasma cells in patients with relapsing multiple myeloma. <i>American Journal of Hematology</i> , 2017, 92, E507-E512.	2.0	5
116	Clinical presentation and outcomes of patients with type 1 monoclonal cryoglobulinemia. <i>American Journal of Hematology</i> , 2017, 92, 668-673.	2.0	75
117	Treatment patterns and outcome following initial relapse or refractory disease in patients with systemic light chain amyloidosis. <i>American Journal of Hematology</i> , 2017, 92, 549-554.	2.0	24
118	Diagnosis and Management of Waldenström Macroglobulinemia. <i>JAMA Oncology</i> , 2017, 3, 1257.	3.4	110
119	Efficacy of daratumumab-based therapies in patients with relapsed, refractory multiple myeloma treated outside of clinical trials. <i>American Journal of Hematology</i> , 2017, 92, 1146-1155.	2.0	25
120	Predictors of early treatment failure following initial therapy for systemic immunoglobulin light-chain amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2017, 24, 183-188.	1.4	4
121	Natural history of amyloidosis isolated to fat and bone marrow aspirate. <i>British Journal of Haematology</i> , 2017, 179, 170-172.	1.2	10
122	Beta-blockers improve survival outcomes in patients with multiple myeloma: a retrospective evaluation. <i>American Journal of Hematology</i> , 2017, 92, 50-55.	2.0	41
123	Induction therapy pre-autologous stem cell transplantation in immunoglobulin light chain amyloidosis: a retrospective evaluation. <i>American Journal of Hematology</i> , 2016, 91, 984-988.	2.0	45
124	Long-term outcome of patients with POEMS syndrome: An update of the Mayo Clinic experience. <i>American Journal of Hematology</i> , 2016, 91, 585-589.	2.0	57
125	N-terminal fragment of the type-B natriuretic peptide (NT-proBNP) contributes to a simple new frailty score in patients with newly diagnosed multiple myeloma. <i>American Journal of Hematology</i> , 2016, 91, 1129-1134.	2.0	71
126	Iron Deficiency in Long-Term Parenteral Nutrition Therapy. <i>Journal of Parenteral and Enteral Nutrition</i> , 2016, 40, 869-876.	1.3	28

#	ARTICLE	IF	CITATIONS
127	Predictors of Early Relapse Following Initial Therapy for Systemic Immunoglobulin Light Chain Amyloidosis. <i>Blood</i> , 2016, 128, 2082-2082.	0.6	1
128	Clinical Presentation and Outcomes of Patients with Light Chain Amyloidosis Who Have Non-Evaluable Free Light Chains at Diagnosis. <i>Blood</i> , 2016, 128, 3272-3272.	0.6	1
129	Bortezomib Versus Non-Bortezomib Based Treatment for Transplant Ineligible Patients with Light Chain Amyloidosis. <i>Blood</i> , 2016, 128, 3317-3317.	0.6	3
130	Efficacy of Carfilzomib (K), Pomalidomide (P), and Dexamethasone (d) in Heavily Pretreated Patients with Relapsed/ Refractory Multiple Myeloma (RRMM) in a Real World Setting. <i>Blood</i> , 2016, 128, 3337-3337.	0.6	5
131	Practice Patterns of Re-Initiation of Therapy at Time of Relapse or Progression Post- Autologous Stem Cell Transplant (ASCT) Among Patients with AL Amyloidosis. <i>Blood</i> , 2016, 128, 3444-3444.	0.6	1
132	Effect of Standard Dose Versus Risk Adapted Melphalan Conditioning on Outcomes in Systemic AL Amyloidosis Patients Undergoing Frontline Autologous Stem Cell Transplant Based on Revised Mayo Stage. <i>Blood</i> , 2016, 128, 4627-4627.	0.6	1
133	Prognostic Implications of Multiple Cytogenetic High-Risk Abnormalities in Patients with Newly Diagnosed Multiple Myeloma. <i>Blood</i> , 2016, 128, 5615-5615.	0.6	0
134	Beta-Blockers Improved Survival Outcomes in Patients with Multiple Myeloma: A Retrospective Evaluation. <i>Blood</i> , 2016, 128, 3306-3306.	0.6	0
135	The Prognostic Significance of Polyclonal Bone Marrow Plasma Cells in Patients with Actively Relapsing Multiple Myeloma. <i>Blood</i> , 2016, 128, 1194-1194.	0.6	0
136	Treatment Patterns and Outcomes Following Initial Relapse in Patients with Relapsed Systemic Immunoglobulin Light Chain Amyloidosis. <i>Blood</i> , 2016, 128, 3338-3338.	0.6	0
137	Predicting Poor Overall Survival in Patients with Newly Diagnosed Multiple Myeloma and Standard-Risk Cytogenetics Treated with Novel Agents. <i>Blood</i> , 2016, 128, 3255-3255.	0.6	0
138	Impact of Melphalan-Based Chemotherapy on Stem Cell Collection in Patients with Light Chain Amyloidosis. <i>Blood</i> , 2016, 128, 2187-2187.	0.6	0
139	Predictors of early response to initial therapy in patients with newly diagnosed symptomatic multiple myeloma. <i>American Journal of Hematology</i> , 2015, 90, 888-891.	2.0	18
140	Outcomes of primary refractory multiple myeloma and the impact of novel therapies. <i>American Journal of Hematology</i> , 2015, 90, 981-985.	2.0	38
141	Treatment of Immunoglobulin Light Chain Amyloidosis. <i>Mayo Clinic Proceedings</i> , 2015, 90, 1054-1081.	1.4	106
142	Soluble suppression of tumorigenicity 2 (sTSG2), but not galactinase, adds to prognostication in patients with systemic AL amyloidosis independent of NT-proBNP and troponin T. <i>American Journal of Hematology</i> , 2015, 90, 524-528.	2.0	31
143	In Patients with Light-Chain (AL) Amyloidosis Myocardial Contraction Fraction (MCF) Is a Simple, but Powerful Prognostic Measure That Can be Calculated from a Standard Echocardiogram (ECHO). <i>Blood</i> , 2015, 126, 1774-1774.	0.6	6
144	Randomized Phase 2 Trial of Two Different Doses of Ixazomib in Patients with Relapsed Multiple Myeloma Not Refractory to Bortezomib. <i>Blood</i> , 2015, 126, 3050-3050.	0.6	8

#	ARTICLE	IF	CITATIONS
145	Impact of Bone Marrow Plasmacytosis on Outcome in Patients with AL Amyloidosis Following Autologous Stem Cell Transplant. Blood, 2015, 126, 3177-3177.	0.6	3
146	N-Terminal Fragment of the Type-B Natriuretic Peptide (NT-proBNP) Is a Prognostic Factor for Overall Survival in Newly Diagnosed Patients with Multiple Myeloma (MM). Blood, 2015, 126, 3292-3292.	0.6	0
147	AL Amyloidosis and Patient Reported Quality of Life. Blood, 2015, 126, 3317-3317.	0.6	0
148	Occurrence and Prognostic Significance of Cytogenetic Evolution in Patients with Multiple Myeloma. Blood, 2015, 126, 4176-4176.	0.6	0
149	Natural History of Amyloidosis Isolated to Fat and Bone Marrow Aspirate. Blood, 2015, 126, 5303-5303.	0.6	0
150	Effect Of Immediate Prior-Line Lenalidomide Or Thalidomide Therapy On Response To Pomalidomide In Multiple Myeloma. Blood, 2013, 122, 1979-1979.	0.6	0
151	Continued Improvement in Survival in Multiple Myeloma and the Impact of Novel Agents. Blood, 2012, 120, 3972-3972.	0.6	7
152	Survival After Second, Third, and Fourth Line Therapy Better Than Expected in Patients with Previously Treated AL Amyloidosis Who Were Not Transplant Candidates At Diagnosis.. Blood, 2012, 120, 946-946.	0.6	1
153	Primary adenomyoepithelioma of tonsil. Head & Neck Oncology, 2010, 2, 7.	2.3	3