

# Oleg G Safonov

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6301970/publications.pdf>

Version: 2024-02-01

26  
papers

513  
citations

623734

14  
h-index

642732

23  
g-index

27  
all docs

27  
docs citations

27  
times ranked

393  
citing authors

#	ARTICLE	IF	CITATIONS
1	Hydrated Peridotite â€“ Basaltic Melt Interaction Part I: Planetary Felsic Crust Formation at Shallow Depth. <i>Frontiers in Earth Science</i> , 2021, 9, .	1.8	7
2	Experimental diopside: Implications for natural diopside genesis through fluid-melt-mantle peridotite reaction. <i>Mineralogy and Petrology</i> , 2021, 115, 489-495.	1.1	1
3	Melt- to Shear-Controlled Exhumation of Granulites in Graniteâ€“Gneiss Domes: Petrological Perspectives from Metapelite of the Neoproterozoic Ha-Tshanzi Structure, Central Zone, Limpopo Complex, South Africa. <i>Journal of Petrology</i> , 2021, 62, .	2.8	1
4	Carbonate-silicate inclusions in garnet as evidence for a carbonate-bearing source for fluids in leucocratic granitoids associated with granulites of the Southern Marginal Zone, Limpopo Complex, South Africa. <i>Gondwana Research</i> , 2020, 77, 147-167.	6.0	9
5	Phlogopite-Forming Reactions as Indicators of Metasomatism in the Lithospheric Mantle. <i>Minerals (Basel, Switzerland)</i> , 2019, 9, 685.	2.0	28
6	The Neoproterozoic Limpopo Orogeny: Exhumation and Regional-Scale Gravitational Crustal Overturn Driven by a Granulite Diapir. <i>Regional Geology Reviews</i> , 2019, , 185-224.	1.2	11
7	Halogens in High-Grade Metamorphism. <i>Springer Geochemistry</i> , 2018, , 713-757.	0.1	11
8	Composition and source of fluids in high-temperature graphite-bearing granitoids associated with granulites: Examples from the Southern Marginal Zone, Limpopo Complex, South Africa. <i>Gondwana Research</i> , 2018, 60, 129-152.	6.0	14
9	Precambrian ultra-hot orogenic factory: Making and reworking of continental crust. <i>Tectonophysics</i> , 2018, 746, 572-586.	2.2	49
10	Thermal and Fluid Effects of Granitoid Intrusions on Granulite Complexes: Examples from the Southern Marginal Zone of the Limpopo Complex, South Africa. <i>Petrology</i> , 2018, 26, 617-639.	0.9	2
11	Carbon Isotope Characteristics as Evidence of an External Source of High-Temperature Granitoids in Granulite Complexes. <i>Doklady Earth Sciences</i> , 2018, 483, 1515-1518.	0.7	1
12	Garnet-bearing low-Sr and high-Sr Singelele leucogranite: A record of Neoproterozoic episodic melting in collisional setting and Paleoproterozoic overprint in the Beit Bridge complex, southern Africa. <i>Lithos</i> , 2018, 322, 67-86.	1.4	5
13	Pâ€“T Conditions, Mechanism and Timing of the Localized Melting of Metapelites from the Petronella Shear Zone and Relationships with Granite Intrusions in the Southern Marginal Zone of the Limpopo Belt, South Africa. <i>Journal of Petrology</i> , 2018, 59, 695-734.	2.8	9
14	Experimental constraints on orthopyroxene dissolution in alkali-carbonate melts in the lithospheric mantle: Implications for kimberlite melt composition and magma ascent. <i>Chemical Geology</i> , 2017, 455, 44-56.	3.3	37
15	Merwinite-structured phases as a potential host of alkalis in the upper mantle. <i>Contributions To Mineralogy and Petrology</i> , 2015, 170, 1.	3.1	6
16	Interaction of Biotiteâ€“Amphibole Gneiss with H <sub>2</sub> Oâ€“CO <sub>2</sub> â€“(K, Na)Cl Fluids at 550 MPa and 750 and 800Â°D <sub>j</sub> : Experimental Study and Applications to Dehydration and Partial Melting in the Middle Crust. <i>Journal of Petrology</i> , 2014, 55, 2419-2456.	2.8	25
17	Fluid-assisted interaction of peraluminous metapelites with trondhjemitic magma within the Petronella shear-zone, Limpopo Complex, South Africa. <i>Precambrian Research</i> , 2014, 253, 114-145.	2.7	23
18	Alkali control of high-grade metamorphism and granitization. <i>Geoscience Frontiers</i> , 2014, 5, 711-727.	8.4	25

#	ARTICLE	IF	CITATIONS
19	Experimental and petrological constraints on local-scale interaction of biotite-amphibole gneiss with H <sub>2</sub> O-CO <sub>2</sub> -(K, Na)Cl fluids at middle-crustal conditions: Example from the Limpopo Complex, South Africa. <i>Geoscience Frontiers</i> , 2012, 3, 829-841.	8.4	22
20	Links between Carbonatite and Kimberlite Melts in Chloride–Carbonate–Silicate Systems: Experiments and Application to Natural Assemblages. <i>Journal of Petrology</i> , 2011, 52, 1307-1331.	2.8	40
21	Origin of Cl-bearing silica-rich melt inclusions in diamonds: Experimental evidence for an eclogite connection. <i>Geology</i> , 2010, 38, 1131-1134.	4.4	29
22	Synthetic hypersilicic Cl-bearing mica in the phlogopite-celadonite join: A multimethodical characterization of the missing link between di- and tri-octahedral micas at high pressures. <i>American Mineralogist</i> , 2008, 93, 1429-1436.	1.9	17
23	Melting relations in the chloride–carbonate–silicate systems at high-pressure and the model for formation of alkalic diamond-forming liquids in the upper mantle. <i>Earth and Planetary Science Letters</i> , 2007, 253, 112-128.	4.4	91
24	Compressibility of synthetic potassium-rich clinopyroxene: In-situ high-pressure single-crystal X-ray study. <i>American Mineralogist</i> , 2006, 91, 802-808.	1.9	9
25	Ultrapotassic clinopyroxene from the Kumdy-Kol microdiamond mine, Kokchetav Complex, Kazakhstan: Occurrence, composition and crystal-chemical characterization. <i>American Mineralogist</i> , 2003, 88, 464-468.	1.9	26
26	Ultra-high potassium content in the clinopyroxene structure: an X-ray single-crystal study. <i>European Journal of Mineralogy</i> , 2002, 14, 929-934.	1.3	15