

# Kazuhiro Yoshiuchi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6302478/publications.pdf>

Version: 2024-02-01

92  
papers

1,354  
citations

430754

18  
h-index

414303

32  
g-index

103  
all docs

103  
docs citations

103  
times ranked

1682  
citing authors

#	ARTICLE	IF	CITATIONS
1	Universal Scaling Law in Human Behavioral Organization. <i>Physical Review Letters</i> , 2007, 99, 138103.	2.9	129
2	Japanese People's Preference for Place of End-of-Life Care and Death: A Population-Based Nationwide Survey. <i>Journal of Pain and Symptom Management</i> , 2011, 42, 882-892.	0.6	110
3	Patients with chronic fatigue syndrome have reduced absolute cortical blood flow. <i>Clinical Physiology and Functional Imaging</i> , 2006, 26, 83-86.	0.5	89
4	Yearlong Physical Activity and Depressive Symptoms in Older Japanese Adults: Cross-Sectional Data from the Nakanojo Study. <i>American Journal of Geriatric Psychiatry</i> , 2006, 14, 621-624.	0.6	68
5	A real-time assessment of the effect of exercise in chronic fatigue syndrome. <i>Physiology and Behavior</i> , 2007, 92, 963-968.	1.0	56
6	Symptom Profile of Multiple Chemical Sensitivity in Actual Life. <i>Psychosomatic Medicine</i> , 2005, 67, 318-325.	1.3	46
7	Application of ecological momentary assessment in stress-related diseases. <i>BioPsychoSocial Medicine</i> , 2008, 2, 13.	0.9	37
8	Heart Rate and Blood Pressure Variability and Baroreflex Sensitivity in Patients With Anorexia Nervosa. <i>Psychosomatic Medicine</i> , 2008, 70, 695-700.	1.3	37
9	Development of a Hand-Held Personal Digital Assistant-Based Food Diary with Food Photographs for Japanese Subjects. <i>Journal of the American Dietetic Association</i> , 2009, 109, 1232-1236.	1.3	36
10	Potential benefits of integrating ecological momentary assessment data into mHealth care systems. <i>BioPsychoSocial Medicine</i> , 2019, 13, 19.	0.9	34
11	Covariation of Depressive Mood and Spontaneous Physical Activity in Major Depressive Disorder: Toward Continuous Monitoring of Depressive Mood. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2015, 19, 1347-1355.	3.9	33
12	Stress and psychological factors before a migraine attack: A time-based analysis. <i>BioPsychoSocial Medicine</i> , 2008, 2, 14.	0.9	32
13	Personality traits and coping styles explain anxiety in lung cancer patients to a greater extent than other factors. <i>Japanese Journal of Clinical Oncology</i> , 2015, 45, 456-463.	0.6	29
14	Use of time-frequency analysis to investigate temporal patterns of cardiac autonomic response during head-up tilt in chronic fatigue syndrome. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2004, 113, 55-62.	1.4	28
15	Hemodynamic and Endocrine Responsiveness to Mental Arithmetic Task and Mirror Drawing Test in Patients With Essential Hypertension. <i>American Journal of Hypertension</i> , 1997, 10, 243-249.	1.0	22
16	Physical activity of elderly patients with rheumatoid arthritis and healthy individuals: an actigraphy study. <i>BioPsychoSocial Medicine</i> , 2015, 9, 19.	0.9	22
17	A Novel Methodology to Evaluate Health Impacts Caused by VOC Exposures Using Real-Time VOC and Holter Monitors. <i>International Journal of Environmental Research and Public Health</i> , 2010, 7, 4127-4138.	1.2	21
18	Determinants of financial performance of home-visit nursing agencies in Japan. <i>BMC Health Services Research</i> , 2014, 14, 11.	0.9	20

#	ARTICLE	IF	CITATIONS
19	Chemotherapeutic drugs that penetrate the bloodâ€‘brain barrier affect the development of hyperactive delirium in cancer patients. <i>Palliative and Supportive Care</i> , 2015, 13, 859-864.	0.6	19
20	Psychosocial Assessment of Candidates for Transplantation scale (PACT) and survival after allogeneic hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2019, 54, 1013-1021.	1.3	18
21	Autonomic dysfunction responses to head-up tilt in anorexia nervosa. <i>Clinical Autonomic Research</i> , 2014, 24, 175-181.	1.4	17
22	Impact of depression on health utility value in cancer patients. <i>Psycho-Oncology</i> , 2016, 25, 491-495.	1.0	17
23	Panic disorder and locomotor activity. <i>BioPsychoSocial Medicine</i> , 2008, 2, 23.	0.9	16
24	The Association Between Depressive Symptoms and Age in Cancer Patients: A Multicenter Cross-Sectional Study. <i>Journal of Pain and Symptom Management</i> , 2015, 50, 768-777.	0.6	16
25	Current Pharmacotherapy Does Not Improve Severity of Hypoactive Delirium in Patients with Advanced Cancer: Pharmacological Audit Study of Safety and Efficacy in Real World (Phase-R). <i>Oncologist</i> , 2019, 24, e574-e582.	1.9	16
26	Increased prevalence of eating disorders in Japan since the start of the COVID-19 pandemic. <i>Eating and Weight Disorders</i> , 2022, 27, 2251-2255.	1.2	16
27	Real-Time Assessment of the Effect of Biofeedback Therapy with Migraine: A Pilot Study. <i>International Journal of Behavioral Medicine</i> , 2015, 22, 748-754.	0.8	15
28	Reversibility of delirium in illâ€‘hospitalized cancer patients: Does underlying etiology matter?. <i>Cancer Medicine</i> , 2020, 9, 19-26.	1.3	15
29	Safety and effectiveness of antipsychotic medication for delirium in patients with advanced cancer: A large-scale multicenter prospective observational study in real-world palliative care settings. <i>General Hospital Psychiatry</i> , 2020, 67, 35-41.	1.2	15
30	Development of an ecological momentary assessment scale for appetite. <i>BioPsychoSocial Medicine</i> , 2015, 9, 2.	0.9	14
31	Influence of psychological factors on acute exacerbation of tension-type headache: Investigation by ecological momentary assessment. <i>Journal of Psychosomatic Research</i> , 2015, 79, 239-242.	1.2	13
32	Do Symptoms among Home Palliative Care Patients with Advanced Cancer Decide the Place of Death? Focusing on the Presence or Absence of Symptoms during Home Care. <i>Journal of Palliative Medicine</i> , 2016, 19, 488-495.	0.6	13
33	Low-Dose Trazodone for Delirium in Patients with Cancer Who Received Specialist Palliative Care: A Multicenter Prospective Study. <i>Journal of Palliative Medicine</i> , 2021, 24, 914-918.	0.6	13
34	Associations between Japanese People's Concern about Family Caregiver Burden and Preference for End-Of-Life Care Location. <i>Journal of Palliative Care</i> , 2013, 29, 22-28.	0.4	12
35	Expectation of a Decrease in Pain Affects the Prognosis of Pain in Cancer Patients: a Prospective Cohort Study of Response to Morphine. <i>International Journal of Behavioral Medicine</i> , 2017, 24, 535-541.	0.8	12
36	Efficacy of acceptance and commitment therapy for people with typeâ€‘2 diabetes: Systematic review and metaâ€‘analysis. <i>Journal of Diabetes Investigation</i> , 2022, 13, 262-270.	1.1	12

#	ARTICLE	IF	CITATIONS
37	Acoustic Hyper-Reactivity and Negatively Skewed Locomotor Activity in Children With Autism Spectrum Disorders: An Exploratory Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 355.	1.3	11
38	Current viewpoints on <sc>DSM</sc>â€5 in Japan. <i>Psychiatry and Clinical Neurosciences</i> , 2016, 70, 371-393.	1.0	9
39	Body mass index cutâ€off point associated with refeeding hypophosphatemia in adults with eating disorders. <i>International Journal of Eating Disorders</i> , 2019, 52, 1322-1325.	2.1	9
40	Diets with high carbohydrate contents were associated with refeeding hypophosphatemia: A retrospective study in Japanese inpatients with anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2021, 54, 88-94.	2.1	9
41	In-situ Real-Time Monitoring of Volatile Organic Compound Exposure and Heart Rate Variability for Patients with Multiple Chemical Sensitivity. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 12446-12465.	1.2	8
42	Pilot Study for the Development of a Self-Care System for Type 2 Diabetes Patients Using a Personal Digital Assistant (PDA). <i>International Journal of Behavioral Medicine</i> , 2016, 23, 295-299.	0.8	8
43	Long-term influence of adjuvant breast radiotherapy on cognitive function in breast cancer patients treated with conservation therapy. <i>International Journal of Clinical Oncology</i> , 2019, 24, 68-77.	1.0	8
44	Are common delirium assessment tools appropriate for evaluating delirium at the end of life in cancer patients?. <i>Psycho-Oncology</i> , 2020, 29, 1842-1849.	1.0	8
45	Association between polypharmacy and the persistence of delirium: a retrospective cohort study. <i>BioPsychoSocial Medicine</i> , 2020, 14, 25.	0.9	8
46	Psychometric properties of the Eating Disorder <sc>Examinationâ€Questionnaire</sc> and psychopathology in Japanese patients with eating disorders. <i>International Journal of Eating Disorders</i> , 2021, 54, 203-211.	2.1	8
47	Development of a Clinical Tool to Predict Home Death of a Discharged Cancer Patient in Japan: a Case-Control Study. <i>International Journal of Behavioral Medicine</i> , 2017, 24, 584-592.	0.8	7
48	Cognitive behavioral therapy with interoceptive exposure and complementary video materials for irritable bowel syndrome (IBS): protocol for a multicenter randomized controlled trial in Japan. <i>BioPsychoSocial Medicine</i> , 2019, 13, 14.	0.9	7
49	Teaching Machines to Know Your Depressive State: On Physical Activity in Health and Major Depressive Disorder. , 2019, 2019, 3592-3595.		7
50	Associations between Japanese people's concern about family caregiver burden and preference for end-of-life care location. <i>Journal of Palliative Care</i> , 2013, 29, 22-8.	0.4	7
51	Thrombopoietin and thrombocytopenia in anorexia nervosa with severe liver dysfunction. <i>International Journal of Eating Disorders</i> , 2010, 43, 675-677.	2.1	6
52	Development of the Japanese Version of the Psychosocial Assessment of Candidates for Transplantation in Allogeneic Hematopoietic Stem Cell Transplantation. <i>Psychosomatics</i> , 2017, 58, 292-298.	2.5	6
53	Rank among Peers during Game Competition Affects the Tendency to Make Risky Choices in Adolescent Males. <i>Frontiers in Psychology</i> , 2017, 08, 16.	1.1	6
54	Changes in and Interactions between Physical and Mental Health in Older Japanese: The Nakanojo Study. <i>Gerontology</i> , 2019, 65, 340-352.	1.4	6

#	ARTICLE	IF	CITATIONS
55	Biopsychosocial medicine research trends: connecting clinical medicine, psychology, and public health. <i>BioPsychoSocial Medicine</i> , 2020, 14, 30.	0.9	6
56	Death by suicide, other externally caused injuries and cardiovascular diseases within 6 months of cancer diagnosis (J-SUPPORT 1902). <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 744-752.	0.6	6
57	Can Appliances Understand the Behavior of Elderly Via Machine Learning? A Feasibility Study. <i>IEEE Internet of Things Journal</i> , 2021, 8, 8343-8355.	5.5	6
58	Prospects of Psychosomatic Medicine. <i>BioPsychoSocial Medicine</i> , 2009, 3, 1.	0.9	5
59	Longitudinal course of eating disorders after transsexual treatment: a report of two cases. <i>BioPsychoSocial Medicine</i> , 2017, 11, 32.	0.9	5
60	Peak C-reactive protein levels do not predict 30-day mortality for bacteremia: A retrospective cohort study. <i>Journal of Infection and Chemotherapy</i> , 2020, 26, 23-27.	0.8	5
61	Eating Disorder Neuroimaging Initiative (EDNI): a multicentre prospective cohort study protocol for elucidating the neural effects of cognitive-behavioural therapy for eating disorders. <i>BMJ Open</i> , 2021, 11, e042685.	0.8	5
62	Association between ambulance use and hospitalization costs among heart failure patients. <i>Heart and Vessels</i> , 2021, 36, 654-658.	0.5	5
63	Negatively Skewed Locomotor Activity Is Related to Autistic Traits and Behavioral Problems in Typically Developing Children and Those With Autism Spectrum Disorders. <i>Frontiers in Human Neuroscience</i> , 2018, 12, 518.	1.0	4
64	Development of a new Japanese version of the Clinical Impairment Assessment Questionnaire. <i>BioPsychoSocial Medicine</i> , 2020, 14, 19.	0.9	4
65	Effectiveness of enhanced cognitive behavior therapy for bulimia nervosa in Japan: a randomized controlled trial protocol. <i>BioPsychoSocial Medicine</i> , 2020, 14, 2.	0.9	4
66	Behavioral Power-law Exponents in the Usage of Electric Appliances Correlate Mood States in the Elderly. <i>International Journal of Sport and Health Science</i> , 2003, 1, 41-47.	0.0	4
67	Machine learning analysis to identify the association between risk factors and onset of nosocomial diarrhea: a retrospective cohort study. <i>PeerJ</i> , 2019, 7, e7969.	0.9	4
68	Understanding the experiences of long-term maintenance of self-worth in persons with type 2 diabetes in Japan: a qualitative study. <i>BMJ Open</i> , 2020, 10, e034758.	0.8	3
69	Intra-individual association between C-reactive protein and insulin administration in postoperative lumbar spinal canal stenosis patients: A retrospective cohort study. <i>Journal of Diabetes Investigation</i> , 2020, 11, 980-984.	1.1	3
70	Trajectories of objectively measured physical activity and mood states in older Japanese adults: longitudinal data from the Nakanojo Study. <i>BioPsychoSocial Medicine</i> , 2021, 15, 5.	0.9	3
71	A clinical course of a patient with anorexia nervosa receiving surgery for superior mesenteric artery syndrome. <i>Journal of Eating Disorders</i> , 2021, 9, 79.	1.3	3
72	Comparison of Antipsychotics for the Treatment of Patients With Delirium and QTc Interval Prolongation: A Clinical Decision Analysis. <i>Frontiers in Psychiatry</i> , 2021, 12, 609678.	1.3	3

#	ARTICLE	IF	CITATIONS
73	A decision tree prediction model for a short-term outcome of delirium in patients with advanced cancer receiving pharmacological interventions: A secondary analysis of a multicenter and prospective observational study (Phase-R). <i>Palliative and Supportive Care</i> , 2022, 20, 153-158.	0.6	3
74	How can psychosomatic physicians contribute to behavioral medicine?. <i>BioPsychoSocial Medicine</i> , 2016, 10, 8.	0.9	2
75	Preceding psychological factors and calorie intake in patients with type 2 diabetes: investigation by ecological momentary assessment. <i>BioPsychoSocial Medicine</i> , 2019, 13, 20.	0.9	2
76	Reliability and validity of the Japanese translation of the Eating Disorders Quality of Life (ED-QOL) scale for Japanese healthy female university undergraduate students and patients with eating disorders. <i>BioPsychoSocial Medicine</i> , 2020, 14, 16.	0.9	2
77	The Potential Role of Peer Support Interventions in Treating Depressive Symptoms in Cancer Patients. <i>Journal of Nippon Medical School</i> , 2022, 89, 16-23.	0.3	2
78	Brief, manualised and semistructured individual psychotherapy programme for patients with advanced cancer in Japan: study protocol for Managing Cancer and Living Meaningfully (CALM) phase 2 trial. <i>BMJ Open</i> , 2022, 12, e056136.	0.8	2
79	Screening for untreated depression in cancer patients: a Japanese experience. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 993-999.	0.6	1
80	Decline of Physical Activity in Terminally Ill Patients Could Be Useful for Predicting Short-Term Survival. <i>American Journal of Hospice and Palliative Medicine</i> , 2018, 35, 749-753.	0.8	1
81	Psychometric properties of the fear of food measure in Japanese women. <i>Eating and Weight Disorders</i> , 2021, 26, 2135-2142.	1.2	1
82	Early specialized palliative care for patients with metastatic lung cancer receiving chemotherapy: a feasibility study of a nurse-led screening-triggered programme. <i>Japanese Journal of Clinical Oncology</i> , 2022, , .	0.6	1
83	Association of Antipsychotic Dose With Survival of Advanced Cancer Patients With Delirium. <i>Journal of Pain and Symptom Management</i> , 2022, 64, 28-36.	0.6	1
84	Dynamics of behavioral organization and its alteration in major depression. <i>AIP Conference Proceedings</i> , 2007, , .	0.3	0
85	A series of patients with purging type anorexia nervosa who do "tub vomiting". <i>BioPsychoSocial Medicine</i> , 2016, 10, 32.	0.9	0
86	Impact of a new medical network system on the efficiency of treatment for eating disorders in Japan: a retrospective observational study. <i>BioPsychoSocial Medicine</i> , 2017, 11, 27.	0.9	0
87	Evaluation of quality indicators near death in older adult cancer decedents in Japan: A nationwide retrospective cohort study. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 1643-1648.	0.6	0
88	Food Intake and Heart Rate Variability: Toward a Momentary Biopsychosocial Understanding of Eating Behavior. , 2011, , 845-863.		0
89	Terminal Anguish among Delirious Patients with Advanced Cancer: A Multicenter, Prospective, Observational Study. <i>Palliative Care Research</i> , 2019, 14, 237-243.	0.0	0
90	Validating the family coping questionnaire for eating disorders for caregivers of Japanese patients with eating disorders: association between coping strategies and psychological characteristics. <i>Journal of Eating Disorders</i> , 2021, 9, 163.	1.3	0

#	ARTICLE	IF	CITATIONS
91	Development of computer adaptive testing for measuring depression in patients with cancer. Scientific Reports, 2022, 12, 8247.	1.6	0
92	Safety and Effectiveness of Perospirone in Comparison to Risperidone for Treatment of Delirium in Patients with Advanced Cancer: A Multicenter Prospective Observational Study in Real-World Psycho-Oncology Settings.. Acta Medica Okayama, 2022, 76, 195-202.	0.1	0