Francesca Kerton

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6302956/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Biochar as a sustainable and renewable additive for the production of Poly(ε-caprolactone) composites. Sustainable Chemistry and Pharmacy, 2022, 25, 100586.	1.6	7
2	Marine-based green chemistry. Green Chemistry, 2022, 24, 2265-2266.	4.6	4
3	Women in Green Chemistry and Engineering: Agents of Change Toward the Achievement of a Sustainable Future. ACS Sustainable Chemistry and Engineering, 2022, 10, 2859-2862.	3.2	3
4	Synthesis of a Renewable, Wasteâ€Derived Nonisocyanate Polyurethane from Fish Processing Discards and Cashew Nutshellâ€Derived Amines. Macromolecular Rapid Communications, 2021, 42, e2000339.	2.0	8
5	Iron-catalyzed reactions of CO2 and epoxides to yield cyclic and polycarbonates. Polymer Journal, 2021, 53, 29-46.	1.3	19
6	Dissolution studies of α-chitin fibers in freezing NaOH(aq). Cellulose, 2021, 28, 1885-1891.	2.4	1
7	Borane catalyzed polymerization and depolymerization reactions controlled by Lewis acidic strength. Chemical Communications, 2021, 57, 7320-7322.	2.2	18
8	Synthesis of amino-phenolate manganese complexes and their catalytic activity in carbon dioxide activation and oxidation reactions. Canadian Journal of Chemistry, 2021, 99, 202-208.	0.6	1
9	Mechanistic studies on the formation of 5-hydroxymethylfurfural from the sugars fructose and glucose. Pure and Applied Chemistry, 2021, 93, 463-478.	0.9	10
10	<i>Pure and Applied Chemistry</i> Chemical Research Applied to World Needs (CHEMRAWN) issue. Pure and Applied Chemistry, 2021, 93, 407-407.	0.9	0
11	The Power of the United Nations Sustainable Development Goals in Sustainable Chemistry and Engineering Research. ACS Sustainable Chemistry and Engineering, 2021, 9, 8015-8017.	3.2	20
12	Preparation and characterization of biochar derived from the fruit seed of Cedrela odorata L and evaluation of its adsorption capacity with methylene blue. Sustainable Chemistry and Pharmacy, 2021, 21, 100421.	1.6	33
13	Green Solvents for the Liquid-Phase Exfoliation of Biochars. ACS Sustainable Chemistry and Engineering, 2021, 9, 9114-9125.	3.2	10
14	Construction of supramolecular laccase enzymes and understanding of catalytic dye degradation using multispectral and molecular docking approaches. Reaction Chemistry and Engineering, 2021, 6, 1940-1949.	1.9	2
15	Ringâ€Closing Metathesis of Aliphatic Ethers and Esterification of Terpene Alcohols Catalyzed by Functionalized Biochar. European Journal of Organic Chemistry, 2021, 2021, 6052-6056.	1.2	7
16	Hard to Soft: Biogenic Absorbent Sponge-like Material from Waste Mussel Shells. Matter, 2020, 3, 2029-2041.	5.0	15
17	Copolymerization of CHO/CO ₂ catalyzed by a series of aluminum amino-phenolate complexes and insights into structure–activity relationships. Dalton Transactions, 2020, 49, 6884-6895.	1.6	11
18	Iron Complexes for Cyclic Carbonate and Polycarbonate Formation: Selectivity Control from Ligand Design and Metal-Center Geometry. Inorganic Chemistry. 2019. 58. 11231-11240.	1.9	37

#	Article	IF	CITATIONS
19	Ring-opening polymerizations and copolymerizations of epoxides using aluminum- and boron-centered catalysts. European Polymer Journal, 2019, 120, 109202.	2.6	34
20	Functionalized polycarbonates via triphenylborane catalyzed polymerization-hydrosilylation. RSC Advances, 2019, 9, 26542-26546.	1.7	6
21	Wealth from waste: blue mussels (<i>Mylitus edulis</i>) offer up a sustainable source of natural and synthetic nacre. Green Chemistry, 2019, 21, 3920-3929.	4.6	10
22	Oxidized Biochar as a Simple, Renewable Catalyst for the Production of Cyclic Carbonates from Carbon Dioxide and Epoxides. ChemCatChem, 2019, 11, 4089-4095.	1.8	43
23	Morpholine-Stabilized Cationic Aluminum Complexes and Their Reactivity in Ring-Opening Polymerization of ε-Caprolactone. Inorganic Chemistry, 2019, 58, 5253-5264.	1.9	20
24	Triarylborane-Catalyzed Formation of Cyclic Organic Carbonates and Polycarbonates. ACS Catalysis, 2019, 9, 1799-1809.	5.5	90
25	Mechanochemical Amorphization of α-Chitin and Conversion into Oligomers of <i>N</i> -Acetyl- <scp>d</scp> -glucosamine. ACS Sustainable Chemistry and Engineering, 2018, 6, 1662-1669.	3.2	79
26	Characterization of Oxo-Bridged Iron Amino-bis(phenolate) Complexes Formed Intentionally or in Situ: Mechanistic Insight into Epoxide Deoxygenation during the Coupling of CO ₂ and Epoxides. Inorganic Chemistry, 2018, 57, 13494-13504.	1.9	23
27	Catalytic conversion of glucose to 5-hydroxymethylfurfural using zirconium-containing metal–organic frameworks using microwave heating. RSC Advances, 2018, 8, 31618-31627.	1.7	49
28	Enzymatic processing of mussel shells to produce biorenewable calcium carbonate in seawater. Green Chemistry, 2018, 20, 2913-2920.	4.6	12
29	Formation of a Renewable Amine and an Alcohol via Transformations of 3-Acetamido-5-acetylfuran. ACS Sustainable Chemistry and Engineering, 2017, 5, 4916-4922.	3.2	31
30	Coupling Reactions of Carbon Dioxide with Epoxides Catalyzed by Vanadium Aminophenolate Complexes. ChemSusChem, 2017, 10, 1249-1254.	3.6	31
31	Vanadium Aminophenolate Complexes and Their Catalytic Activity in Aerobic and H2O2â€Mediated Oxidation Reactions. European Journal of Inorganic Chemistry, 2016, 2016, 3123-3130.	1.0	18
32	Iron amino-bis(phenolate) complexes for the formation of organic carbonates from CO ₂ and oxiranes. Catalysis Science and Technology, 2016, 6, 5364-5373.	2.1	63
33	Reprint of Structural characterization of a tetrametallic diamine-bis(phenolate) complex of lithium and synthesis of a related bismuth complex. Polyhedron, 2016, 108, 50-58.	1.0	5
34	Halodehydroxylation of alcohols to yield benzylic and alkyl halides in ionic liquids. Sustainable Chemical Processes, 2015, 3, .	2.3	5
35	Ring-opening polymerization of cyclohexene oxide using aluminum amine–phenolate complexes. Dalton Transactions, 2015, 44, 12098-12102.	1.6	34
36	Conversion of chitin and N-acetyl- <scp>d</scp> -glucosamine into a N-containing furan derivative in ionic liquids. RSC Advances, 2015, 5, 20073-20080.	1.7	100

#	Article	IF	CITATIONS
37	Structural characterization of a tetrametallic diamine-bis(phenolate) complex of lithium and synthesis of a related bismuth complex. Polyhedron, 2015, 102, 60-68.	1.0	12
38	Ring-opening polymerization of rac-lactide mediated by tetrametallic lithium and sodium diamino-bis(phenolate) complexes. Dalton Transactions, 2015, 44, 20216-20231.	1.6	43
39	Renewable resources from the oceans: Adding value to the by-products of the aquaculture and fishing industries. , 2014, , .		4
40	Combined Experimental and Computational Studies on the Physical and Chemical Properties of the Renewable Amide, 3â€Acetamidoâ€5â€acetylfuran. ChemPhysChem, 2014, 15, 4087-4094.	1.0	28
41	Synthesis of cyclic carbonates from CO ₂ and epoxides using ionic liquids and related catalysts including choline chloride–metal halide mixtures. Catalysis Science and Technology, 2014, 4, 1513-1528.	2.1	254
42	Direct conversion of chitin into a N-containing furan derivative. Green Chemistry, 2014, 16, 2204-2212.	4.6	220
43	Single Crystal Structural Characterization of Trichlorotetrapyridylbismuth(III) and Its Pyridine Solvate. Journal of Chemical Crystallography, 2014, 44, 108-114.	0.5	5
44	Alkali aminoether-phenolate complexes: synthesis, structural characterization and evidence for an activated monomer ROP mechanism. Dalton Transactions, 2013, 42, 9361.	1.6	68
45	Green chemistry and the ocean-based biorefinery. Green Chemistry, 2013, 15, 860.	4.6	214
46	Aluminium coordination complexes in copolymerization reactions of carbon dioxide and epoxides. Dalton Transactions, 2013, 42, 8998.	1.6	79
47	Aluminum Methyl and Chloro Complexes Bearing Monoanionic Aminephenolate Ligands: Synthesis, Characterization, and Use in Polymerizations. Organometallics, 2012, 31, 8145-8158.	1.1	56
48	Hydrolysis of chitosan to yield levulinic acid and 5-hydroxymethylfurfural in water under microwave irradiation. Green Chemistry, 2012, 14, 1480.	4.6	161
49	Simple copper/TEMPO catalyzed aerobic dehydrogenation of benzylic amines and anilines. Organic and Biomolecular Chemistry, 2012, 10, 1618.	1.5	141
50	Formation of a renewable amide, 3-acetamido-5-acetylfuran, via direct conversion of N-acetyl-d-glucosamine. RSC Advances, 2012, 2, 4642.	1.7	110
51	Ring-opening polymerization of ε-caprolactone by lithium piperazinyl-aminephenolate complexes: synthesis, characterization and kinetic studies. Dalton Transactions, 2012, 41, 6651.	1.6	53
52	Structural variations in the coordination chemistry of amine-bis(phenolate) cobalt(II/III) complexes. Polyhedron, 2012, 46, 53-65.	1.0	11
53	A Simple Oneâ€Pot Dehydration Process to Convert <i>N</i> â€acetylâ€ <scp>D</scp> â€glucosamine into a Nitrogenâ€Containing Compound, 3â€acetamidoâ€5â€acetylfuran. ChemSusChem, 2012, 5, 1767-1772.	3.6	104
54	Coordination Chemistry of α-ï‰-Bis(pyridylimine) Ligands Containing Flexible Linkers with Copper(I). European Journal of Inorganic Chemistry, 2012, 2012, 1773-1782.	1.0	9

#	Article	IF	CITATIONS
55	Coupling of carbon dioxide with neat propylene oxide catalyzed by aminebisphenolato cobalt(II)/(III) complexes and ionic co-catalysts. Catalysis Communications, 2012, 18, 165-167.	1.6	43
56	Room temperature aerobic oxidation of alcohols using CuBr2 with TEMPO and a tetradentate polymer based pyridyl-imine ligand. Applied Catalysis A: General, 2012, 413-414, 332-339.	2.2	71
57	Neodymium borohydride complexes supported by diamino-bis(phenoxide) ligands: diversity of synthetic and structural chemistry, and catalytic activity in ring-opening polymerization of cyclic esters. New Journal of Chemistry, 2011, 35, 204-212.	1.4	38
58	Synthesis of Pd nanocrystals in phosphonium ionic liquids without any external reducing agents. Green Chemistry, 2011, 13, 681.	4.6	39
59	Dehydration of Benzyl Alcohols in Phosphonium Ionic Liquids: Synthesis of Ethers and Alkenes. Advanced Synthesis and Catalysis, 2011, 353, 3178-3186.	2.1	20
60	Zinc Complexes of Piperazinylâ€Derived Aminephenolate Ligands: Synthesis, Characterization and Ring–Opening Polymerization Activity. European Journal of Inorganic Chemistry, 2011, 2011, 5347-5359.	1.0	38
61	Solubility of bio-sourced feedstocks in â€~green' solvents. Green Chemistry, 2010, 12, 1648.	4.6	54
62	Synthesis and structure of mono-, bi- and trimetallic amine-bis(phenolate) cobalt(ii) complexes. Dalton Transactions, 2010, 39, 5462.	1.6	46
63	A Study of Ligand Coordination at Lanthanide and Group 4 Metal Centers by Matrix-Assisted Laser Desorption/Ionization Time-of-Flight Mass Spectrometry. Organometallics, 2009, 28, 837-842.	1.1	22
64	Catalytic dehydrative etherification and chlorination of benzyl alcohols in ionic liquids. Chemical Communications, 2009, , 5171.	2.2	14
65	Accelerated syntheses of amine-bis(phenol) ligands in polyethylene glycol or "on water―under microwave irradiation. Canadian Journal of Chemistry, 2008, 86, 435-443.	0.6	48
66	Lanthanide chloride complexes of amine-bis(phenolate) ligands and their reactivity in the ring-opening polymerization of ε-caprolactone. Dalton Transactions, 2008, , 3592.	1.6	59
67	Synthesis of amine-phenol ligands in water – a simple demonstration of a hydrophobic effect. Green Chemistry Letters and Reviews, 2007, 1, 31-35.	2.1	17
68	Formation and catalytic activity of Pd nanoparticles on silica in supercritical CO2. Green Chemistry, 2006, 8, 965.	4.6	34
69	Green chemistry and the biorefinery: a partnership for a sustainable future. Green Chemistry, 2006, 8, 853.	4.6	285
70	Biocatalytic esterification of lavandulol in supercritical carbon dioxide using acetic acid as the acyl donor. Enzyme and Microbial Technology, 2006, 39, 621-625.	1.6	32
71	Dimerisation versus polymerisation: Affects of donor position in isomeric dilithium diamine-bis(phenolate) complexes. Inorganica Chimica Acta, 2006, 359, 2819-2825.	1.2	31
72	Delicious not siliceous: expanded carbohydrates as renewable separation media for column chromatography. Chemical Communications, 2005, , 2903.	2.2	42

#	Article	IF	CITATIONS
73	A high-throughput approach to lanthanide complexes and their rapid screening in the ring opening polymerisation of caprolactone. Dalton Transactions, 2004, , 2237.	1.6	98
74	Poly(dimethylsiloxane)-Derived Phosphine and Phosphinite Ligands:Â Synthesis, Characterization, Solubility in Supercritical Carbon Dioxide, and Sequestration on Silica. Organometallics, 2004, 23, 5176-5181.	1.1	24
75	Carbonâ^'Carbon Bond Formation Using Yttrium(III) and the Lanthanide Elements. Organometallics, 2001, 20, 1387-1396.	1.1	72
76	Dinuclear π Complexes of Yttrium and Lutetium with Sandwiched Naphthalene and Anthracene Ligands: Evidence for Rapid Intramolecular Inter-Ring Rearrangements. Angewandte Chemie - International Edition, 2000, 39, 767-770.	7.2	51
77	The Elusive Titanocene. Journal of the American Chemical Society, 1998, 120, 10264-10265.	6.6	68
78	First example of a conducting polymer synthesised in supercritical fluids. Journal of Materials Chemistry, 1997, 7, 1965-1966.	6.7	34
79	Coordination of d10-metal cations by thiacycloalkynes. Polyhedron, 1997, 16, 1529-1534.	1.0	4
80	Synthesis and alkyne coordination chemistry of thiacycloalkynes. Journal of Organometallic Chemistry, 1996, 519, 177-184.	0.8	6