

Ricardo Llorente Miguel

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6303581/ricardo-llorente-miguel-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

31
papers

1,524
citations

23
h-index

35
g-index

35
ext. papers

1,702
ext. citations

4.3
avg, IF

4.04
L-index

#	Paper	IF	Citations
31	G Protein-Coupled Estrogen Receptor Immunoreactivity in the Rat Hypothalamus Is Widely Distributed in Neurons, Astrocytes, and Oligodendrocytes, Fluctuates during the Estrous Cycle, and Is Sexually Dimorphic. <i>Neuroendocrinology</i> , 2021 , 111, 660-677	5.6	2
30	G Protein-Coupled Estrogen Receptor Immunoreactivity Fluctuates During the Estrous Cycle and Show Sex Differences in the Amygdala and Dorsal Hippocampus. <i>Frontiers in Endocrinology</i> , 2020 , 11, 537	5.7	7
29	Disrupted Circadian Rhythm as a Common Player in Developmental Models of Neuropsychiatric Disorders. <i>Current Topics in Behavioral Neurosciences</i> , 2016 , 29, 155-181	3.4	11
28	The maternal deprivation animal model revisited. <i>Neuroscience and Biobehavioral Reviews</i> , 2015 , 51, 151-63	6.3	76
27	Neonatal Treatment with a Pegylated Leptin Antagonist Induces Sexually Dimorphic Effects on Neurones and Glial Cells, and on Markers of Synaptic Plasticity in the Developing Rat Hippocampal Formation. <i>Journal of Neuroendocrinology</i> , 2015 , 27, 658-69	3.8	3
26	Decreased glial reactivity could be involved in the antipsychotic-like effect of cannabidiol. <i>Schizophrenia Research</i> , 2015 , 164, 155-63	3.6	83
25	Early maternal deprivation immunologically primes hippocampal synapses by redistributing interleukin-1 receptor type I in a sex dependent manner. <i>Brain, Behavior, and Immunity</i> , 2014 , 35, 135-43	16.6	33
24	Maternal deprivation is associated with sex-dependent alterations in nociceptive behavior and neuroinflammatory mediators in the rat following peripheral nerve injury. <i>Journal of Pain</i> , 2013 , 14, 1173-84	5.3	54
23	Analyzing the effects of a single episode of neonatal maternal deprivation on metabolite profiles in rat brain: a proton nuclear magnetic resonance spectroscopy study. <i>Neuroscience</i> , 2012 , 201, 12-9	3.9	20
22	The endocannabinoid system in critical neurodevelopmental periods: sex differences and neuropsychiatric implications. <i>Journal of Psychopharmacology</i> , 2012 , 26, 164-76	4.6	77
21	Adolescent exposure to nicotine and/or the cannabinoid agonist CP 55,940 induces gender-dependent long-lasting memory impairments and changes in brain nicotinic and CB(1) cannabinoid receptors. <i>Journal of Psychopharmacology</i> , 2011 , 25, 1676-90	4.6	83
20	Long term sex-dependent psychoneuroendocrine effects of maternal deprivation and juvenile unpredictable stress in rats. <i>Journal of Neuroendocrinology</i> , 2011 , 23, 329-44	3.8	75
19	Converging action of alcohol consumption and cannabinoid receptor activation on adult hippocampal neurogenesis. <i>International Journal of Neuropsychopharmacology</i> , 2010 , 13, 191-205	5.8	8
18	Sex-dependent maternal deprivation effects on brain monoamine content in adolescent rats. <i>Neuroscience Letters</i> , 2010 , 479, 112-7	3.3	35
17	Maternal deprivation has sexually dimorphic long-term effects on hypothalamic cell-turnover, body weight and circulating hormone levels. <i>Hormones and Behavior</i> , 2010 , 58, 808-19	3.7	41
16	Early maternal deprivation induces changes on the expression of 2-AG biosynthesis and degradation enzymes in neonatal rat hippocampus. <i>Brain Research</i> , 2010 , 1349, 162-73	3.7	40
15	Sex-dependent alterations in response to maternal deprivation in rats. <i>Psychoneuroendocrinology</i> , 2009 , 34 Suppl 1, S217-26	5	74

14	Early maternal deprivation induces gender-dependent changes on the expression of hippocampal CB(1) and CB(2) cannabinoid receptors of neonatal rats. <i>Hippocampus</i> , 2009 , 19, 623-32	3.5	111
13	Early maternal deprivation in rats: a proposed animal model for the study of developmental neuroimmunoendocrine interactions. <i>Annals of the New York Academy of Sciences</i> , 2009 , 1153, 176-83	6.5	23
12	Detrimental psychophysiological effects of early maternal deprivation in adolescent and adult rodents: altered responses to cannabinoid exposure. <i>Neuroscience and Biobehavioral Reviews</i> , 2009 , 33, 498-507	9	69
11	Early maternal deprivation in rats induces gender-dependent effects on developing hippocampal and cerebellar cells. <i>International Journal of Developmental Neuroscience</i> , 2009 , 27, 233-41	2.7	80
10	Effects of adolescent nicotine and SR 147778 (Surinabant) administration on food intake, somatic growth and metabolic parameters in rats. <i>Neuropharmacology</i> , 2008 , 54, 194-205	5.5	21
9	Gender-dependent cellular and biochemical effects of maternal deprivation on the hippocampus of neonatal rats: a possible role for the endocannabinoid system. <i>Developmental Neurobiology</i> , 2008 , 68, 1334-47	3.2	73
8	Neuronal and glial alterations in the cerebellar cortex of maternally deprived rats: gender differences and modulatory effects of two inhibitors of endocannabinoid inactivation. <i>Developmental Neurobiology</i> , 2008 , 68, 1429-40	3.2	34
7	Endocannabinoid system and synaptic plasticity: implications for emotional responses. <i>Neural Plasticity</i> , 2007 , 2007, 52908	3.3	83
6	Subchronic nicotine exposure in adolescence induces long-term effects on hippocampal and striatal cannabinoid-CB1 and mu-opioid receptors in rats. <i>European Journal of Pharmacology</i> , 2007 , 557, 37-43	5.3	49
5	Early maternal deprivation and neonatal single administration with a cannabinoid agonist induce long-term sex-dependent psychoimmunoendocrine effects in adolescent rats. <i>Psychoneuroendocrinology</i> , 2007 , 32, 636-50	5	72
4	The role of the hippocampus in mediating emotional responses to nicotine and cannabinoids: a possible neural substrate for functional interactions. <i>Behavioural Pharmacology</i> , 2007 , 18, 375-89	2.4	36
3	Adolescent exposure to nicotine modifies acute functional responses to cannabinoid agonists in rats. <i>Behavioural Brain Research</i> , 2006 , 172, 46-53	3.4	32
2	The kappa-opioid receptor is involved in the stimulating effect of nicotine on adrenocortical activity but not in nicotine induced anxiety. <i>Behavioural Brain Research</i> , 2005 , 163, 212-8	3.4	26
1	Behavioural and neuroendocrine effects of cannabinoids in critical developmental periods. <i>Behavioural Pharmacology</i> , 2005 , 16, 353-62	2.4	93