

Tatsuya Kunisue

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6303781/publications.pdf>

Version: 2024-02-01

121
papers

5,161
citations

76196

40
h-index

98622

67
g-index

122
all docs

122
docs citations

122
times ranked

4647
citing authors

#	ARTICLE	IF	CITATIONS
1	Urinary Concentrations of Benzophenone-type UV Filters in U.S. Women and Their Association with Endometriosis. <i>Environmental Science & Technology</i> , 2012, 46, 4624-4632.	4.6	263
2	Determination of Benzotriazole and Benzophenone UV Filters in Sediment and Sewage Sludge. <i>Environmental Science & Technology</i> , 2011, 45, 3909-3916.	4.6	259
3	Antibiotics in surface water of East and Southeast Asian countries: A focused review on contamination status, pollution sources, potential risks, and future perspectives. <i>Science of the Total Environment</i> , 2021, 764, 142865.	3.9	202
4	Persistent organochlorine residues in human breast milk from Hanoi and Hochiminh City, Vietnam. <i>Environmental Pollution</i> , 2004, 129, 431-441.	3.7	159
5	Perfluorinated Compounds in Human Breast Milk from Several Asian Countries, and in Infant Formula and Dairy Milk from the United States. <i>Environmental Science & Technology</i> , 2008, 42, 8597-8602.	4.6	157
6	Release of chlorinated, brominated and mixed halogenated dioxin-related compounds to soils from open burning of e-waste in Agbogbloshie (Accra, Ghana). <i>Journal of Hazardous Materials</i> , 2016, 302, 151-157.	6.5	145
7	Uptake and Tissue Distribution of Pharmaceuticals and Personal Care Products in Wild Fish from Treated-Wastewater-Impacted Streams. <i>Environmental Science & Technology</i> , 2015, 49, 11649-11658.	4.6	143
8	Open Dumping Site in Asian Developing Countries: A Potential Source of Polychlorinated Dibenzo-p-dioxins and Polychlorinated Dibenzofurans. <i>Environmental Science & Technology</i> , 2003, 37, 1493-1502.	4.6	135
9	Occurrence of perchlorate in drinking water, groundwater, surface water and human saliva from India. <i>Chemosphere</i> , 2009, 76, 22-26.	4.2	128
10	Persistent organochlorines in human breast milk collected from primiparae in Dalian and Shenyang, China. <i>Environmental Pollution</i> , 2004, 131, 381-392.	3.7	120
11	Specific accumulation of organochlorines in human breast milk from Indonesia: Levels, distribution, accumulation kinetics and infant health risk. <i>Environmental Pollution</i> , 2006, 139, 107-117.	3.7	114
12	Contamination by Persistent Organic Pollutants in Dumping Sites of Asian Developing Countries: Implication of Emerging Pollution Sources. <i>Archives of Environmental Contamination and Toxicology</i> , 2006, 50, 474-481.	2.1	102
13	Organohalogen compounds in human breast milk from Republic of Buryatia, Russia. <i>Environmental Pollution</i> , 2007, 146, 225-232.	3.7	102
14	Thyroid hormone actions are temperature-specific and regulate thermal acclimation in zebrafish (<i>Danio rerio</i>). <i>BMC Biology</i> , 2013, 11, 26.	1.7	94
15	Pollution sources and occurrences of selected persistent organic pollutants (POPs) in sediments of the Mekong River delta, South Vietnam. <i>Chemosphere</i> , 2007, 67, 1794-1801.	4.2	91
16	Contamination status of persistent organochlorines in human breast milk from Japan: Recent levels and temporal trend. <i>Chemosphere</i> , 2006, 64, 1601-1608.	4.2	90
17	Persistent organic pollutants in human breast milk from Asian countries. <i>Environmental Pollution</i> , 2007, 146, 400-413.	3.7	89
18	Persistent organic pollutants in breast milk of mothers residing around an open dumping site in Kolkata, India: Specific dioxin-like PCB levels and fish as a potential source. <i>Environment International</i> , 2010, 36, 27-35.	4.8	79

#	ARTICLE	IF	CITATIONS
19	Accumulation features of persistent organochlorines in resident and migratory birds from Asia. <i>Environmental Pollution</i> , 2003, 125, 157-172.	3.7	77
20	Organohalogen compounds in human breast milk from mothers living in Payatas and Malate, the Philippines: Levels, accumulation kinetics and infant health risk. <i>Environmental Pollution</i> , 2009, 157, 1924-1932.	3.7	76
21	High levels of organochlorines in mothers' milk from Chennai (Madras) city, India. <i>Chemosphere</i> , 2007, 68, 928-939.	4.2	72
22	PCDDs, PCDFs, and Coplanar PCBs in Albatross from the North Pacific and Southern Oceans: Levels, Patterns, and Toxicological Implications. <i>Environmental Science & Technology</i> , 2004, 38, 403-413.	4.6	70
23	Analysis of five benzophenone-type UV filters in human urine by liquid chromatography-tandem mass spectrometry. <i>Analytical Methods</i> , 2010, 2, 707.	1.3	69
24	Elevated concentrations of polychlorinated dibenzo-p-dioxins and polychlorinated dibenzofurans and polybrominated diphenyl ethers in hair from workers at an electronic waste recycling facility in Eastern China. <i>Journal of Hazardous Materials</i> , 2011, 186, 1966-1971.	6.5	69
25	Brominated, chlorinated and phosphate organic contaminants in house dust from Portugal. <i>Science of the Total Environment</i> , 2016, 569-570, 442-449.	3.9	65
26	Hydroxylated polychlorinated biphenyls (OH-PCBs) in the blood of mammals and birds from Japan: Lower chlorinated OH-PCBs and profiles. <i>Chemosphere</i> , 2009, 74, 950-961.	4.2	63
27	Mechanical recycling of plastic waste as a point source of microplastic pollution. <i>Environmental Pollution</i> , 2022, 303, 119114.	3.7	61
28	Waste prevention for sustainable resource and waste management. <i>Journal of Material Cycles and Waste Management</i> , 2017, 19, 1295-1313.	1.6	60
29	Persistent Organic Pollutants in Sediments from Sai Gon Dong Nai River Basin, Vietnam: Levels and Temporal Trends. <i>Archives of Environmental Contamination and Toxicology</i> , 2007, 52, 458-465.	2.1	57
30	Persistent Organochlorine Compounds in Human Breast Milk from Mothers Living in Penang and Kedah, Malaysia. <i>Archives of Environmental Contamination and Toxicology</i> , 2005, 49, 429-437.	2.1	56
31	Polybrominated diphenyl ethers and persistent organochlorines in Japanese human adipose tissues. <i>Environment International</i> , 2007, 33, 1048-1056.	4.8	56
32	Organohalogen and organotin compounds in killer whales mass-stranded in the Shiretoko Peninsula, Hokkaido, Japan. <i>Marine Pollution Bulletin</i> , 2006, 52, 1066-1076.	2.3	53
33	CONTAMINATION BY POLYBROMINATED DIPHENYL ETHERS AND PERSISTENT ORGANOCHLORINES IN CATFISH AND FEED FROM MEKONG RIVER DELTA, VIETNAM. <i>Environmental Toxicology and Chemistry</i> , 2006, 25, 2700.	2.2	52
34	Polychlorinated Biphenyls and Their Hydroxylated Metabolites (OH-PCBs) in the Blood of Toothed and Baleen Whales Stranded along Japanese Coastal Waters. <i>Environmental Science & Technology</i> , 2010, 44, 3732-3738.	4.6	52
35	Persistent organochlorine residues and their bioaccumulation profiles in resident and migratory birds from North Vietnam. <i>Environmental Toxicology and Chemistry</i> , 2002, 21, 2108-2118.	2.2	51
36	Dioxins and Related Compounds in Human Breast Milk Collected Around Open Dumping Sites in Asian Developing Countries: Bovine Milk as a Potential Source. <i>Archives of Environmental Contamination and Toxicology</i> , 2004, 47, 414-26.	2.1	49

#	ARTICLE	IF	CITATIONS
37	Organohalogen Compounds in Pet Dog and Cat: Do Pets Biotransform Natural Brominated Products in Food to Harmful Hydroxylated Substances?. <i>Environmental Science & Technology</i> , 2016, 50, 444-452.	4.6	49
38	Seasonal Variation of Persistent Organochlorine Accumulation in Birds from Lake Baikal, Russia, and the Role of the South Asian Region as a Source of Pollution for Wintering Migrants. <i>Environmental Science & Technology</i> , 2002, 36, 1396-1404.	4.6	48
39	Determination of Six Thyroid Hormones in the Brain and Thyroid Gland Using Isotope-Dilution Liquid Chromatography/Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , 2011, 83, 417-424.	3.2	46
40	Occurrence of PCBs, Organochlorine Insecticides, tris(4-Chlorophenyl)methane, and tris(4-Chlorophenyl)methanol in Human Breast Milk Collected from Cambodia. <i>Archives of Environmental Contamination and Toxicology</i> , 2004, 46, 405-12.	2.1	41
41	Concentrations of organochlorine pollutants in mothers who gave birth to neonates with congenital hypothyroidism. <i>Chemosphere</i> , 2007, 68, 972-976.	4.2	40
42	Occurrence of benzotriazole ultraviolet stabilizers (BUVSs) in human breast milk from three Asian countries. <i>Science of the Total Environment</i> , 2019, 655, 1081-1088.	3.9	40
43	Contamination status and accumulation features of persistent organochlorines in pet dogs and cats from Japan. <i>Environmental Pollution</i> , 2005, 136, 465-476.	3.7	39
44	Analysis of Thyroid Hormones in Serum of Baikal Seals and Humans by Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS) and Immunoassay Methods: Application of the LC-MS/MS Method to Wildlife Tissues. <i>Environmental Science & Technology</i> , 2011, 45, 10140-10147.	4.6	39
45	Accumulation features and temporal trends of PCDDs, PCDFs and PCBs in Baikal seals (<i>Pusa sibirica</i>). <i>Environmental Pollution</i> , 2009, 157, 737-747.	3.7	36
46	Profiles of Phytoestrogens in Human Urine from Several Asian Countries. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 9838-9846.	2.4	36
47	Complex Mixtures of Brominated/Chlorinated Diphenyl Ethers and Dibenzofurans in Soils from the Agbogboshie e-Waste Site (Ghana): Occurrence, Formation, and Exposure Implications. <i>Environmental Science & Technology</i> , 2019, 53, 3010-3017.	4.6	36
48	Accumulation of persistent organochlorines in resident white-breasted waterhens (<i>Amaurornis</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30	2.3	35
49	Polychlorinated naphthalenes in human adipose tissue from New York, USA. <i>Environmental Pollution</i> , 2009, 157, 910-915.	3.7	35
50	PCBs, PBDEs and dioxin-related compounds in floor dust from an informal end-of-life vehicle recycling site in northern Vietnam: contamination levels and implications for human exposure. <i>Journal of Material Cycles and Waste Management</i> , 2017, 19, 1333-1341.	1.6	34
51	PCDDs, PCDFs, and coplanar PCBs in wild terrestrial mammals from Japan: Congener specific accumulation and hepatic sequestration. <i>Environmental Pollution</i> , 2006, 140, 525-535.	3.7	33
52	Regional Trend and Tissue Distribution of Brominated Flame Retardants and Persistent Organochlorines in Raccoon Dogs (<i>Nyctereutes procyonoides</i>) from Japan. <i>Environmental Science & Technology</i> , 2008, 42, 685-691.	4.6	32
53	Microplastics in dumping site soils from six Asian countries as a source of plastic additives. <i>Science of the Total Environment</i> , 2022, 806, 150912.	3.9	32
54	Spatial trends of polybrominated diphenyl ethers in avian species: Utilization of stored samples in the Environmental Specimen Bank of Ehime University (es-Bank). <i>Environmental Pollution</i> , 2008, 154, 272-282.	3.7	30

#	ARTICLE	IF	CITATIONS
55	Determination of free thyroid hormones in animal serum/plasma using ultrafiltration in combination with ultra-fast liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2018, 1539, 30-40.	1.8	30
56	Protecting the environment from psychoactive drugs: Problems for regulators illustrated by the possible effects of tramadol on fish behaviour. <i>Science of the Total Environment</i> , 2019, 664, 915-926.	3.9	30
57	Nontarget and Target Screening of Organohalogen Compounds in Mussels and Sediment from Hiroshima Bay, Japan: Occurrence of Novel Bioaccumulative Substances. <i>Environmental Science & Technology</i> , 2020, 54, 5480-5488.	4.6	30
58	A method for the analysis of six thyroid hormones in thyroid gland by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 1725-1730.	1.2	28
59	Dioxin-like and perfluorinated compounds in pigs in an Indian open waste dumping site: Toxicokinetics and effects on hepatic cytochrome P450 and blood plasma hormones. <i>Environmental Toxicology and Chemistry</i> , 2010, 29, 1551-1560.	2.2	28
60	Occurrence of hydroxylated polychlorinated biphenyls in the brain of cetaceans stranded along the Japanese coast. <i>Marine Pollution Bulletin</i> , 2007, 54, 963-973.	2.3	27
61	Soil contamination by halogenated polycyclic aromatic hydrocarbons from open burning of e-waste in Agbogbloshie (Accra, Ghana). <i>Journal of Material Cycles and Waste Management</i> , 2017, 19, 1324-1332.	1.6	27
62	Toxicological Assessment of Polychlorinated Biphenyls and Their Metabolites in the Liver of Baikal Seal (<i>Pusa sibirica</i>). <i>Environmental Science & Technology</i> , 2014, 48, 13530-13539.	4.6	25
63	Occurrence of Perchlorate and Thiocyanate in Human Serum From E-Waste Recycling and Reference Sites in Vietnam: Association With Thyroid Hormone and Iodide Levels. <i>Archives of Environmental Contamination and Toxicology</i> , 2014, 67, 29-41.	2.1	25
64	Modulation of Thyroid Hormone Concentrations in Serum of Rats Coadministered with Perchlorate and Iodide-Deficient Diet. <i>Archives of Environmental Contamination and Toxicology</i> , 2011, 61, 151-158.	2.1	24
65	Uptake and Metabolism of Human Pharmaceuticals by Fish: A Case Study with the Opioid Analgesic Tramadol. <i>Environmental Science & Technology</i> , 2017, 51, 12825-12835.	4.6	23
66	Effects of prenatal exposure to triclosan on the liver transcriptome in chicken embryos. <i>Toxicology and Applied Pharmacology</i> , 2018, 347, 23-32.	1.3	23
67	Coastal biomonitoring survey on persistent organic pollutants using oysters (<i>Saccostrea mordax</i>) from Okinawa, Japan: Geographical distribution and polystyrene foam as a potential source of hexabromocyclododecanes. <i>Science of the Total Environment</i> , 2020, 739, 140049.	3.9	23
68	Bioaccessibility and exposure assessment of flame retardants via dust ingestion for workers in e-waste processing workshops in northern Vietnam. <i>Chemosphere</i> , 2020, 251, 126632.	4.2	23
69	Levels of TBT and other selected organotin compounds in duplicate diet samples. <i>Science of the Total Environment</i> , 2017, 574, 19-23.	3.9	22
70	Effects of PCB exposure on serum thyroid hormone levels in dogs and cats. <i>Science of the Total Environment</i> , 2019, 688, 1172-1183.	3.9	22
71	Dioxins and Related Compounds in Albatrosses from the Torishima Island, Japan: Accumulation Features by Growth Stage and Toxicological Implications. <i>Environmental Science & Technology</i> , 2006, 40, 6919-6927.	4.6	21
72	Congener-Specific Patterns and Toxic Assessment of Polychlorinated Biphenyls in Resident and Migratory Birds from Southern India and Lake Baikal in Russia. <i>Archives of Environmental Contamination and Toxicology</i> , 2003, 45, 547-561.	2.1	20

#	ARTICLE	IF	CITATIONS
73	Levels and distribution of polybrominated diphenyl ethers and organochlorine compounds in sea turtles from Japan. <i>Marine Pollution Bulletin</i> , 2011, 63, 172-178.	2.3	20
74	Blood levels of polychlorinated biphenyls and their hydroxylated metabolites in Baikal seals (<i>Pusa</i>) hormone levels. <i>Chemosphere</i> , 2014, 114, 1-8.	4.2	20
75	Brominated flame retardants and organochlorine compounds in duplicate diet samples from a Portuguese academic community. <i>Chemosphere</i> , 2016, 160, 89-94.	4.2	18
76	Species- and Tissue-Specific Profiles of Polybrominated Diphenyl Ethers and Their Hydroxylated and Methoxylated Derivatives in Cats and Dogs. <i>Environmental Science & Technology</i> , 2017, 51, 5811-5819.	4.6	18
77	Spatio-temporal trends of polybrominated dibenzo-p-dioxins and dibenzofurans in archived sediments from Tokyo Bay, Japan. <i>Science of the Total Environment</i> , 2017, 599-600, 340-347.	3.9	18
78	Occurrence of Natural Mixed Halogenated Dibenzo-p-Dioxins: Specific Distribution and Profiles in Mussels from Seto Inland Sea, Japan. <i>Environmental Science & Technology</i> , 2017, 51, 11771-11779.	4.6	18
79	Contamination levels and temporal trends of legacy and current-use brominated flame retardants in a dated sediment core from Beppu Bay, southwestern Japan. <i>Chemosphere</i> , 2021, 266, 129180.	4.2	18
80	Persistent organochlorines in raccoon dogs (<i>Nyctereutes procyonoides</i>) from Japan: Hepatic sequestration of oxychlordane. <i>Chemosphere</i> , 2007, 66, 203-211.	4.2	17
81	Toxicokinetics of dioxins and other organochlorine compounds in Japanese people: Association with hepatic CYP1A2 expression levels. <i>Environment International</i> , 2013, 53, 53-61.	4.8	17
82	Recent status of organohalogen, heavy metals and PAHs pollution in specific locations in India. <i>Chemosphere</i> , 2015, 137, 122-134.	4.2	17
83	Characterization of mono- to deca-chlorinated biphenyls in a well-preserved sediment core from Beppu Bay, Southwestern Japan: Historical profiles, emission sources, and inventory. <i>Science of the Total Environment</i> , 2020, 743, 140767.	3.9	17
84	Evaluation of a data-processing method for target and non-target screening using comprehensive two-dimensional gas chromatography coupled with high-resolution time-of-flight mass spectrometry for environmental samples. <i>Talanta</i> , 2019, 194, 461-468.	2.9	16
85	Organohalogen and their hydroxylated metabolites in the blood of pigs from an open waste dumping site in south India: Association with hepatic cytochrome P450. <i>Environmental Research</i> , 2015, 138, 255-263.	3.7	15
86	Inhalation bioaccessibility and health risk assessment of flame retardants in indoor dust from Vietnamese e-waste-dismantling workshops. <i>Science of the Total Environment</i> , 2021, 760, 143862.	3.9	15
87	BCR Sequential Leaching for Geochemical Fractions and Assessment of Fe, Ni, and Mn in the Coastal Sediments Sendang Biru Port, East Java, Indonesia. <i>Journal of Physics: Conference Series</i> , 2018, 1093, 012002.	0.3	14
88	Rapid analysis of 65 pharmaceuticals and 7 personal care products in plasma and whole-body tissue samples of fish using acidic extraction, zirconia-coated silica cleanup, and liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2020, 1631, 461586.	1.8	14
89	Snakes as bionitors of environmental pollution: A review on organic contaminants. <i>Science of the Total Environment</i> , 2021, 770, 144672.	3.9	14
90	Integrative assessment of potential effects of dioxins and related compounds in wild Baikal seals (<i>Pusa sibirica</i>): Application of microarray and biochemical analyses. <i>Aquatic Toxicology</i> , 2011, 105, 89-99.	1.9	13

#	ARTICLE	IF	CITATIONS
91	Distribution and Assessment of Fe and Mn in the Coastal Sediments of Sendang Biru, East Java, Indonesia. <i>Journal of Physics: Conference Series</i> , 2018, 1093, 012013.	0.3	13
92	Nontarget Screening of Organohalogen Compounds in the Liver of Wild Birds from Osaka, Japan: Specific Accumulation of Highly Chlorinated POP Homologues in Raptors. <i>Environmental Science & Technology</i> , 2021, 55, 8691-8699.	4.6	13
93	Hepatic CYP1A Induction by Chlorinated Dioxins and Related Compounds in the Endangered Black-Footed Albatross from the North Pacific. <i>Environmental Science & Technology</i> , 2010, 44, 3559-3565.	4.6	12
94	The association between antimicrobials and the antimicrobial-resistant phenotypes and resistance genes of <i>Escherichia coli</i> isolated from hospital wastewaters and adjacent surface waters in Sri Lanka. <i>Chemosphere</i> , 2021, 279, 130591.	4.2	11
95	Contamination status and spatial distribution of organochlorine compounds in fishes from Nansei Islands, Japan. <i>Marine Pollution Bulletin</i> , 2011, 63, 541-547.	2.3	10
96	Occurrence of Pharmaceutically Active Compounds and Potential Ecological Risks in Wastewater from Hospitals and Receiving Waters in Sri Lanka. <i>Environmental Toxicology and Chemistry</i> , 2022, 41, 298-311.	2.2	10
97	Lead in duplicate diet samples from an academic community. <i>Science of the Total Environment</i> , 2016, 573, 603-607.	3.9	9
98	Anthropogenic and natural organohalogen compounds in melon-headed whales (<i>Peponocephala</i>) in the environmental specimen bank (es-BANK). <i>Chemosphere</i> , 2021, 269, 129401.	4.2	9
99	Hexabromocyclododecanes in human adipose tissue from Japan. <i>Environmental Chemistry</i> , 2009, 6, 328.	0.7	6
100	Effects of persistent organochlorine exposure on the liver transcriptome of the common minke whale (<i>Balaenoptera acutorostrata</i>) from the North Pacific. <i>Ecotoxicology and Environmental Safety</i> , 2014, 108, 95-105.	2.9	6
101	Trace element concentrations in the small Indian mongoose (<i>Herpestes auropunctatus</i>) from Hawaii, USA. <i>Ecological Indicators</i> , 2018, 91, 92-104.	2.6	5
102	Contamination of habu (<i>Protobothrops flavoviridis</i>) in Okinawa, Japan by persistent organochlorine chemicals. <i>Environmental Science and Pollution Research</i> , 2021, 28, 1018-1028.	2.7	5
103	Contamination Status of PCBs and Organochlorine Pesticides in the Okinawa Island, Japan: Utilization of Small Indian Mongoose (<i>Herpestes auropunctatus</i>) as a Bioindicator. <i>Journal of Environmental Chemistry</i> , 2016, 26, 115-122.	0.1	4
104	Bromination of Carbon and Formation of PBDD/Fs by Copper Bromide in Oxidative Thermal Process. <i>Journal of Hazardous Materials</i> , 2021, 403, 123878.	6.5	4
105	Examination of barnacles' potential to be used as bioindicators of persistent organic pollutants in coastal ecosystem: A Malaysia case study. <i>Chemosphere</i> , 2021, 263, 128272.	4.2	4
106	Extractable organochlorine (EOCl) and extractable organobromine (EOBr) in GPC-fractionated extracts from high-trophic-level mammals: Species-specific profiles and contributions of legacy organohalogen contaminants. <i>Science of the Total Environment</i> , 2021, 756, 143843.	3.9	4
107	Effects on the Liver Transcriptome in Baltic Salmon: Contributions of Contamination with Organohalogen Compounds and Origin of Salmon. <i>Environmental Science & Technology</i> , 2020, 54, 15246-15256.	4.6	3
108	Application of inert gas-mediated ionization for qualitative screening of chlorinated aromatics in house dust by comprehensive two-dimensional gas chromatography-high-resolution time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2021, 1657, 462571.	1.8	3

#	ARTICLE	IF	CITATIONS
109	Contamination Status and Toxicological Implications of Persistent Toxic Substances in Avian Species. <i>Journal of Disaster Research</i> , 2008, 3, 196-205.	0.4	3
110	Persistent Organochlorines Accumulated in Small Asian Mongoose (<i>Herpestes javanicus</i>) from the Yambaru Area, Okinawa, Japan. <i>Japanese Journal of Zoo and Wildlife Medicine</i> , 2011, 16, 65-70.	0.2	3
111	Determination of six thyroid hormones in dog brain and liver using acidic extraction, mixed-mode cleanup, and liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2022, 1661, 462686.	1.8	3
112	Cadmium intake in women from the University of Aveiro, Portugal – A duplicate diet study. <i>Journal of Geochemical Exploration</i> , 2017, 183, 187-190.	1.5	2
113	Diet of Mass-Stranded Striped Dolphins (<i>Stenella coeruleoalba</i>) in Southern Japan (East China Sea). <i>Mammal Study</i> , 2020, 46, .	0.2	2
114	Concentrations of nucleophilic sulfur species in small Indian mongoose (<i>Herpestes auropunctatus</i>) in Okinawa, Japan. <i>Chemosphere</i> , 2022, 295, 133833.	4.2	2
115	Environmental monitoring of trace elements and evaluation of environmental impacts to organisms near a former uranium mining site in Nigyo-toge, Japan. <i>Environmental Monitoring and Assessment</i> , 2022, 194, 415.	1.3	2
116	Variation of Iron Stable Isotopes in a Marine Ecosystem from the Northwest Pacific Ocean. <i>Chemistry Letters</i> , 2022, 51, 556-560.	0.7	1
117	Effects of 1,3,7-tribromodibenzo-p-dioxin, a natural dioxin on chicken embryos: Comparison with effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin. <i>Ecotoxicology and Environmental Safety</i> , 2022, 237, 113538.	2.9	1
118	Contamination Issues in Asian Developing Countries. <i>Handbook of Environmental Chemistry</i> , 2015, , 301-334.	0.2	0
119	Temporal Trend Analyses of POPs Pollution using Archived Environmental Samples and Future Issues. <i>Material Cycles and Waste Management Research</i> , 2018, 29, 423-432.	0.0	0
120	Comprehensive Strategies for Polychlorinated biphenyls Quantitative Analysis Specialized in Foodstuffs. <i>Egyptian Journal of Chemistry</i> , 2020, .	0.1	0
121	Accumulation patterns of polychlorinated biphenyl congeners and organochlorine pesticides in Steller's sea eagles and white-tailed sea eagles, threatened species, in Hokkaido, Japan. <i>Environmental Toxicology and Chemistry</i> , 2002, 21, 842-7.	2.2	0