

Tatsuya Kunisue

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6303781/tatsuya-kunisue-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

117
papers

4,027
citations

36
h-index

59
g-index

122
ext. papers

4,602
ext. citations

7.3
avg, IF

5.19
L-index

#	Paper	IF	Citations
117	Concentrations of nucleophilic sulfur species in small Indian mongoose (<i>Herpestes auropunctatus</i>) in Okinawa, Japan.. <i>Chemosphere</i> , 2022 , 295, 133833	8.4	0
116	Microplastics in dumping site soils from six Asian countries as a source of plastic additives. <i>Science of the Total Environment</i> , 2022 , 806, 150912	10.2	5
115	Mechanical recycling of plastic waste as a point source of microplastic pollution.. <i>Environmental Pollution</i> , 2022 , 303, 119114	9.3	4
114	Environmental monitoring of trace elements and evaluation of environmental impacts to organisms near a former uranium mining site in Nigyo-toge, Japan.. <i>Environmental Monitoring and Assessment</i> , 2022 , 194, 415	3.1	1
113	Effects of 1,3,7-tribromodibenzo-p-dioxin, a natural dioxin on chicken embryos: Comparison with effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin.. <i>Ecotoxicology and Environmental Safety</i> , 2022 , 237, 113538	7.8	3
112	Determination of six thyroid hormones in dog brain and liver using acidic extraction, mixed-mode cleanup, and liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2021 , 1661, 462686	4.5	1
111	Anthropogenic and natural organohalogen compounds in melon-headed whales (<i>Peponocephala electra</i>) stranded along the Japanese coastal waters: Temporal trend analysis using archived samples in the environmental specimen bank (es-BANK). <i>Chemosphere</i> , 2021 , 269, 129401	8.4	2
110	Snakes as bimonitors of environmental pollution: A review on organic contaminants. <i>Science of the Total Environment</i> , 2021 , 770, 144672	10.2	6
109	Nontarget Screening of Organohalogen Compounds in the Liver of Wild Birds From Osaka, Japan: Specific Accumulation of Highly Chlorinated POP Homologues in Raptors. <i>Environmental Science & Technology</i> , 2021 , 55, 8691-8699	10.3	1
108	Bromination of Carbon and Formation of PBDD/Fs by Copper Bromide in Oxidative Thermal Process. <i>Journal of Hazardous Materials</i> , 2021 , 403, 123878	12.8	4
107	Examination of barnacles potential to be used as bioindicators of persistent organic pollutants in coastal ecosystem: A Malaysia case study. <i>Chemosphere</i> , 2021 , 263, 128272	8.4	3
106	Antibiotics in surface water of East and Southeast Asian countries: A focused review on contamination status, pollution sources, potential risks, and future perspectives. <i>Science of the Total Environment</i> , 2021 , 764, 142865	10.2	55
105	Inhalation bioaccessibility and health risk assessment of flame retardants in indoor dust from Vietnamese e-waste-dismantling workshops. <i>Science of the Total Environment</i> , 2021 , 760, 143862	10.2	5
104	Contamination levels and temporal trends of legacy and current-use brominated flame retardants in a dated sediment core from Beppu Bay, southwestern Japan. <i>Chemosphere</i> , 2021 , 266, 129180	8.4	10
103	Contamination of habu (<i>Protobothrops flavoviridis</i>) in Okinawa, Japan by persistent organochlorine chemicals. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 1018-1028	5.1	1
102	Extractable organochlorine (EOCl) and extractable organobromine (EOBr) in GPC-fractionated extracts from high-trophic-level mammals: Species-specific profiles and contributions of legacy organohalogen contaminants. <i>Science of the Total Environment</i> , 2021 , 756, 143843	10.2	0
101	The association between antimicrobials and the antimicrobial-resistant phenotypes and resistance genes of <i>Escherichia coli</i> isolated from hospital wastewaters and adjacent surface waters in Sri Lanka. <i>Chemosphere</i> , 2021 , 279, 130591	8.4	5

100	Application of inert gas-mediated ionization for qualitative screening of chlorinated aromatics in house dust by comprehensive two-dimensional gas chromatography-high-resolution time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2021 , 1657, 462571	4.5	0
99	Coastal biomonitoring survey on persistent organic pollutants using oysters (<i>Saccostrea mordax</i>) from Okinawa, Japan: Geographical distribution and polystyrene foam as a potential source of hexabromocyclododecanes. <i>Science of the Total Environment</i> , 2020 , 739, 140049	10.2	9
98	Nontarget and Target Screening of Organohalogen Compounds in Mussels and Sediment from Hiroshima Bay, Japan: Occurrence of Novel Bioaccumulative Substances. <i>Environmental Science & Technology</i> , 2020 , 54, 5480-5488	10.3	11
97	Bioaccessibility and exposure assessment of flame retardants via dust ingestion for workers in e-waste processing workshops in northern Vietnam. <i>Chemosphere</i> , 2020 , 251, 126632	8.4	9
96	Rapid analysis of 65 pharmaceuticals and 7 personal care products in plasma and whole-body tissue samples of fish using acidic extraction, zirconia-coated silica cleanup, and liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2020 , 1631, 461586	4.5	5
95	Effects on the Liver Transcriptome in Baltic Salmon: Contributions of Contamination with Organohalogen Compounds and Origin of Salmon. <i>Environmental Science & Technology</i> , 2020 , 54, 15246-15256	10.3	2
94	Characterization of mono- to deca-chlorinated biphenyls in a well-preserved sediment core from Beppu Bay, Southwestern Japan: Historical profiles, emission sources, and inventory. <i>Science of the Total Environment</i> , 2020 , 743, 140767	10.2	12
93	Complex Mixtures of Brominated/Chlorinated Diphenyl Ethers and Dibenzofurans in Soils from the Agbogboshie e-Waste Site (Ghana): Occurrence, Formation, and Exposure Implications. <i>Environmental Science & Technology</i> , 2019 , 53, 3010-3017	10.3	24
92	Effects of PCB exposure on serum thyroid hormone levels in dogs and cats. <i>Science of the Total Environment</i> , 2019 , 688, 1172-1183	10.2	11
91	Protecting the environment from psychoactive drugs: Problems for regulators illustrated by the possible effects of tramadol on fish behaviour. <i>Science of the Total Environment</i> , 2019 , 664, 915-926	10.2	23
90	Occurrence of benzotriazole ultraviolet stabilizers (BUVSs) in human breast milk from three Asian countries. <i>Science of the Total Environment</i> , 2019 , 655, 1081-1088	10.2	16
89	Evaluation of a data-processing method for target and non-target screening using comprehensive two-dimensional gas chromatography coupled with high-resolution time-of-flight mass spectrometry for environmental samples. <i>Talanta</i> , 2019 , 194, 461-468	6.2	13
88	Determination of free thyroid hormones in animal serum/plasma using ultrafiltration in combination with ultra-fast liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2018 , 1539, 30-40	4.5	13
87	Effects of prenatal exposure to triclosan on the liver transcriptome in chicken embryos. <i>Toxicology and Applied Pharmacology</i> , 2018 , 347, 23-32	4.6	16
86	Distribution and Assessment of Fe and Mn in the Coastal Sediments of Sendang Biru, East Java, Indonesia. <i>Journal of Physics: Conference Series</i> , 2018 , 1093, 012013	0.3	5
85	BCR Sequential Leaching for Geochemical Fractions and Assessment of Fe, Ni, and Mn in the Coastal Sediments Sendang Biru Port, East Java, Indonesia. <i>Journal of Physics: Conference Series</i> , 2018 , 1093, 012002	0.3	5
84	Temporal Trend Analyses of POPs Pollution using Archived Environmental Samples and Future Issues. <i>Material Cycles and Waste Management Research</i> , 2018 , 29, 423-432	0	
83	Trace element concentrations in the small Indian mongoose (<i>Herpestes auropunctatus</i>) from Hawaii, USA. <i>Ecological Indicators</i> , 2018 , 91, 92-104	5.8	0

82	Cadmium intake in women from the University of Aveiro, Portugal DA duplicate diet study. <i>Journal of Geochemical Exploration</i> , 2017 , 183, 187-190	3.8	2
81	Waste prevention for sustainable resource and waste management. <i>Journal of Material Cycles and Waste Management</i> , 2017 , 19, 1295-1313	3.4	35
80	Species- and Tissue-Specific Profiles of Polybrominated Diphenyl Ethers and Their Hydroxylated and Methoxylated Derivatives in Cats and Dogs. <i>Environmental Science & Technology</i> , 2017 , 51, 5811-5819	10.3	14
79	Spatio-temporal trends of polybrominated dibenzo-p-dioxins and dibenzofurans in archived sediments from Tokyo Bay, Japan. <i>Science of the Total Environment</i> , 2017 , 599-600, 340-347	10.2	16
78	PCBs, PBDEs and dioxin-related compounds in floor dust from an informal end-of-life vehicle recycling site in northern Vietnam: contamination levels and implications for human exposure. <i>Journal of Material Cycles and Waste Management</i> , 2017 , 19, 1333-1341	3.4	24
77	Soil contamination by halogenated polycyclic aromatic hydrocarbons from open burning of e-waste in Agbogbloshie (Accra, Ghana). <i>Journal of Material Cycles and Waste Management</i> , 2017 , 19, 1324-1332	3.4	24
76	Uptake and Metabolism of Human Pharmaceuticals by Fish: A Case Study with the Opioid Analgesic Tramadol. <i>Environmental Science & Technology</i> , 2017 , 51, 12825-12835	10.3	16
75	Occurrence of Natural Mixed Halogenated Dibenzo-p-Dioxins: Specific Distribution and Profiles in Mussels from Seto Inland Sea, Japan. <i>Environmental Science & Technology</i> , 2017 , 51, 11771-11779	10.3	14
74	Levels of TBT and other selected organotin compounds in duplicate diet samples. <i>Science of the Total Environment</i> , 2017 , 574, 19-23	10.2	15
73	Lead in duplicate diet samples from an academic community. <i>Science of the Total Environment</i> , 2016 , 573, 603-607	10.2	6
72	Contamination Status of PCBs and Organochlorine Pesticides in the Okinawa Island, Japan: Utilization of Small Indian Mongoose (<i>Herpestes auropunctatus</i>) as a Bioindicator. <i>Journal of Environmental Chemistry</i> , 2016 , 26, 115-122	0.3	2
71	Brominated, chlorinated and phosphate organic contaminants in house dust from Portugal. <i>Science of the Total Environment</i> , 2016 , 569-570, 442-449	10.2	47
70	Organohalogen Compounds in Pet Dog and Cat: Do Pets Biotransform Natural Brominated Products in Food to Harmful Hydroxylated Substances?. <i>Environmental Science & Technology</i> , 2016 , 50, 444-52	10.3	34
69	Release of chlorinated, brominated and mixed halogenated dioxin-related compounds to soils from open burning of e-waste in Agbogbloshie (Accra, Ghana). <i>Journal of Hazardous Materials</i> , 2016 , 302, 151-157	12.8	110
68	Brominated flame retardants and organochlorine compounds in duplicate diet samples from a Portuguese academic community. <i>Chemosphere</i> , 2016 , 160, 89-94	8.4	13
67	Recent status of organohalogens, heavy metals and PAHs pollution in specific locations in India. <i>Chemosphere</i> , 2015 , 137, 122-34	8.4	12
66	Organohalogens and their hydroxylated metabolites in the blood of pigs from an open waste dumping site in south India: association with hepatic cytochrome P450. <i>Environmental Research</i> , 2015 , 138, 255-63	7.9	12
65	Uptake and Tissue Distribution of Pharmaceuticals and Personal Care Products in Wild Fish From Treated-Wastewater-Impacted Streams. <i>Environmental Science & Technology</i> , 2015 , 49, 11649-58	10.3	114

64	Contamination Issues in Asian Developing Countries. <i>Handbook of Environmental Chemistry</i> , 2015 , 301-334		
63	Blood levels of polychlorinated biphenyls and their hydroxylated metabolites in Baikal seals (<i>Pusa sibirica</i>): emphasis on interspecies comparison, gender difference and association with blood thyroid hormone levels. <i>Chemosphere</i> , 2014 , 114, 1-8	8.4	16
62	Effects of persistent organochlorine exposure on the liver transcriptome of the common minke whale (<i>Balaenoptera acutorostrata</i>) from the North Pacific. <i>Ecotoxicology and Environmental Safety</i> , 2014 , 108, 95-105	7	4
61	Occurrence of perchlorate and thiocyanate in human serum from e-waste recycling and reference sites in Vietnam: association with thyroid hormone and iodide levels. <i>Archives of Environmental Contamination and Toxicology</i> , 2014 , 67, 29-41	3.2	19
60	Toxicological assessment of polychlorinated biphenyls and their metabolites in the liver of Baikal seal (<i>Pusa sibirica</i>). <i>Environmental Science & Technology</i> , 2014 , 48, 13530-9	10.3	20
59	Thyroid hormone actions are temperature-specific and regulate thermal acclimation in zebrafish (<i>Danio rerio</i>). <i>BMC Biology</i> , 2013 , 11, 26	7.3	74
58	Toxicokinetics of dioxins and other organochlorine compounds in Japanese people: association with hepatic CYP1A2 expression levels. <i>Environment International</i> , 2013 , 53, 53-61	12.9	15
57	Urinary concentrations of benzophenone-type UV filters in U.S. women and their association with endometriosis. <i>Environmental Science & Technology</i> , 2012 , 46, 4624-32	10.3	221
56	Determination of benzotriazole and benzophenone UV filters in sediment and sewage sludge. <i>Environmental Science & Technology</i> , 2011 , 45, 3909-16	10.3	204
55	Integrative assessment of potential effects of dioxins and related compounds in wild Baikal seals (<i>Pusa sibirica</i>): application of microarray and biochemical analyses. <i>Aquatic Toxicology</i> , 2011 , 105, 89-99	5.1	13
54	Contamination status and spatial distribution of organochlorine compounds in fishes from Nansei Islands, Japan. <i>Marine Pollution Bulletin</i> , 2011 , 63, 541-7	6.7	9
53	Levels and distribution of polybrominated diphenyl ethers and organochlorine compounds in sea turtles from Japan. <i>Marine Pollution Bulletin</i> , 2011 , 63, 172-8	6.7	18
52	Analysis of thyroid hormones in serum of Baikal seals and humans by liquid chromatography-tandem mass spectrometry (LC-MS/MS) and immunoassay methods: application of the LC-MS/MS method to wildlife tissues. <i>Environmental Science & Technology</i> , 2011 , 45, 10140-7	10.3	32
51	Modulation of thyroid hormone concentrations in serum of rats coadministered with perchlorate and iodide-deficient diet. <i>Archives of Environmental Contamination and Toxicology</i> , 2011 , 61, 151-8	3.2	18
50	Determination of six thyroid hormones in the brain and thyroid gland using isotope-dilution liquid chromatography/tandem mass spectrometry. <i>Analytical Chemistry</i> , 2011 , 83, 417-24	7.8	38
49	Elevated concentrations of polychlorinated dibenzo-p-dioxins and polychlorinated dibenzofurans and polybrominated diphenyl ethers in hair from workers at an electronic waste recycling facility in eastern China. <i>Journal of Hazardous Materials</i> , 2011 , 186, 1966-71	12.8	60
48	Persistent Organochlorines Accumulated in Small Asian Mongoose (<i>Herpestes javanicus</i>) from the Yambaru Area, Okinawa, Japan. <i>Japanese Journal of Zoo and Wildlife Medicine</i> , 2011 , 16, 65-70	0.1	2
47	Polychlorinated biphenyls and their hydroxylated metabolites (OH-PCBs) in the blood of toothed and baleen whales stranded along Japanese coastal waters. <i>Environmental Science & Technology</i> , 2010 , 44, 3732-8	10.3	48

46	Persistent organic pollutants in breast milk of mothers residing around an open dumping site in Kolkata, India: specific dioxin-like PCB levels and fish as a potential source. <i>Environment International</i> , 2010 , 36, 27-35	12.9	68
45	Analysis of five benzophenone-type UV filters in human urine by liquid chromatography-tandem mass spectrometry. <i>Analytical Methods</i> , 2010 , 2, 707	3.2	56
44	Profiles of phytoestrogens in human urine from several Asian countries. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 9838-46	5.7	34
43	Hepatic CYP1A induction by chlorinated dioxins and related compounds in the endangered black-footed albatross from the North Pacific. <i>Environmental Science & Technology</i> , 2010 , 44, 3559-65	10.3	12
42	A method for the analysis of six thyroid hormones in thyroid gland by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 1725-30	3.2	23
41	Dioxin-like and perfluorinated compounds in pigs in an Indian open waste dumping site: toxicokinetics and effects on hepatic cytochrome P450 and blood plasma hormones. <i>Environmental Toxicology and Chemistry</i> , 2010 , 29, 1551-60	3.8	23
40	Polychlorinated naphthalenes in human adipose tissue from New York, USA. <i>Environmental Pollution</i> , 2009 , 157, 910-5	9.3	28
39	Accumulation features and temporal trends of PCDDs, PCDFs and PCBs in Baikal seals (<i>Pusa sibirica</i>). <i>Environmental Pollution</i> , 2009 , 157, 737-47	9.3	34
38	Organohalogen compounds in human breast milk from mothers living in Payatas and Malate, the Philippines: levels, accumulation kinetics and infant health risk. <i>Environmental Pollution</i> , 2009 , 157, 1924-32	9.3	64
37	Hydroxylated polychlorinated biphenyls (OH-PCBs) in the blood of mammals and birds from Japan: lower chlorinated OH-PCBs and profiles. <i>Chemosphere</i> , 2009 , 74, 950-61	8.4	58
36	Occurrence of perchlorate in drinking water, groundwater, surface water and human saliva from India. <i>Chemosphere</i> , 2009 , 76, 22-6	8.4	111
35	Hexabromocyclododecanes in human adipose tissue from Japan. <i>Environmental Chemistry</i> , 2009 , 6, 328	3.2	5
34	Spatial trends of polybrominated diphenyl ethers in avian species: utilization of stored samples in the Environmental Specimen Bank of Ehime University (es-Bank). <i>Environmental Pollution</i> , 2008 , 154, 272-82	9.3	29
33	Perfluorinated compounds in human breast milk from several Asian countries, and in infant formula and dairy milk from the United States. <i>Environmental Science & Technology</i> , 2008 , 42, 8597-602	10.3	139
32	Regional trend and tissue distribution of brominated flame retardants and persistent organochlorines in raccoon dogs (<i>Nyctereutes procyonoides</i>) from Japan. <i>Environmental Science & Technology</i> , 2008 , 42, 685-91	10.3	31
31	Contamination Status and Toxicological Implications of Persistent Toxic Substances in Avian Species. <i>Journal of Disaster Research</i> , 2008 , 3, 196-205	0.8	3
30	Occurrence of hydroxylated polychlorinated biphenyls in the brain of cetaceans stranded along the Japanese coast. <i>Marine Pollution Bulletin</i> , 2007 , 54, 963-73	6.7	23
29	Persistent organic pollutants in sediments from Sai Gon-Dong Nai River basin, Vietnam: levels and temporal trends. <i>Archives of Environmental Contamination and Toxicology</i> , 2007 , 52, 458-65	3.2	53

28	Polybrominated diphenyl ethers and persistent organochlorines in Japanese human adipose tissues. <i>Environment International</i> , 2007 , 33, 1048-56	12.9	54
27	Organohalogen compounds in human breast milk from Republic of Buryatia, Russia. <i>Environmental Pollution</i> , 2007 , 146, 225-32	9.3	88
26	Persistent organic pollutants in human breast milk from Asian countries. <i>Environmental Pollution</i> , 2007 , 146, 400-13	9.3	79
25	Pollution sources and occurrences of selected persistent organic pollutants (POPs) in sediments of the Mekong River delta, South Vietnam. <i>Chemosphere</i> , 2007 , 67, 1794-801	8.4	77
24	Persistent organochlorines in raccoon dogs (<i>Nyctereutes procyonoides</i>) from Japan: Hepatic sequestration of oxychlordan. <i>Chemosphere</i> , 2007 , 66, 203-11	8.4	17
23	Concentrations of organochlorine pollutants in mothers who gave birth to neonates with congenital hypothyroidism. <i>Chemosphere</i> , 2007 , 68, 972-6	8.4	35
22	High levels of organochlorines in mothers' milk from Chennai (Madras) city, India. <i>Chemosphere</i> , 2007 , 68, 928-39	8.4	62
21	Contamination by persistent organic pollutants in dumping sites of Asian developing countries: implication of emerging pollution sources. <i>Archives of Environmental Contamination and Toxicology</i> , 2006 , 50, 474-81	3.2	85
20	Organohalogen and organotin compounds in killer whales mass-stranded in the Shiretoko Peninsula, Hokkaido, Japan. <i>Marine Pollution Bulletin</i> , 2006 , 52, 1066-76	6.7	46
19	Dioxins and related compounds in albatrosses from the Torishima Island, Japan: accumulation features by growth stage and toxicological implications. <i>Environmental Science & Technology</i> , 2006 , 40, 6919-27	10.3	21
18	Contamination status of persistent organochlorines in human breast milk from Japan: recent levels and temporal trend. <i>Chemosphere</i> , 2006 , 64, 1601-8	8.4	76
17	Specific accumulation of organochlorines in human breast milk from Indonesia: levels, distribution, accumulation kinetics and infant health risk. <i>Environmental Pollution</i> , 2006 , 139, 107-17	9.3	96
16	PCDDs, PCDFs, and coplanar PCBs in wild terrestrial mammals from Japan: congener specific accumulation and hepatic sequestration. <i>Environmental Pollution</i> , 2006 , 140, 525-35	9.3	30
15	Contamination by polybrominated diphenyl ethers and persistent organochlorines in catfish and feed from Mekong River Delta, Vietnam. <i>Environmental Toxicology and Chemistry</i> , 2006 , 25, 2700-8	3.8	50
14	Contamination status and accumulation features of persistent organochlorines in pet dogs and cats from Japan. <i>Environmental Pollution</i> , 2005 , 136, 465-76	9.3	34
13	Persistent organochlorine compounds in human breast milk from mothers living in Penang and Kedah, Malaysia. <i>Archives of Environmental Contamination and Toxicology</i> , 2005 , 49, 429-37	3.2	51
12	Occurrence of PCBs, organochlorine insecticides, tris(4-chlorophenyl)methane, and tris(4-chlorophenyl)methanol in human breast milk collected from Cambodia. <i>Archives of Environmental Contamination and Toxicology</i> , 2004 , 46, 405-12	3.2	34
11	Dioxins and related compounds in human breast milk collected around open dumping sites in Asian developing countries: bovine milk as a potential source. <i>Archives of Environmental Contamination and Toxicology</i> , 2004 , 47, 414-26	3.2	43

10	PCDDs, PCDFs, and coplanar PCBs in albatross from the North Pacific and Southern Oceans: levels, patterns, and toxicological implications. <i>Environmental Science & Technology</i> , 2004 , 38, 403-13	10.3	68
9	Persistent organochlorine residues in human breast milk from Hanoi and Hochiminh City, Vietnam: contamination, accumulation kinetics and risk assessment for infants. <i>Environmental Pollution</i> , 2004 , 129, 431-41	9.3	144
8	Persistent organochlorines in human breast milk collected from primiparae in Dalian and Shenyang, China. <i>Environmental Pollution</i> , 2004 , 131, 381-92	9.3	112
7	Congener-specific patterns and toxic assessment of polychlorinated biphenyls in resident and migratory birds from Southern India and Lake Baikal in Russia. <i>Archives of Environmental Contamination and Toxicology</i> , 2003 , 45, 547-61	3.2	20
6	Accumulation of persistent organochlorines in resident white-breasted waterhens (<i>Amaurornis Phoenicurus</i>) from Cambodia. <i>Marine Pollution Bulletin</i> , 2003 , 46, 1341-8	6.7	33
5	Open dumping site in Asian developing countries: a potential source of polychlorinated dibenz-p-dioxins and polychlorinated dibenzofurans. <i>Environmental Science & Technology</i> , 2003 , 37, 1493-502	10.3	125
4	Accumulation features of persistent organochlorines in resident and migratory birds from Asia. <i>Environmental Pollution</i> , 2003 , 125, 157-72	9.3	72
3	Persistent organochlorine residues and their bioaccumulation profiles in resident and migratory birds from North Vietnam. <i>Environmental Toxicology and Chemistry</i> , 2002 , 21, 2108-2118	3.8	42
2	Seasonal variation of persistent organochlorine accumulation in birds from Lake Baikal, Russia, and the role of the south Asian region as a source of pollution for wintering migrants. <i>Environmental Science & Technology</i> , 2002 , 36, 1396-404	10.3	41
1	Accumulation patterns of polychlorinated biphenyl congeners and organochlorine pesticides in Steller's sea eagles and white-tailed sea eagles, threatened species, in Hokkaido, Japan. <i>Environmental Toxicology and Chemistry</i> , 2002 , 21, 842-7	3.8	