

# Na-Ri Shin

## List of Publications by Citations

Source: <https://exaly.com/author-pdf/6304438/na-ri-shin-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73  
papers

3,412  
citations

18  
h-index

58  
g-index

78  
ext. papers

5,007  
ext. citations

3.6  
avg, IF

5.57  
L-index

#	Paper	IF	Citations
73	Proteobacteria: microbial signature of dysbiosis in gut microbiota. <i>Trends in Biotechnology</i> , <b>2015</b> , 33, 496-503	15.1	1268
72	An increase in the Akkermansia spp. population induced by metformin treatment improves glucose homeostasis in diet-induced obese mice. <i>Gut</i> , <b>2014</b> , 63, 727-35	19.2	938
71	Insect gut bacterial diversity determined by environmental habitat, diet, developmental stage, and phylogeny of host. <i>Applied and Environmental Microbiology</i> , <b>2014</b> , 80, 5254-64	4.8	354
70	Chronic Repression of mTOR Complex 2 Induces Changes in the Gut Microbiota of Diet-induced Obese Mice. <i>Scientific Reports</i> , <b>2016</b> , 6, 30887	4.9	93
69	Metagenomic characterization of airborne viral DNA diversity in the near-surface atmosphere. <i>Journal of Virology</i> , <b>2012</b> , 86, 8221-31	6.6	90
68	Endozoicomonas atrinae sp. nov., isolated from the intestine of a comb pen shell Atrina pectinata. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2014</b> , 64, 2312-2318	2.2	33
67	Leucobacter celer sp. nov., isolated from Korean fermented seafood. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2011</b> , 61, 2353-2357	2.2	28
66	Acinetobacter apis sp. nov., isolated from the intestinal tract of a honey bee, Apis mellifera. <i>Journal of Microbiology</i> , <b>2014</b> , 52, 639-45	3	25
65	Paenibacillus oceanisediminis sp. nov. isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2013</b> , 63, 428-434	2.2	24
64	Shimia haliotis sp. nov., a bacterium isolated from the gut of an abalone, Haliotis discus hannai. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2013</b> , 63, 4248-4253	2.2	22
63	Dysbiosis of Inferior Turbinate Microbiota Is Associated with High Total IgE Levels in Patients with Allergic Rhinitis. <i>Infection and Immunity</i> , <b>2018</b> , 86,	3.7	21
62	Blastopirellula crenea sp. nov., isolated from a dead ark clam. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2013</b> , 63, 2314-2319	2.2	21
61	Vagococcus martis sp. nov., isolated from the small intestine of a marten, Martes flavigula. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2017</b> , 67, 3398-3402	2.2	21
60	Orbus sasakiae sp. nov., a bacterium isolated from the gut of the butterfly Sasakia charonda, and emended description of the genus Orbus. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2013</b> , 63, 1766-1770	2.2	20
59	Ruegeria conchae sp. nov., isolated from the ark clam Scapharca broughtonii. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2012</b> , 62, 2851-2857	2.2	20
58	Polaribacter atrinae sp. nov., isolated from the intestine of a comb pen shell, Atrina pectinata. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2014</b> , 64, 1654-1661	2.2	19
57	Actibacter haliotis sp. nov., isolated from the gut of an abalone, Haliotis discus hannai, and emended description of the genus Actibacter. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2015</b> , 65, 49-55	2.2	18

56	Proteus cibarius sp. nov., a swarming bacterium from Jeotgal, a traditional Korean fermented seafood, and emended description of the genus Proteus. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2016</b> , 66, 2158-2164	2.2	18
55	Weissella diestrammenae sp. nov., isolated from the gut of a camel cricket (Diestrammena coreana). <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2013</b> , 63, 2951-2956	2.2	17
54	The effects of sequencing platforms on phylogenetic resolution in 16 S rRNA gene profiling of human feces. <i>Scientific Data</i> , <b>2018</b> , 5, 180068	8.2	16
53	Rhodopirellula rosea sp. nov., a novel bacterium isolated from an ark clam Scapharca broughtonii. <i>Journal of Microbiology</i> , <b>2013</b> , 51, 301-4	3	16
52	Host habitat is the major determinant of the gut microbiome of fish. <i>Microbiome</i> , <b>2021</b> , 9, 166	16.6	16
51	Ornithinibacillus scapharcae sp. nov., isolated from a dead ark clam. <i>Antonie Van Leeuwenhoek</i> , <b>2012</b> , 101, 147-54	2.1	15
50	Neptunomonas concharum sp. nov., isolated from a dead ark clam, and emended description of the genus Neptunomonas. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2012</b> , 62, 2657-2661	2.2	15
49	Longitudinal evaluation of fecal microbiota transplantation for ameliorating calf diarrhea and improving growth performance. <i>Nature Communications</i> , <b>2021</b> , 12, 161	17.4	15
48	Kistimonas scapharcae sp. nov., isolated from a dead ark clam (Scapharca broughtonii), and emended description of the genus Kistimonas. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2012</b> , 62, 2865-2869	2.2	13
47	Oceanisphaera sediminis sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2012</b> , 62, 1552-1557	2.2	13
46	Paenibacillus marinisediminis sp. nov., a bacterium isolated from marine sediment. <i>Journal of Microbiology</i> , <b>2013</b> , 51, 312-7	3	12
45	Gibbsiella papilionis sp. nov., isolated from the intestinal tract of the butterfly Mycalesis gotama, and emended description of the genus Gibbsiella. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2013</b> , 63, 2607-2611	2.2	11
44	Cloacibacterium haliotis sp. nov., isolated from the gut of an abalone, Haliotis discus hannai. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2014</b> , 64, 72-77	2.2	11
43	Pseudoruegeria haliotis sp. nov., isolated from the gut of the abalone Haliotis discus hannai. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2013</b> , 63, 4626-4632	2.2	11
42	Simplicispira piscis sp. nov., isolated from the gut of a Korean rockfish, Sebastes schlegelii. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2015</b> , 65, 4689-4694	2.2	11
41	Arthrobacter echini sp. nov., isolated from the gut of a purple sea urchin, Heliocidaris crassispina. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2016</b> , 66, 1887-1893	2.2	11
40	Blautia hominis sp. nov., isolated from human faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2018</b> , 68, 1059-1064	2.2	11
39	Corynebacterium nuruki sp. nov., isolated from an alcohol fermentation starter. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2011</b> , 61, 2430-2434	2.2	10

38	Conditionally Pathogenic Gut Microbes Promote Larval Growth by Increasing Redox-Dependent Fat Storage in High-Sugar Diet-Fed Drosophila. <i>Antioxidants and Redox Signaling</i> , <b>2017</b> , 27, 1361-1380	8.4	9
37	Phenotypic and Genomic Properties of sp. nov. and sp. nov. <i>Frontiers in Microbiology</i> , <b>2018</b> , 9, 1809	5.7	9
36	Actinomyces haliotis sp. nov., a bacterium isolated from the gut of an abalone, <i>Haliotis discus hannai</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2014</b> , 64, 456-461	2.2	9
35	Tropicimonas sedimincola sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2012</b> , 62, 2424-2429	2.2	8
34	ESRRA (estrogen related receptor alpha) is a critical regulator of intestinal homeostasis through activation of autophagic flux via gut microbiota. <i>Autophagy</i> , <b>2021</b> , 17, 2856-2875	10.2	8
33	Omics in gut microbiome analysis. <i>Journal of Microbiology</i> , <b>2021</b> , 59, 292-297	3	8
32	Bizionia fulviae sp. nov., isolated from the gut of an egg cockle, <i>Fulvia mutica</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2015</b> , 65, 3066-3072	2.2	7
31	Microbulbifer echini sp. nov., isolated from the gastrointestinal tract of a purple sea urchin, <i>Heliocidaris crassispina</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2017</b> , 67, 998-1004	7	7
30	Calf Diarrhea Caused by Prolonged Expansion of Autochthonous Gut and Their Lytic Bacteriophages. <i>MSystems</i> , <b>2021</b> , 6,	7.6	7
29	Genome sequence of the moderately halophilic bacterium <i>Salinicoccus carnicancri</i> type strain Crm(T) (= DSM 23852(T)). <i>Standards in Genomic Sciences</i> , <b>2013</b> , 8, 255-63	6	
28	<i>Knoellia locipacati</i> sp. nov., from soil of the Demilitarized Zone in South Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2012</b> , 62, 342-346	2.2	6
27	sp. nov., isolated from Korean shiner intestine. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2019</b> , 69, 3148-3154	2.2	6
26	Genome sequence of <i>Corynebacterium nuruki</i> S6-4 T, isolated from alcohol fermentation starter. <i>Journal of Bacteriology</i> , <b>2011</b> , 193, 4257	3.5	5
25	Genome sequence of strain TW15, a novel member of the genus Ruegeria, belonging to the marine Roseobacter clade. <i>Journal of Bacteriology</i> , <b>2011</b> , 193, 3401-2	3.5	5
24	<i>Enterococcus diestrammenae</i> sp. nov., isolated from the gut of <i>Diestrammena coreana</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2013</b> , 63, 4540-4545	2.2	5
23	<i>Corynebacterium atrinae</i> sp. nov., isolated from the gastrointestinal tract of a pen shell, <i>Atrina pectinata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2015</b> , 65, 531-536	2.2	4
22	sp. nov., isolated from the intestinal tract of a Korean indigenous freshwater fish,. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2020</b> , 70, 2305-2311	2.2	4
21	sp. nov., isolated from the intestine of a Korean rockfish,. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2016</b> , 66, 780-785	2.2	4

20	Tessaracoccus aquimaris sp. nov., isolated from the intestine of a Korean rockfish, <i>Sebastes schlegelii</i> , from a marine aquaculture pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2018</b> , 68, 1065-1072	2.2	4
19	Genome sequence of strain TW25, a novel member of the genus <i>Ornithinibacillus</i> in the family <i>Bacillaceae</i> . <i>Journal of Bacteriology</i> , <b>2011</b> , 193, 2884-5	3.5	3
18	Draft genome sequence of <i>Bacteroides faecis</i> MAJ27T, a strain isolated from human feces. <i>Journal of Bacteriology</i> , <b>2011</b> , 193, 6801-2	3.5	3
17	Male castration increases adiposity via small intestinal microbial alterations. <i>EMBO Reports</i> , <b>2021</b> , 22, e50663	6.5	3
16	sp. nov., isolated from the faeces of the oriental stork,. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2020</b> , 70, 5439-5444	2.2	3
15	Flexivirga lutea sp. nov., isolated from the faeces of a crested ibis, <i>Nipponia nippon</i> , and emended description of the genus <i>Flexivirga</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2016</b> , 66, 3594-3599	2.2	3
14	<i>Virgibacillus phasianinus</i> sp. nov., a halophilic bacterium isolated from faeces of a Swinhoe's pheasant, <i>Lophura swinhonis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2018</b> , 68, 1190-1196	2.2	3
13	<i>Tumebacillus avium</i> sp. nov., isolated from the gut of a cinereous vulture, <i>Aegypius monachus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2018</b> , 68, 1659-1664	2.2	3
12	Genomic and phenotypic analyses of <i>Carnobacterium jeotgali</i> strain MS3(T), a lactate-producing candidate biopreservative bacterium isolated from salt-fermented shrimp. <i>FEMS Microbiology Letters</i> , <b>2015</b> , 362,	2.9	2
11	sp. nov., isolated from the gut of the Korean scallop,. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2020</b> , 70, 499-504	2.2	2
10	sp. nov., a bacterium isolated from feces of oriental stork,. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2019</b> , 69, 2948-2953	2.2	2
9	sp. nov., isolated from the faeces of an Oriental stork. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2020</b> , 70, 3247-3254	2.2	2
8	<i>Haloplanus rubicundus</i> sp. nov., an extremely halophilic archaeon isolated from solar salt. <i>Systematic and Applied Microbiology</i> , <b>2020</b> , 43, 126085	4.2	1
7	sp. nov., isolated from the gut of a Japanese flying squid,. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2016</b> , 66, 1389-1393	2.2	1
6	<i>Oceanisphaera avium</i> sp. nov., isolated from the gut of the cinereous vulture, <i>Aegypius monachus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2018</b> , 68, 2068-2073	2.2	1
5	sp. nov., a novel butyrate-producing bacteria isolated from faeces of a patient with Crohn's disease. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2021</b> , 71,	2.2	1
4	Host phylogeny, habitat, and diet are main drivers of the cephalopod and mollusk gut microbiome.. <i>Animal Microbiome</i> , <b>2022</b> , 4, 30	4.1	1
3	sp. nov., isolated from the gastrointestinal tract of a blood cockle (). <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2019</b> , 69, 2815-2822	2.2	0

- 2 Genomic Analysis of the Moderately Haloalkaliphilic Bacterium Oceanobacillus kimchii Strain X50T  
with Improved High-Quality Draft Genome Sequences. *Journal of Microbiology and Biotechnology*, 3.3 o  
**2015**, 25, 1971-6
- 1 Pathogenomics of Streptococcus ilei sp. nov., a newly identified pathogen ubiquitous in human  
microbiome. *Journal of Microbiology*, 2021, 59, 792-806 3 o