

Na-Ri Shin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6304438/publications.pdf>

Version: 2024-02-01

75
papers

5,950
citations

346980

22
h-index

90395

73
g-index

78
all docs

78
docs citations

78
times ranked

9976
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Halorubrum salinarum</i> sp. nov., an extremely halophilic archaeon isolated from a saturated brine pond of a saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	6
2	<i>Cellulosimicrobium protaetiae</i> sp. nov., isolated from the gut of the larva of <i>Protaetia brevitarsis seulensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	7
3	Host phylogeny, habitat, and diet are main drivers of the cephalopod and mollusk gut microbiome. <i>Animal Microbiome</i> , 2022, 4, 30.	1.5	11
4	ESRRA (estrogen related receptor alpha) is a critical regulator of intestinal homeostasis through activation of autophagic flux via gut microbiota. <i>Autophagy</i> , 2021, 17, 2856-2875.	4.3	37
5	Longitudinal evaluation of fecal microbiota transplantation for ameliorating calf diarrhea and improving growth performance. <i>Nature Communications</i> , 2021, 12, 161.	5.8	76
6	Omics in gut microbiome analysis. <i>Journal of Microbiology</i> , 2021, 59, 292-297.	1.3	30
7	Calf Diarrhea Caused by Prolonged Expansion of Autochthonous Gut Enterobacteriaceae and Their Lytic Bacteriophages. <i>MSystems</i> , 2021, 6, .	1.7	15
8	Host habitat is the major determinant of the gut microbiome of fish. <i>Microbiome</i> , 2021, 9, 166.	4.9	100
9	Pathogenomics of <i>Streptococcus ilei</i> sp. nov., a newly identified pathogen ubiquitous in human microbiome. <i>Journal of Microbiology</i> , 2021, 59, 792-806.	1.3	8
10	Male castration increases adiposity via small intestinal microbial alterations. <i>EMBO Reports</i> , 2021, 22, e50663.	2.0	12
11	<i>Anaerostipes hominis</i> sp. nov., a novel butyrate-producing bacteria isolated from faeces of a patient with Crohn's disease. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	16
12	<i>Haloplanus rubicundus</i> sp. nov., an extremely halophilic archaeon isolated from solar salt. <i>Systematic and Applied Microbiology</i> , 2020, 43, 126085.	1.2	6
13	<i>Jeotgalibaca ciconiae</i> sp. nov., isolated from the faeces of an Oriental stork. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3247-3254.	0.8	12
14	<i>Tabrizicola piscis</i> sp. nov., isolated from the intestinal tract of a Korean indigenous freshwater fish, <i>Acheilognathus koreensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 2305-2311.	0.8	14
15	<i>Flammeovirga pectinis</i> sp. nov., isolated from the gut of the Korean scallop, <i>Patinopecten yessoensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 499-504.	0.8	12
16	<i>Flaviflexus ciconiae</i> sp. nov., isolated from the faeces of the oriental stork, <i>Ciconia boyciana</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 5439-5444.	0.8	9
17	<i>Iodobacter ciconiae</i> sp. nov., a bacterium isolated from feces of oriental stork, <i>Ciconia boyciana</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2948-2953.	0.8	7
18	<i>Undibacterium piscinae</i> sp. nov., isolated from Korean shiner intestine. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3148-3154.	0.8	17

#	ARTICLE	IF	CITATIONS
19	<i>Paracoccus tegillarcae</i> sp. nov., isolated from the gastrointestinal tract of a blood cockle (<i>Tegillarca</i>) Tj ETQq1 1 0.784314 rgBT /Overl	0.8	10
20	Dysbiosis of Inferior Turbinate Microbiota Is Associated with High Total IgE Levels in Patients with Allergic Rhinitis. <i>Infection and Immunity</i> , 2018, 86, .	1.0	39
21	The effects of sequencing platforms on phylogenetic resolution in 16S rRNA gene profiling of human feces. <i>Scientific Data</i> , 2018, 5, 180068.	2.4	22
22	Phenotypic and Genomic Properties of <i>Brachybacterium vulturis</i> sp. nov. and <i>Brachybacterium avium</i> sp. nov.. <i>Frontiers in Microbiology</i> , 2018, 9, 1809.	1.5	29
23	<i>Blautia hominis</i> sp. nov., isolated from human faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1059-1064.	0.8	22
24	<i>Tessaracoccus aquimaris</i> sp. nov., isolated from the intestine of a Korean rockfish, <i>Sebastes schlegelii</i> , from a marine aquaculture pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1065-1072.	0.8	10
25	<i>Virgibacillus phasianinus</i> sp. nov., a halophilic bacterium isolated from faeces of a Swinhoe's pheasant, <i>Lophura swinhoii</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1190-1196.	0.8	9
26	<i>Tumebacillus avium</i> sp. nov., isolated from the gut of a cinereous vulture, <i>Aegypius monachus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1659-1664.	0.8	14
27	<i>Oceanisphaera avium</i> sp. nov., isolated from the gut of the cinereous vulture, <i>Aegypius monachus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 2068-2073.	0.8	8
28	Conditionally Pathogenic Gut Microbes Promote Larval Growth by Increasing Redox-Dependent Fat Storage in High-Sugar Diet-Fed <i>Drosophila</i> . <i>Antioxidants and Redox Signaling</i> , 2017, 27, 1361-1380.	2.5	11
29	<i>Microbulbifer echini</i> sp. nov., isolated from the gastrointestinal tract of a purple sea urchin, <i>Heliocidaris crassispina</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 998-1004.	0.8	15
30	<i>Vagococcus martis</i> sp. nov., isolated from the small intestine of a marten, <i>Martes flavigula</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3398-3402.	0.8	30
31	Chronic Repression of mTOR Complex 2 Induces Changes in the Gut Microbiota of Diet-induced Obese Mice. <i>Scientific Reports</i> , 2016, 6, 30887.	1.6	142
32	<i>Comamonas piscis</i> sp. nov., isolated from the intestine of a Korean rockfish, <i>Sebastes schlegelii</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 780-785.	0.8	13
33	<i>Pseudahrensia todarodis</i> sp. nov., isolated from the gut of a Japanese flying squid, <i>Todarodes pacificus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1389-1393.	0.8	6
34	<i>Arthrobacter echini</i> sp. nov., isolated from the gut of a purple sea urchin, <i>Heliocidaris crassispina</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1887-1893.	0.8	19
35	<i>Proteus cibarius</i> sp. nov., a swarming bacterium from Jeotgal, a traditional Korean fermented seafood, and emended description of the genus <i>Proteus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2158-2164.	0.8	27
36	<i>Flexivirga lutea</i> sp. nov., isolated from the faeces of a crested ibis, <i>Nipponia nippon</i> , and emended description of the genus <i>Flexivirga</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 3594-3599.	0.8	9

#	ARTICLE	IF	CITATIONS
37	Genomic and phenotypic analyses of <i>Carnobacterium jeotgali</i> strain MS3T, a lactate-producing candidate biopreservative bacterium isolated from salt-fermented shrimp. <i>FEMS Microbiology Letters</i> , 2015, 362, .	0.7	3
38	<i>Actibacter haliotis</i> sp. nov., isolated from the gut of an abalone, <i>Haliotis discus hannai</i> , and emended description of the genus <i>Actibacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 49-55.	0.8	25
39	Proteobacteria: microbial signature of dysbiosis in gut microbiota. <i>Trends in Biotechnology</i> , 2015, 33, 496-503.	4.9	2,453
40	<i>Corynebacterium atrinae</i> sp. nov., isolated from the gastrointestinal tract of a pen shell, <i>Atrina pectinata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 531-536.	0.8	8
41	<i>Bizionia fulviae</i> sp. nov., isolated from the gut of an egg cockle, <i>Fulvia mutica</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3066-3072.	0.8	12
42	<i>Simplicispira piscis</i> sp. nov., isolated from the gut of a Korean rockfish, <i>Sebastes schlegelii</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4689-4694.	0.8	18
43	Genomic Analysis of the Moderately Haloalkaliphilic Bacterium <i>Oceanobacillus kimchii</i> Strain X50T with Improved High-Quality Draft Genome Sequences. <i>Journal of Microbiology and Biotechnology</i> , 2015, 25, 1971-1976.	0.9	1
44	<i>Endozoicomonas atrinae</i> sp. nov., isolated from the intestine of a comb pen shell <i>Atrina pectinata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2312-2318.	0.8	52
45	<i>Polaribacter atrinae</i> sp. nov., isolated from the intestine of a comb pen shell, <i>Atrina pectinata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1654-1661.	0.8	26
46	<i>Cloacibacterium haliotis</i> sp. nov., isolated from the gut of an abalone, <i>Haliotis discus hannai</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 72-77.	0.8	21
47	<i>Acinetobacter apis</i> sp. nov., isolated from the intestinal tract of a honey bee, <i>Apis mellifera</i> . <i>Journal of Microbiology</i> , 2014, 52, 639-645.	1.3	44
48	Insect Gut Bacterial Diversity Determined by Environmental Habitat, Diet, Developmental Stage, and Phylogeny of Host. <i>Applied and Environmental Microbiology</i> , 2014, 80, 5254-5264.	1.4	591
49	An increase in the <i>Akkermansia</i> spp. population induced by metformin treatment improves glucose homeostasis in diet-induced obese mice. <i>Gut</i> , 2014, 63, 727-735.	6.1	1,288
50	<i>Actinomyces haliotis</i> sp. nov., a bacterium isolated from the gut of an abalone, <i>Haliotis discus hannai</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 456-461.	0.8	19
51	<i>Rhodopirellula rosea</i> sp. nov., a novel bacterium isolated from an ark clam <i>Scapharca broughtonii</i> . <i>Journal of Microbiology</i> , 2013, 51, 301-304.	1.3	21
52	<i>Paenibacillus marinesediminis</i> sp. nov., a bacterium isolated from marine sediment. <i>Journal of Microbiology</i> , 2013, 51, 312-317.	1.3	18
53	<i>Weissella diestrammenae</i> sp. nov., isolated from the gut of a camel cricket (<i>Diestrammena coreana</i>). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2951-2956.	0.8	29
54	<i>Blastopirellula cremea</i> sp. nov., isolated from a dead ark clam. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2314-2319.	0.8	29

#	ARTICLE	IF	CITATIONS
55	<i>Gibbsiella papilionis</i> sp. nov., isolated from the intestinal tract of the butterfly <i>Mycalesis gotama</i> , and emended description of the genus <i>Gibbsiella</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2607-2611.	0.8	16
56	<i>Paenibacillus oceanisediminis</i> sp. nov. isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 428-434.	0.8	31
57	<i>Shimia haliotis</i> sp. nov., a bacterium isolated from the gut of an abalone, <i>Haliotis discus hannai</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 4248-4253.	0.8	33
58	<i>Pseudoruegeria haliotis</i> sp. nov., isolated from the gut of the abalone <i>Haliotis discus hannai</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 4626-4632.	0.8	19
59	<i>Orbus sasakiae</i> sp. nov., a bacterium isolated from the gut of the butterfly <i>Sasakia charonda</i> , and emended description of the genus <i>Orbus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1766-1770.	0.8	30
60	Genome sequence of the moderately halophilic bacterium <i>Salinicoccus carnicancri</i> type strain CrmT (= DSM 23852T). <i>Standards in Genomic Sciences</i> , 2013, 8, 255-263.	1.5	11
61	<i>Enterococcus diestrammenae</i> sp. nov., isolated from the gut of <i>Diestrammena coreana</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 4540-4545.	0.8	11
62	<i>Knoellia locipacati</i> sp. nov., from soil of the Demilitarized Zone in South Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 342-346.	0.8	10
63	<i>Kistimonas scapharcae</i> sp. nov., isolated from a dead ark clam (<i>Scapharca broughtonii</i>), and emended description of the genus <i>Kistimonas</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2865-2869.	0.8	23
64	<i>Ruegeria conchae</i> sp. nov., isolated from the ark clam <i>Scapharca broughtonii</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2851-2857.	0.8	28
65	<i>Tropicimonas sediminicola</i> sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2424-2429.	0.8	14
66	<i>Neptunomonas concharum</i> sp. nov., isolated from a dead ark clam, and emended description of the genus <i>Neptunomonas</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2657-2661.	0.8	21
67	Metagenomic Characterization of Airborne Viral DNA Diversity in the Near-Surface Atmosphere. <i>Journal of Virology</i> , 2012, 86, 8221-8231.	1.5	103
68	<i>Ornithinibacillus scapharcae</i> sp. nov., isolated from a dead ark clam. <i>Antonie Van Leeuwenhoek</i> , 2012, 101, 147-154.	0.7	20
69	<i>Oceanisphaera sediminis</i> sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1552-1557.	0.8	19
70	Genome Sequence of <i>Corynebacterium nuruki</i> S6-4 ^T , Isolated from Alcohol Fermentation Starter. <i>Journal of Bacteriology</i> , 2011, 193, 4257-4257.	1.0	5
71	<i>Leucobacter celer</i> sp. nov., isolated from Korean fermented seafood. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2353-2357.	0.8	36
72	Genome Sequence of Strain TW25, a Novel Member of the Genus <i>Ornithinibacillus</i> in the Family Bacillaceae. <i>Journal of Bacteriology</i> , 2011, 193, 2884-2885.	1.0	4

#	ARTICLE	IF	CITATIONS
73	Genome Sequence of Strain TW15, a Novel Member of the Genus <i>Ruegeria</i> , Belonging to the Marine <i>Roseobacter</i> Clade. <i>Journal of Bacteriology</i> , 2011, 193, 3401-3402.	1.0	8
74	Draft Genome Sequence of <i>Bacteroides faecis</i> MAJ27T, a Strain Isolated from Human Feces. <i>Journal of Bacteriology</i> , 2011, 193, 6801-6802.	1.0	3
75	<i>Corynebacterium nuruki</i> sp. nov., isolated from an alcohol fermentation starter. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2430-2434.	0.8	18