Rose Galvin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6305707/publications.pdf

Version: 2024-02-01

166 papers

4,575 citations

32 h-index 59 g-index

167 all docs

 $\begin{array}{c} 167 \\ \text{docs citations} \end{array}$

167 times ranked

6703 citing authors

#	Article	IF	CITATIONS
1	Is the Timed Up and Go test a useful predictor of risk of falls in community dwelling older adults: a systematic review and meta- analysis. BMC Geriatrics, 2014, 14, 14.	2.7	615
2	Fixation of Ankle Syndesmotic Injuries. American Journal of Sports Medicine, 2012, 40, 2828-2835.	4.2	214
3	Gait deficits in people with multiple sclerosis: A systematic review and meta-analysis. Gait and Posture, 2017, 51, 25-35.	1.4	198
4	A systematic review and meta-analysis of the diagnostic accuracy of MRI for suspected ACL and meniscal tears of the knee. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 1525-1539.	4.2	125
5	Addition of motivational interventions to exercise and traditional Physiotherapy: a review and meta-analysis. Physiotherapy, 2015, 101, 1-12.	0.4	118
6	Family-Mediated Exercise Intervention (FAME). Stroke, 2011, 42, 681-686.	2.0	105
7	Diagnostic accuracy of the 4AT for delirium detection in older adults: systematic review and meta-analysis. Age and Ageing, 2021, 50, 733-743.	1.6	97
8	Effectiveness of Acupuncture for Nonspecific Chronic Low Back Pain. Spine, 2013, 38, 2124-2138.	2.0	94
9	Interventions to Address Potentially Inappropriate Prescribing in Communityâ€Dwelling Older Adults: A Systematic Review of Randomized Controlled Trials. Journal of the American Geriatrics Society, 2016, 64, 1210-1222.	2.6	94
10	Qualitative synthesis: A guide to conducting a meta-ethnography. British Journal of Occupational Therapy, 2018, 81, 129-137.	0.9	86
11	Community re-integration and long-term need in the first five years after stroke: results from a national survey. Disability and Rehabilitation, 2015, 37, 1834-1838.	1.8	84
12	Diagnostic Accuracy of Clinical Tests for Subacromial Impingement Syndrome: A Systematic Review and Meta-Analysis. Archives of Physical Medicine and Rehabilitation, 2012, 93, 229-236.	0.9	82
13	Dual Tasking With the Timed "Up & Go―Test Improves Detection of Risk of Falls in People With Parkinson Disease. Physical Therapy, 2015, 95, 95-102.	2.4	82
14	Prevalence of potentially inappropriate prescribing and prescribing omissions in older Irish adults: findings from The Irish LongituDinal Study on Ageing study (TILDA). European Journal of Clinical Pharmacology, 2014, 70, 599-606.	1.9	78
15	Postural control deficits in people with Multiple Sclerosis: A systematic review and meta-analysis. Gait and Posture, 2018, 61, 445-452.	1.4	77
16	Factors associated with community reintegration in the first year after stroke: a qualitative meta-synthesis. Disability and Rehabilitation, 2015, 37, 1599-1608.	1.8	73
17	Adverse outcomes in older adults attending emergency departments: a systematic review and meta-analysis of the Identification of Seniors At Risk (ISAR) screening tool. Age and Ageing, 2017, 46, 179-186.	1.6	70
18	The effect of pharmacist-led interventions in optimising prescribing in older adults in primary care: A systematic review. SAGE Open Medicine, 2016, 4, 205031211665256.	1.8	64

#	Article	IF	CITATIONS
19	The Impact of Increased Duration of Exercise Therapy on Functional Recovery Following Stroke — What Is the Evidence?. Topics in Stroke Rehabilitation, 2008, 15, 365-377.	1.9	61
20	Participatory methods for research prioritization in primary care: an analysis of the World Cafà $@$ approach in Ireland and the USA. Family Practice, 2017, 34, cmw104.	1.9	61
21	Midwives' perceptions and experiences of caring for women who experience perinatal mental health problems: An integrative review. Midwifery, 2017, 45, 56-71.	2.3	56
22	The use of postoperative suction drainage in total knee arthroplasty: a systematic review. International Orthopaedics, 2015, 39, 653-658.	1.9	55
23	Improving risk factor management for patients with poorly controlled type 2 diabetes: a systematic review of healthcare interventions in primary care and community settings. BMJ Open, 2017, 7, e015135.	1.9	53
24	Barriers and facilitators associated with return to work after stroke: a qualitative meta-synthesis. Disability and Rehabilitation, 2017, 39, 211-222.	1.8	52
25	Potential for alcohol and drug interactions in older adults: evidence from the Irish longitudinal study on ageing. BMC Geriatrics, 2014, 14, 57.	2.7	51
26	Lifestyle interventions for secondary disease prevention in stroke and transient ischaemic attack: a systematic review. European Journal of Preventive Cardiology, 2014, 21, 1026-1039.	1.8	49
27	What Is the Impact of Physical Activity and Physical Function on the Development of Multimorbidity in Older Adults Over Time? A Population-Based Cohort Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 1538-1544.	3.6	49
28	Survey of midwives' perinatal mental health knowledge, confidence, attitudes and learning needs. Women and Birth, 2018, 31, e358-e366.	2.0	41
29	The Hounsfield value for cortical bone geometry in the proximal humerus—an in vitro study. Skeletal Radiology, 2012, 41, 557-568.	2.0	38
30	Developing an International Register of Clinical Prediction Rules for Use in Primary Care: A Descriptive Analysis. Annals of Family Medicine, 2014, 12, 359-366.	1.9	37
31	Clinical prediction rules in practice: review of clinical guidelines and survey of GPs. British Journal of General Practice, 2014, 64, e233-e242.	1.4	37
32	Systematic review of risk prediction models for falls after stroke. Journal of Epidemiology and Community Health, 2016, 70, 513-519.	3.7	37
33	A BEME (Best Evidence in Medical Education) review of the use of workplace-based assessment in identifying and remediating underperformance among postgraduate medical trainees: BEME Guide No. 43. Medical Teacher, 2016, 38, 1188-1198.	1.8	36
34	The Effectiveness of Corticosteroid Injection for De Quervain's Stenosing Tenosynovitis (DQST): A Systematic Review and Meta-Analysis. The Open Orthopaedics Journal, 2015, 9, 437-444.	0.2	34
35	The ability of clinical balance measures to identify falls risk in multiple sclerosis: a systematic review and meta-analysis. Clinical Rehabilitation, 2018, 32, 571-582.	2.2	34
36	Adverse outcomes in older adults attending emergency department. European Journal of Emergency Medicine, 2013, 20, 230-239.	1.1	33

#	Article	IF	Citations
37	Impact analysis studies of clinical prediction rules relevant to primary care: a systematic review. BMJ Open, 2016, 6, e009957.	1.9	33
38	Interventions to improve adherence to exercise therapy for falls prevention in community-dwelling older adults: systematic review and meta-analysis. Age and Ageing, 2019, 48, 185-195.	1.6	33
39	Impact of early assessment and intervention by teams involving health and social care professionals in the emergency department: A systematic review. PLoS ONE, 2019, 14, e0220709.	2.5	32
40	Local anaesthesia versus spinal anaesthesia in inguinal hernia repair: A systematic review and meta-analysis. Journal of the Royal College of Surgeons of Edinburgh, 2017, 15, 47-57.	1.8	31
41	A randomised controlled trial evaluating the effect of an individual auditory cueing device on freezing and gait speed in people with Parkinson's disease. BMC Neurology, 2008, 8, 46.	1.8	29
42	To what extent are family members and friends involved in physiotherapy and the delivery of exercises to people with stroke? Disability and Rehabilitation, 2009, 31, 898-905.	1.8	29
43	Computer-related posture and discomfort in primary school children: The effects of a school-based ergonomic intervention. Computers and Education, 2010, 55, 276-284.	8.3	28
44	Interventions for preventing falls in people with multiple sclerosis. The Cochrane Library, 2019, 2019, CD012475.	2.8	28
45	The prevalence of malnutrition and impact on patient outcomes among older adults presenting at an Irish emergency department: a secondary analysis of the OPTI-MEND trial. BMC Geriatrics, 2020, 20, 455.	2.7	28
46	Computer use in school: Its effect on posture and discomfort in schoolchildren. Work, 2009, 32, 321-328.	1.1	27
47	GPs' perspectives on prescribing for older people in primary care: a qualitative study. British Journal of Clinical Pharmacology, 2017, 83, 1521-1531.	2.4	27
48	Family physicians perceived role in perinatal mental health: an integrative review. BMC Family Practice, 2018, 19, 154.	2.9	27
49	Physiotherapy after stroke in Ireland: a qualitative insight into the patients' and physiotherapists' experience. International Journal of Rehabilitation Research, 2009, 32, 238-244.	1.3	26
50	Prognostic value of the ABCD2 clinical prediction rule: a systematic review and meta-analysis. Family Practice, 2011, 28, 366-376.	1.9	26
51	Psychostimulant prescribing trends in a paediatric population in Ireland: a national cohort study. BMC Pediatrics, 2015, 15, 118.	1.7	26
52	Fall-related experiences of stroke survivors: a meta-ethnography. Disability and Rehabilitation, 2017, 39, 631-640.	1.8	26
53	Diagnostic accuracy of the STRATIFY clinical prediction rule for falls: A systematic review and meta-analysis. BMC Family Practice, 2012, 13, 76.	2.9	25
54	Prognostic value of the <scp>CAPRA</scp> clinical prediction rule: a systematic review and metaâ€analysis. BJU International, 2013, 111, 427-436.	2.5	25

#	Article	IF	CITATIONS
55	Family-Mediated Exercises (FAME): An Exploration of Participant's Involvement in a Novel Form of Exercise Delivery After Stroke. Topics in Stroke Rehabilitation, 2014, 21, 63-74.	1.9	25
56	Barriers faced by adults with intellectual disabilities who experience sexual assault: A systematic review and metaâ€synthesis. Journal of Applied Research in Intellectual Disabilities, 2020, 33, 51-66.	2.0	25
57	An exploration of fall-related, psychosocial variables in people with multiple sclerosis who have fallen. British Journal of Occupational Therapy, 2017, 80, 587-595.	0.9	24
58	Predictors of Short-Term Outcome to Exercise and Manual Therapy for People With Hip Osteoarthritis. Physical Therapy, 2014, 94, 31-39.	2.4	23
59	Prevalence of potentially inappropriate prescribing in a subpopulation of older European clinical trial participants: a cross-sectional study. BMJ Open, 2018, 8, e019003.	1.9	23
60	GPs' and community pharmacists' opinions on medication management at transitions of care in Ireland. Family Practice, 2016, 33, 172-178.	1.9	22
61	Is the learning value of workplace-based assessment being realised? A qualitative study of trainer and trainee perceptions and experiences. Postgraduate Medical Journal, 2017, 93, 138-142.	1.8	22
62	Diagnostic accuracy of a clinical prediction rule (CPR) for identifying patients with recent-onset undifferentiated arthritis who are at a high risk of developing rheumatoid arthritis: A systematic review and meta-analysis. Seminars in Arthritis and Rheumatism, 2014, 43, 498-507.	3.4	20
63	Irish general practitioners' view of perinatal mental health in general practice: a qualitative study. BMC Family Practice, 2018, 19, 196.	2.9	20
64	Health, perceived quality of life and health services use among homeless illicit drug users. Drug and Alcohol Dependence, 2015, 154, 139-145.	3.2	19
65	A qualitative metaâ€synthesis: public health nurses role in the identification and management of perinatal mental health problems. Journal of Advanced Nursing, 2017, 73, 545-557.	3.3	19
66	<p>Physical activity programs for older people in the community receiving home care services: systematic review and meta-analysis</p> . Clinical Interventions in Aging, 2019, Volume 14, 1045-1064.	2.9	19
67	Development and validation of a clinical prediction rule to identify suspected breast cancer: a prospective cohort study. BMC Cancer, 2014, 14, 743.	2.6	18
68	A BEME (Best Evidence in Medical Education) systematic review of the use of workplace-based assessment in identifying and remediating poor performance among postgraduate medical trainees. Systematic Reviews, 2015, 4, 65.	5.3	18
69	Discriminative ability and clinical utility of the Timed Up and Go (TUG) in identifying falls risk in people with multiple sclerosis: a prospective cohort study. Clinical Rehabilitation, 2019, 33, 317-326.	2.2	17
70	Do stroke clinical practice guideline recommendations for the intervention of thickened liquids for aspiration support evidence based decision making? A systematic review and narrative synthesis. Journal of Evaluation in Clinical Practice, 2020, 26, 1744-1760.	1.8	17
71	Effectiveness of nonpharmacological stuttering interventions on communication and psychosocial functioning in adults: A systematic review and metaâ€analysis of randomized controlled trials. Journal of Evidence-Based Medicine, 2021, 14, 17-26.	1.8	17
72	Non-right-handedness and Free Serum Testosterone Levels in Detoxified Patients with Alcohol Dependence. Alcohol and Alcoholism, 2010, 45, 237-240.	1.6	16

#	Article	IF	CITATIONS
73	A protocol for the establishment and evaluation of an older adult stakeholder panel for health services research. HRB Open Research, 2020, 3, 1.	0.6	15
74	Effectiveness of acute geriatric unit care on functional decline, clinical and process outcomes among hospitalised older adults with acute medical complaints: a systematic review and meta-analysis. Age and Ageing, 2022, 51, .	1.6	15
75	Injection of Botulinum Toxin for Treatment of Chronic Lateral Epicondylitis: Systematic Review and Meta-Analysis. Seminars in Arthritis and Rheumatism, 2011, 40, 585-587.	3.4	14
76	A Systematic Review of the Educational Effectiveness of Simulation Used in Open Surgery. Simulation in Healthcare, 2019, 14, 51-58.	1.2	14
77	Impact of assessment and intervention by a health and social care professional team in the emergency department on the quality, safety, and clinical effectiveness of care for older adults: A randomised controlled trial. PLoS Medicine, 2021, 18, e1003711.	8.4	14
78	Rehabilitation of Cognitive Deficits Poststroke: Systematic Review and Meta-Analysis of Randomized Controlled Trials. Stroke, 2022, 53, 1700-1710.	2.0	14
79	A randomised controlled trial evaluating family mediated exercise (FAME) therapy following stroke. BMC Neurology, 2008, 8, 22.	1.8	13
80	The Transition to Retirement Experiences of Academics in "Higher Education― A Meta-Ethnography. Gerontologist, The, 2019, 59, e177-e195.	3.9	13
81	â€I hated being ghosted' – The relevance of social participation for living well with postâ€stroke aphasia: Qualitative interviews with working aged adults. Health Expectations, 2021, 24, 1504-1515.	2.6	13
82	Cost benefit analysis of the use of tranexamic acid in primary lower limb arthroplasty: A retrospective cohort study. World Journal of Orthopedics, 2015, 6, 977.	1.8	13
83	Quality of life in individuals with chronic foot conditions: A cross sectional observational study. Foot, 2012, 22, 66-69.	1.1	12
84	Prevalence of prescribing in pregnancy using the Irish primary care research network: a pilot study. BMC Pregnancy and Childbirth, 2015, 15, 67.	2.4	12
85	First year post-stroke healthcare costs and fall-status among those discharged to the community. European Stroke Journal, 2018, 3, 254-262.	5 . 5	12
86	A protocol for the establishment and evaluation of an older adult stakeholder panel for health services research. HRB Open Research, 2020, 3, 1.	0.6	12
87	Network Physiology in Aging and Frailty: The Grand Challenge of Physiological Reserve in Older Adults. Frontiers in Network Physiology, 2021, 1, .	1.8	12
88	Public health nurses' perinatal mental health training needs: A cross sectional survey. Journal of Advanced Nursing, 2019, 75, 2535-2547.	3.3	11
89	The characteristics, life circumstances and self-concept of 13 year olds with and without disabilities in Ireland: A secondary analysis of the Growing Up in Ireland (GUI) study. PLoS ONE, 2020, 15, e0229599.	2.5	11
90	Existing validated clinical prediction rules for predicting response to physiotherapy interventions for musculoskeletal conditions have limited clinical value: A systematic review. Journal of Clinical Epidemiology, 2021, 135, 90-102.	5.0	11

#	Article	IF	CITATIONS
91	Early supported discharge for older adults admitted to hospital with medical complaints: a systematic review and meta-analysis. BMC Geriatrics, 2022, 22, 302.	2.7	11
92	The effectiveness of interventions to reduce adverse outcomes among older adults following Emergency Department discharge: umbrella review. BMC Geriatrics, 2022, 22, .	2.7	11
93	Medication usage and falls in people with multiple sclerosis. Multiple Sclerosis Journal, 2018, 24, 995-998.	3.0	10
94	The relevance of stroke care for living well with post-stroke aphasia: a qualitative interview study with working-aged adults. Disability and Rehabilitation, 2022, 44, 3440-3452.	1.8	9
95	The International Classification of Functioning (ICF) Core Set for breast cancer from the perspective of women with the condition. Disability and Rehabilitation, 2013, 35, 740-748.	1.8	8
96	Laparoscopic and hand-assisted laparoscopic donor nephrectomy: A systematic review and meta-analysis. Arab Journal of Urology Arab Association of Urology, 2018, 16, 322-334.	1.5	8
97	The experience of recurrent fallers in the first year after stroke. Disability and Rehabilitation, 2019, 41, 142-149.	1.8	8
98	Diagnostic and predictive accuracy of the Clinical Frailty Scale among hospitalised older medical patients: a systematic review and meta-analysis protocol. BMJ Open, 2021, 11, e040765.	1.9	8
99	The retirement experiences of women academics: a qualitative, descriptive study. Educational Gerontology, 2021, 47, 297-311.	1.3	8
100	Falls-Related EvEnts in the first year after StrokE in Ireland: Results of the multi-centre prospective FREESE cohort study. European Stroke Journal, 2018, 3, 246-253.	5.5	7
101	Prescribing patterns of glucosamine in an older population: a national cohort study. BMC Complementary and Alternative Medicine, 2013, 13, 316.	3.7	6
102	Risk factors for falling for people with Multiple Sclerosis identified in a prospective cohort study. Clinical Rehabilitation, 2021, 35, 765-774.	2.2	6
103	Managing frailty in an Irish primary care setting: A qualitative study of perspectives of healthcare professionals and frail older patients. Journal of Frailty, Sarcopenia and Falls, 2021, 06, 1-8.	1.2	6
104	The diagnostic and predictive accuracy of the PRISMA-7 screening tool for frailty in older adults: A systematic review protocol. HRB Open Research, 2020, 3, 26.	0.6	6
105	Long-term risk of stroke after transient ischaemic attack: a hospital-based validation of the ABCD2 rule. BMC Research Notes, 2014, 7, 281.	1.4	5
106	Profiling postgraduate workplace-based assessment implementation in Ireland: a retrospective cohort study. SpringerPlus, 2016, 5, 133.	1.2	5
107	Effectiveness of early assessment and intervention by interdisciplinary teams including health and social care professionals in the emergency department: protocol for a systematic review. BMJ Open, 2018, 8, e023464.	1.9	5
108	The relationship between cancer survivors' well-being and participation in work, activities of daily living and social engagement: Findings from the European Social Survey (2014). Scandinavian Journal of Occupational Therapy, 2021, 28, 531-541.	1.7	5

#	Article	IF	CITATIONS
109	Stakeholders' perspectives on models of care in the emergency department and the introduction of health and social care professional teams: A qualitative analysis using World Cafés and interviews. Health Expectations, 2020, 23, 1065-1073.	2.6	5
110	International expert perspectives on the principles and components of effective intervention for adults who stutter. International Journal of Language and Communication Disorders, 2021, 56, 36-50.	1.5	5
111	Effectiveness of interventions to reduce adverse outcomes among older adults following emergency department discharge: Protocol for an overview of systematic reviews. HRB Open Research, 2020, 3, 27.	0.6	5
112	The impact of frailty Screening of Older adults with muLtidisciplinary assessment of those At Risk during emergency hospital attendance on the quality, safety and cost-effectiveness of care (SOLAR): a randomised controlled trial Trials, 2021, 22, 581.	1.6	5
113	Management strategies for lower urinary tract symptoms (LUTS) among people with multiple sclerosis (MS): a qualitative study of the perspectives of people with MS and healthcare professionals. HRB Open Research, 2019, 2, 31.	0.6	5
114	Steps Ahead: optimising physical activity and health in people with cystic fibrosis: Study ProtocolÂfor a pilot randomised trial. HRB Open Research, 2020, 3, 21.	0.6	5
115	Transcutaneous tibial nerve stimulation for the treatment of bladder storage symptoms in people with multiple sclerosis: Protocol of a single-arm feasibility study. HRB Open Research, 2020, 3, 66.	0.6	5
116	Obtaining consensus on core components of stuttering intervention for adults: An eâ€Delphi Survey with key stakeholders. International Journal of Language and Communication Disorders, 2022, 57, 112-127.	1,5	5
117	Embedding Physical Activity Within Community Home Support Services for Older Adults in Ireland – A Qualitative Study of Barriers and Enablers. Clinical Interventions in Aging, 2022, Volume 17, 223-234.	2.9	5
118	The "better data, better planning―census: a cross-sectional, multi-centre study investigating the factors influencing patient attendance at the emergency department in Ireland. BMC Health Services Research, 2022, 22, 471.	2.2	5
119	Additional exercise therapy for the recovery of function after stroke. The Cochrane Library, 0, , .	2.8	4
120	Do women with breast cancer report treatment after-effects to healthcare professionals, and who provides the intervention? International Journal of Rehabilitation Research, 2015, 38, 20-26.	1.3	4
121	Validation of two risk-prediction models for recurrent falls in the first year after stroke: a prospective cohort study. Age and Ageing, 2017, 46, 642-648.	1.6	4
122	Dynapaenic obesity and its association with health outcomes in older adult populations: protocol for a systematic review. BMJ Open, 2019, 9, e027728.	1,9	4
123	An Exploration of Falls and Dual Tasking. Topics in Geriatric Rehabilitation, 2019, 35, 190-198.	0.4	4
124	Management strategies for neurogenic lower urinary tract dysfunction: a qualitative study of the experiences of people with multiple sclerosis and healthcare professionals. Disability and Rehabilitation, 2022, 44, 3805-3815.	1.8	4
125	Delirium and abnormal autonomic nervous system response to head-up tilt testing. Experimental Gerontology, 2021, 152, 111430.	2.8	4
126	Exploring the beliefs and experiences of older Irish adults and family carers during the novel coronavirus (COVID-19) pandemic: A qualitative study protocol. HRB Open Research, 2020, 3, 16.	0.6	4

#	Article	IF	CITATIONS
127	Exploring the perspectives of key stakeholders on the design and delivery of a cognitive rehabilitation intervention for people post-stroke. PLoS ONE, 2022, 17, e0269961.	2.5	4
128	Physiotherapy managers' views of musculoskeletal physiotherapy service provision in Ireland: a qualitative study. Primary Health Care Research and Development, 2018, 19, 77-87.	1.2	3
129	A randomised controlled trial exploring the impact of a dedicated health and social care professionals team in the emergency department on the quality, safety, clinical and cost-effectiveness of care for older adults: a study protocol. Trials, 2019, 20, 591.	1.6	3
130	Implementing an allied health team intervention to improve the care of older adults in the emergency department: protocol for a process evaluation. BMJ Open, 2019, 9, e032645.	1.9	3
131	Large to massive rotator cuff tendon tears: a protocol for a systematic review investigating the effectiveness of exercise therapy on pain, disability and quality of life. HRB Open Research, 2021, 4, 75.	0.6	3
132	Large to massive rotator cuff tendon tears: a protocol for a systematic review investigating the effectiveness of exercise therapy on pain, disability and quality of life. HRB Open Research, 2021, 4, 75.	0.6	3
133	Effectiveness of interventions to support the transition home after acute stroke: a protocol for a systematic review. HRB Open Research, 2021, 4, 105.	0.6	3
134	Effectiveness of interventions to reduce adverse outcomes among older adults following emergency department discharge: Protocol for an overview of systematic reviews. HRB Open Research, 2020, 3, 27.	0.6	3
135	Effectiveness of acute geriatric unit care on functional decline and process outcomes among older adults admitted to hospital with acute medical complaints: a protocol for a systematic review. BMJ Open, 2021, 11, e050524.	1.9	3
136	Enhancing existing formal home care to improve and maintain functional status in older adults: Protocol for a feasibility study on the implementation of the Care to Move (CTM) programme in an Irish healthcare setting. Journal of Frailty, Sarcopenia and Falls, 2020, 05, 10-16.	1.2	3
137	A physiotherapy-led transition to home intervention for older adults following emergency department discharge: protocol for a pilot feasibility randomised controlled trial. Pilot and Feasibility Studies, 2022, 8, 3.	1.2	3
138	Regulating emotional responses to aphasia to reâ€engage in life: a qualitative interview study. International Journal of Language and Communication Disorders, 2022, 57, 352-365.	1.5	3
139	Becoming an academic retiree: A longitudinal study of women academics' transition to retirement experiences from a university in the Republic of Ireland. Journal of Occupational Science, 0, , 1-15.	1.3	3
140	Sources and nature of secondary school teachers' education in computer-related ergonomics. Computers and Education, 2009, 53, 504-510.	8.3	2
141	106 Optimising Early Assessment and Intervention by Health and Social Care Professions in the ED: Preliminary Findings from the OPTIMEND RCT. Age and Ageing, 2019, 48, iii1-iii16.	1.6	2
142	A protocol for a qualitative synthesis exploring people with stroke, family members, caregivers and healthcare professionals experiences of early supported discharge (ESD) after stroke. HRB Open Research, 2020, 3, 79.	0.6	2
143	Steps Ahead: optimising physical activity in adults with cystic fibrosis: Study ProtocolÂfor a pilot randomised trial using wearable technology, goal setting and text message feedback HRB Open Research, 0, 3, 21.	0.6	2
144	Rehabilitation of cognitive deficits poststroke: protocol for a systematic review and meta-analysis of randomised controlled trials of non-pharmacological interventions. BMJ Open, 2019, 9, e031052.	1,9	2

#	Article	IF	Citations
145	Rockwood Clinical Frailty Scale as a predictor of adverse outcomes among older adults undergoing aortic valve replacement: a protocol for a systematic review. BMJ Open, 2022, 12, e049216.	1.9	2
146	Effectiveness of interventions to support the transition home after acute stroke: a protocol for a systematic review. HRB Open Research, 0, 4, 105.	0.6	2
147	Commentary to: A caregiver-mediated home-based intervention improves physical functioning and social participation in people with chronic stroke. Journal of Physiotherapy, 2014, 60, 235.	1.7	1
148	Physiotherapy led palliative exercise programme for people with advanced Parkinson's disease (PEP-PD): AÂfeasibilityÂstudy. Physiotherapy Practice and Research, 2015, 37, 31-39.	0.1	1
149	Quantifying patient preferences for symptomatic breast clinic referral: a decision analysis study. BMJ Open, 2018, 8, e017286.	1.9	1
150	Screening instruments to predict adverse outcomes for undifferentiated older adults attending the emergency department: Protocol for a prospective cohort study. HRB Open Research, 0, 4, 2.	0.6	1
151	The barriers and facilitators to implementing screening in emergency departments: a qualitative evidence synthesis (QES) protocol exploring the experiences of healthcare workers. HRB Open Research, 0, 3, 50.	0.6	1
152	Diagnostic accuracy of the Mini Nutritional Assessment – Short Form to identify malnutrition among older adults: protocol for a systematic review and meta-analysis. HRB Open Research, 0, 4, 83.	0.6	1
153	Unmet healthcare needs in adults with childhood-onset neurodisabilities: a protocol for a systematic review. HRB Open Research, 0, 4, 107.	0.6	1
154	"Better Balance†The Articulation of the Development of a Complex Falls Prevention Intervention for People with Multiple Sclerosis. International Journal of MS Care, 2020, 23, 119-127.	1.0	1
155	The barriers and facilitators to screening in emergency departments: a qualitative evidence synthesis (QES) protocol. HRB Open Research, 0, 3, 50.	0.6	1
156	Early supported discharge for older adults admitted to hospital with medical complaints: a protocol for a systematic review. BMJ Open, 2021, 11, e049297.	1.9	1
157	Steps Ahead: optimising physical activity in adults with cystic fibrosis: Study ProtocolÂfor a pilot randomised trial using wearable technology. HRB Open Research, 0, 3, 21.	0.6	1
158	Comprehensive geriatric assessment in the emergency department: A protocol for a prospective cohort study. HRB Open Research, 0, 5, 26.	0.6	1
159	Exploring the perspectives of key stakeholders on the design and delivery of an intervention to rehabilitate people with cognitive deficits post-stroke. HRB Open Research, 0, 3, 93.	0.6	O
160	The patient's voice: What are the views of women on living with pelvic floor problems following successful treatment for pelvic cancers?. Physiotherapy Practice and Research, 2017, 38, 93-102.	0.1	0
161	Exploring the perspectives of people post-stroke, carers and healthcare professionals to inform the development of an intervention to improve cognitive impairment post-stroke. HRB Open Research, 0, 3, 93.	0.6	0
162	What is the level of nutrition care provided to older adults attending emergency departments? A scoping review protocol HRB Open Research, 0, 5, 7.	0.6	0

#	Article	IF	CITATIONS
163	Skeletal muscle surrogates for the acquisition of muscle repair skills in upper limb surgery Journal of the Mechanical Behavior of Biomedical Materials, 2022, 131, 105216.	3.1	O
164	Development and delivery of an allied health team intervention for older adults in the emergency department: A process evaluation. PLoS ONE, 2022, 17, e0269117.	2.5	0
165	Impact of visual field loss post-stroke on activities of daily living: a prospective cohort study. Neuropsychological Rehabilitation, 0 , , 1 - 16 .	1.6	O
166	The experiences of homecare workers in navigating the COVID-19 pandemic: a protocol for a qualitative study. HRB Open Research, 0, 5, 43.	0.6	0