
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6305707/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Management strategies for neurogenic lower urinary tract dysfunction: a qualitative study of the experiences of people with multiple sclerosis and healthcare professionals. Disability and Rehabilitation, 2022, 44, 3805-3815.                           | 1.8 | 4         |
| 2  | The relevance of stroke care for living well with post-stroke aphasia: a qualitative interview study with working-aged adults. Disability and Rehabilitation, 2022, 44, 3440-3452.   | 1.8 | 9         |
| 3  | Obtaining consensus on core components of stuttering intervention for adults: An eâ€Delphi Survey with key stakeholders. International Journal of Language and Communication Disorders, 2022, 57, 112-127.   | 1.5 | 5         |
| 4  | A physiotherapy-led transition to home intervention for older adults following emergency<br>department discharge: protocol for a pilot feasibility randomised controlled trial. Pilot and<br>Feasibility Studies, 2022, 8, 3.                              | 1.2 | 3         |
| 5  | Rockwood Clinical Frailty Scale as a predictor of adverse outcomes among older adults undergoing aortic valve replacement: a protocol for a systematic review. BMJ Open, 2022, 12, e049216.  | 1.9 | 2         |
| 6  | Rehabilitation of Cognitive Deficits Poststroke: Systematic Review and Meta-Analysis of Randomized<br>Controlled Trials. Stroke, 2022, 53, 1700-1710.  | 2.0 | 14        |
| 7  | Regulating emotional responses to aphasia to reâ€engage in life: a qualitative interview study.<br>International Journal of Language and Communication Disorders, 2022, 57, 352-365.   | 1.5 | 3         |
| 8  | Effectiveness of acute geriatric unit care on functional decline, clinical and process outcomes<br>among hospitalised older adults with acute medical complaints: a systematic review and meta-analysis.<br>Age and Ageing, 2022, 51, .                    | 1.6 | 15        |
| 9  | Embedding Physical Activity Within Community Home Support Services for Older Adults in Ireland – A<br>Qualitative Study of Barriers and Enablers. Clinical Interventions in Aging, 2022, Volume 17, 223-234.   | 2.9 | 5         |
| 10 | The "better data, better planning―census: a cross-sectional, multi-centre study investigating the factors influencing patient attendance at the emergency department in Ireland. BMC Health Services Research, 2022, 22, 471.                              | 2.2 | 5         |
| 11 | Early supported discharge for older adults admitted to hospital with medical complaints: a systematic review and meta-analysis. BMC Geriatrics, 2022, 22, 302.   | 2.7 | 11        |
| 12 | Skeletal muscle surrogates for the acquisition of muscle repair skills in upper limb surgery Journal of the Mechanical Behavior of Biomedical Materials, 2022, 131, 105216.  | 3.1 | 0         |
| 13 | Development and delivery of an allied health team intervention for older adults in the emergency department: A process evaluation. PLoS ONE, 2022, 17, e0269117.   | 2.5 | 0         |
| 14 | The effectiveness of interventions to reduce adverse outcomes among older adults following<br>Emergency Department discharge: umbrella review. BMC Geriatrics, 2022, 22, .   | 2.7 | 11        |
| 15 | Exploring the perspectives of key stakeholders on the design and delivery of a cognitive rehabilitation intervention for people post-stroke. PLoS ONE, 2022, 17, e0269961.   | 2.5 | 4         |
| 16 | The relationship between cancer survivors' well-being and participation in work, activities of daily<br>living and social engagement: Findings from the European Social Survey (2014). Scandinavian Journal<br>of Occupational Therapy, 2021, 28, 531-541. | 1.7 | 5         |
| 17 | Effectiveness of nonpharmacological stuttering interventions on communication and psychosocial<br>functioning in adults: A systematic review and metaâ€analysis of randomized controlled trials. Journal<br>of Evidence-Based Medicine, 2021, 14, 17-26.   | 1.8 | 17        |
| 18 | Diagnostic accuracy of the 4AT for delirium detection in older adults: systematic review and meta-analysis. Age and Ageing, 2021, 50, 733-743.   | 1.6 | 97        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Risk factors for falling for people with Multiple Sclerosis identified in a prospective cohort study.<br>Clinical Rehabilitation, 2021, 35, 765-774.   | 2.2 | 6         |
| 20 | International expert perspectives on the principles and components of effective intervention for adults who stutter. International Journal of Language and Communication Disorders, 2021, 56, 36-50.   | 1.5 | 5         |
| 21 | Diagnostic and predictive accuracy of the Clinical Frailty Scale among hospitalised older medical patients: a systematic review and meta-analysis protocol. BMJ Open, 2021, 11, e040765.   | 1.9 | 8         |
| 22 | Managing frailty in an Irish primary care setting: A qualitative study of perspectives of healthcare professionals and frail older patients. Journal of Frailty, Sarcopenia and Falls, 2021, 06, 1-8.  | 1.2 | 6         |
| 23 | †l hated being ghosted' – The relevance of social participation for living well with postâ€stroke aphasia:<br>Qualitative interviews with working aged adults. Health Expectations, 2021, 24, 1504-1515.   | 2.6 | 13        |
| 24 | The retirement experiences of women academics: a qualitative, descriptive study. Educational Gerontology, 2021, 47, 297-311.   | 1.3 | 8         |
| 25 | Existing validated clinical prediction rules for predicting response to physiotherapy interventions for musculoskeletal conditions have limited clinical value: A systematic review. Journal of Clinical Epidemiology, 2021, 135, 90-102.                            | 5.0 | 11        |
| 26 | Large to massive rotator cuff tendon tears: a protocol for a systematic review investigating the effectiveness of exercise therapy on pain, disability and quality of life. HRB Open Research, 2021, 4, 75.  | 0.6 | 3         |
| 27 | Impact of assessment and intervention by a health and social care professional team in the emergency<br>department on the quality, safety, and clinical effectiveness of care for older adults: A randomised<br>controlled trial. PLoS Medicine, 2021, 18, e1003711. | 8.4 | 14        |
| 28 | The impact of frailty Screening of Older adults with muLtidisciplinary assessment of those At Risk<br>during emergency hospital attendance on the quality, safety and cost-effectiveness of care (SOLAR): a<br>randomised controlled trial Trials, 2021, 22, 581.    | 1.6 | 5         |
| 29 | Delirium and abnormal autonomic nervous system response to head-up tilt testing. Experimental<br>Gerontology, 2021, 152, 111430.   | 2.8 | 4         |
| 30 | Large to massive rotator cuff tendon tears: a protocol for a systematic review investigating the effectiveness of exercise therapy on pain, disability and quality of life. HRB Open Research, 2021, 4, 75.  | 0.6 | 3         |
| 31 | Effectiveness of interventions to support the transition home after acute stroke: a protocol for a systematic review. HRB Open Research, 2021, 4, 105.   | 0.6 | 3         |
| 32 | Effectiveness of acute geriatric unit care on functional decline and process outcomes among older<br>adults admitted to hospital with acute medical complaints: a protocol for a systematic review. BMJ<br>Open, 2021, 11, e050524.                                  | 1.9 | 3         |
| 33 | Early supported discharge for older adults admitted to hospital with medical complaints: a protocol for a systematic review. BMJ Open, 2021, 11, e049297.  | 1.9 | 1         |
| 34 | Network Physiology in Aging and Frailty: The Grand Challenge of Physiological Reserve in Older<br>Adults. Frontiers in Network Physiology, 2021, 1, .  | 1.8 | 12        |
| 35 | Barriers faced by adults with intellectual disabilities who experience sexual assault: A systematic<br>review and metaâ€synthesis. Journal of Applied Research in Intellectual Disabilities, 2020, 33, 51-66.  | 2.0 | 25        |
| 36 | Stakeholders' perspectives on models of care in the emergency department and the introduction of<br>health and social care professional teams: A qualitative analysis using World Cafés and interviews.<br>Health Expectations, 2020, 23, 1065-1073.                 | 2.6 | 5         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | The prevalence of malnutrition and impact on patient outcomes among older adults presenting at an<br>Irish emergency department: a secondary analysis of the OPTI-MEND trial. BMC Geriatrics, 2020, 20, 455.   | 2.7 | 28        |
| 38 | The characteristics, life circumstances and self-concept of 13 year olds with and without disabilities<br>in Ireland: A secondary analysis of the Growing Up in Ireland (GUI) study. PLoS ONE, 2020, 15, e0229599.   | 2.5 | 11        |
| 39 | Do stroke clinical practice guideline recommendations for the intervention of thickened liquids for aspiration support evidence based decision making? A systematic review and narrative synthesis. Journal of Evaluation in Clinical Practice, 2020, 26, 1744-1760.                       | 1.8 | 17        |
| 40 | Effectiveness of interventions to reduce adverse outcomes among older adults following emergency department discharge: Protocol for an overview of systematic reviews. HRB Open Research, 2020, 3, 27.   | 0.6 | 5         |
| 41 | A protocol for the establishment and evaluation of an older adult stakeholder panel for health services research. HRB Open Research, 2020, 3, 1.   | 0.6 | 12        |
| 42 | A protocol for the establishment and evaluation of an older adult stakeholder panel for health services research. HRB Open Research, 2020, 3, 1.   | 0.6 | 15        |
| 43 | Exploring the beliefs and experiences of older Irish adults and family carers during the novel coronavirus (COVID-19) pandemic: A qualitative study protocol. HRB Open Research, 2020, 3, 16.  | 0.6 | 4         |
| 44 | The diagnostic and predictive accuracy of the PRISMA-7 screening tool for frailty in older adults: A systematic review protocol. HRB Open Research, 2020, 3, 26.   | 0.6 | 6         |
| 45 | Steps Ahead: optimising physical activity and health in people with cystic fibrosis: Study ProtocolÂfor a pilot randomised trial. HRB Open Research, 2020, 3, 21.  | 0.6 | 5         |
| 46 | Effectiveness of interventions to reduce adverse outcomes among older adults following emergency<br>department discharge: Protocol for an overview of systematic reviews. HRB Open Research, 2020, 3, 27.  | 0.6 | 3         |
| 47 | "Better Balance― The Articulation of the Development of a Complex Falls Prevention Intervention for<br>People with Multiple Sclerosis. International Journal of MS Care, 2020, 23, 119-127.  | 1.0 | 1         |
| 48 | Enhancing existing formal home care to improve and maintain functional status in older adults:<br>Protocol for a feasibility study on the implementation of the Care to Move (CTM) programme in an<br>Irish healthcare setting. Journal of Frailty, Sarcopenia and Falls, 2020, 05, 10-16. | 1.2 | 3         |
| 49 | Transcutaneous tibial nerve stimulation for the treatment of bladder storage symptoms in people<br>with multiple sclerosis: Protocol of a single-arm feasibility study. HRB Open Research, 2020, 3, 66.  | 0.6 | 5         |
| 50 | A protocol for a qualitative synthesis exploring people with stroke, family members, caregivers and<br>healthcare professionals experiences of early supported discharge (ESD) after stroke. HRB Open<br>Research, 2020, 3, 79.  | 0.6 | 2         |
| 51 | Discriminative ability and clinical utility of the Timed Up and Go (TUG) in identifying falls risk in people with multiple sclerosis: a prospective cohort study. Clinical Rehabilitation, 2019, 33, 317-326.  | 2.2 | 17        |
| 52 | Impact of early assessment and intervention by teams involving health and social care professionals in the emergency department: A systematic review. PLoS ONE, 2019, 14, e0220709.  | 2.5 | 32        |
| 53 | 106 Optimising Early Assessment and Intervention by Health and Social Care Professions in the ED:<br>Preliminary Findings from the OPTIMEND RCT. Age and Ageing, 2019, 48, iii1-iii16.   | 1.6 | 2         |
| 54 | A randomised controlled trial exploring the impact of a dedicated health and social care<br>professionals team in the emergency department on the quality, safety, clinical and cost-effectiveness<br>of care for older adults: a study protocol. Trials, 2019, 20, 591.                   | 1.6 | 3         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | <p>Physical activity programs for older people in the community receiving home care services:<br/>systematic review and meta-analysis</p> . Clinical Interventions in Aging, 2019, Volume 14,<br>1045-1064.  | 2.9 | 19        |
| 56 | Dynapaenic obesity and its association with health outcomes in older adult populations: protocol for a systematic review. BMJ Open, 2019, 9, e027728.  | 1.9 | 4         |
| 57 | Public health nurses' perinatal mental health training needs: A cross sectional survey. Journal of<br>Advanced Nursing, 2019, 75, 2535-2547.   | 3.3 | 11        |
| 58 | Implementing an allied health team intervention to improve the care of older adults in the emergency department: protocol for a process evaluation. BMJ Open, 2019, 9, e032645.  | 1.9 | 3         |
| 59 | Interventions for preventing falls in people with multiple sclerosis. The Cochrane Library, 2019, 2019, CD012475.  | 2.8 | 28        |
| 60 | An Exploration of Falls and Dual Tasking. Topics in Geriatric Rehabilitation, 2019, 35, 190-198.   | 0.4 | 4         |
| 61 | A Systematic Review of the Educational Effectiveness of Simulation Used in Open Surgery. Simulation in Healthcare, 2019, 14, 51-58.  | 1.2 | 14        |
| 62 | Interventions to improve adherence to exercise therapy for falls prevention in community-dwelling older adults: systematic review and meta-analysis. Age and Ageing, 2019, 48, 185-195.  | 1.6 | 33        |
| 63 | The experience of recurrent fallers in the first year after stroke. Disability and Rehabilitation, 2019, 41, 142-149.  | 1.8 | 8         |
| 64 | The Transition to Retirement Experiences of Academics in "Higher Education― A Meta-Ethnography.<br>Gerontologist, The, 2019, 59, e177-e195.  | 3.9 | 13        |
| 65 | Management strategies for lower urinary tract symptoms (LUTS) among people with multiple sclerosis<br>(MS): a qualitative study of the perspectives of people with MS and healthcare professionals. HRB<br>Open Research, 2019, 2, 31.                                 | 0.6 | 5         |
| 66 | Rehabilitation of cognitive deficits poststroke: protocol for a systematic review and meta-analysis of randomised controlled trials of non-pharmacological interventions. BMJ Open, 2019, 9, e031052.  | 1.9 | 2         |
| 67 | Survey of midwives' perinatal mental health knowledge, confidence, attitudes and learning needs.<br>Women and Birth, 2018, 31, e358-e366.  | 2.0 | 41        |
| 68 | Postural control deficits in people with Multiple Sclerosis: A systematic review and meta-analysis.<br>Gait and Posture, 2018, 61, 445-452.  | 1.4 | 77        |
| 69 | Prevalence of potentially inappropriate prescribing in a subpopulation of older European clinical trial participants: a cross-sectional study. BMJ Open, 2018, 8, e019003.   | 1.9 | 23        |
| 70 | What Is the Impact of Physical Activity and Physical Function on the Development of Multimorbidity in<br>Older Adults Over Time? A Population-Based Cohort Study. Journals of Gerontology - Series A<br>Biological Sciences and Medical Sciences, 2018, 73, 1538-1544. | 3.6 | 49        |
| 71 | Qualitative synthesis: A guide to conducting a meta-ethnography. British Journal of Occupational Therapy, 2018, 81, 129-137.   | 0.9 | 86        |
| 72 | The ability of clinical balance measures to identify falls risk in multiple sclerosis: a systematic review and meta-analysis. Clinical Rehabilitation, 2018, 32, 571-582.  | 2.2 | 34        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Falls-Related EvEnts in the first year after StrokE in Ireland: Results of the multi-centre prospective<br>FREESE cohort study. European Stroke Journal, 2018, 3, 246-253.  | 5.5 | 7         |
| 74 | Physiotherapy managers' views of musculoskeletal physiotherapy service provision in Ireland: a<br>qualitative study. Primary Health Care Research and Development, 2018, 19, 77-87.                                     | 1.2 | 3         |
| 75 | Medication usage and falls in people with multiple sclerosis. Multiple Sclerosis Journal, 2018, 24, 995-998.  | 3.0 | 10        |
| 76 | Irish general practitioners' view of perinatal mental health in general practice: a qualitative study.<br>BMC Family Practice, 2018, 19, 196.   | 2.9 | 20        |
| 77 | Quantifying patient preferences for symptomatic breast clinic referral: a decision analysis study. BMJ<br>Open, 2018, 8, e017286.   | 1.9 | 1         |
| 78 | Family physicians perceived role in perinatal mental health: an integrative review. BMC Family Practice, 2018, 19, 154.   | 2.9 | 27        |
| 79 | Effectiveness of early assessment and intervention by interdisciplinary teams including health and social care professionals in the emergency department: protocol for a systematic review. BMJ Open, 2018, 8, e023464. | 1.9 | 5         |
| 80 | Laparoscopic and hand-assisted laparoscopic donor nephrectomy: A systematic review and meta-analysis. Arab Journal of Urology Arab Association of Urology, 2018, 16, 322-334.   | 1.5 | 8         |
| 81 | First year post-stroke healthcare costs and fall-status among those discharged to the community.<br>European Stroke Journal, 2018, 3, 254-262.  | 5.5 | 12        |
| 82 | Adverse outcomes in older adults attending emergency departments: a systematic review and<br>meta-analysis of the Identification of Seniors At Risk (ISAR) screening tool. Age and Ageing, 2017, 46,<br>179-186.        | 1.6 | 70        |
| 83 | Participatory methods for research prioritization in primary care: an analysis of the World Café approach in Ireland and the USA. Family Practice, 2017, 34, cmw104.  | 1.9 | 61        |
| 84 | Fall-related experiences of stroke survivors: a meta-ethnography. Disability and Rehabilitation, 2017, 39, 631-640.   | 1.8 | 26        |
| 85 | Local anaesthesia versus spinal anaesthesia in inguinal hernia repair: A systematic review and meta-analysis. Journal of the Royal College of Surgeons of Edinburgh, 2017, 15, 47-57.                                   | 1.8 | 31        |
| 86 | Barriers and facilitators associated with return to work after stroke: a qualitative meta-synthesis.<br>Disability and Rehabilitation, 2017, 39, 211-222.   | 1.8 | 52        |
| 87 | Midwives' perceptions and experiences of caring for women who experience perinatal mental health<br>problems: An integrative review. Midwifery, 2017, 45, 56-71.  | 2.3 | 56        |
| 88 | GPs' perspectives on prescribing for older people in primary care: a qualitative study. British Journal of Clinical Pharmacology, 2017, 83, 1521-1531.  | 2.4 | 27        |
| 89 | Validation of two risk-prediction models for recurrent falls in the first year after stroke: a prospective cohort study. Age and Ageing, 2017, 46, 642-648.   | 1.6 | 4         |
| 90 | An exploration of fall-related, psychosocial variables in people with multiple sclerosis who have<br>fallen. British Journal of Occupational Therapy, 2017, 80, 587-595.  | 0.9 | 24        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Improving risk factor management for patients with poorly controlled type 2 diabetes: a systematic review of healthcare interventions in primary care and community settings. BMJ Open, 2017, 7, e015135.                                       | 1.9 | 53        |
| 92  | A qualitative metaâ€synthesis: public health nurses role in the identification and management of perinatal mental health problems. Journal of Advanced Nursing, 2017, 73, 545-557.  | 3.3 | 19        |
| 93  | Gait deficits in people with multiple sclerosis: A systematic review and meta-analysis. Gait and Posture, 2017, 51, 25-35.  | 1.4 | 198       |
| 94  | Is the learning value of workplace-based assessment being realised? A qualitative study of trainer and trainee perceptions and experiences. Postgraduate Medical Journal, 2017, 93, 138-142.  | 1.8 | 22        |
| 95  | The patient's voice: What are the views of women on living with pelvic floor problems following successful treatment for pelvic cancers?. Physiotherapy Practice and Research, 2017, 38, 93-102.  | 0.1 | 0         |
| 96  | Interventions to Address Potentially Inappropriate Prescribing in Communityâ€Dwelling Older Adults: A<br>Systematic Review of Randomized Controlled Trials. Journal of the American Geriatrics Society, 2016,<br>64, 1210-1222.                 | 2.6 | 94        |
| 97  | The effect of pharmacist-led interventions in optimising prescribing in older adults in primary care: A systematic review. SACE Open Medicine, 2016, 4, 205031211665256.  | 1.8 | 64        |
| 98  | Impact analysis studies of clinical prediction rules relevant to primary care: a systematic review. BMJ<br>Open, 2016, 6, e009957.  | 1.9 | 33        |
| 99  | GPs' and community pharmacists' opinions on medication management at transitions of care in<br>Ireland. Family Practice, 2016, 33, 172-178.   | 1.9 | 22        |
| 100 | A BEME (Best Evidence in Medical Education) review of the use of workplace-based assessment in<br>identifying and remediating underperformance among postgraduate medical trainees: BEME Guide No.<br>43. Medical Teacher, 2016, 38, 1188-1198. | 1.8 | 36        |
| 101 | Profiling postgraduate workplace-based assessment implementation in Ireland: a retrospective cohort study. SpringerPlus, 2016, 5, 133.  | 1.2 | 5         |
| 102 | Systematic review of risk prediction models for falls after stroke. Journal of Epidemiology and<br>Community Health, 2016, 70, 513-519.   | 3.7 | 37        |
| 103 | A systematic review and meta-analysis of the diagnostic accuracy of MRI for suspected ACL and meniscal tears of the knee. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 1525-1539.  | 4.2 | 125       |
| 104 | Physiotherapy led palliative exercise programme for people with advanced Parkinson's disease<br>(PEP-PD): AÂfeasibilityÂstudy. Physiotherapy Practice and Research, 2015, 37, 31-39.  | 0.1 | 1         |
| 105 | Psychostimulant prescribing trends in a paediatric population in Ireland: a national cohort study.<br>BMC Pediatrics, 2015, 15, 118.  | 1.7 | 26        |
| 106 | The Effectiveness of Corticosteroid Injection for De Quervain's Stenosing Tenosynovitis (DQST): A<br>Systematic Review and Meta-Analysis. The Open Orthopaedics Journal, 2015, 9, 437-444.  | 0.2 | 34        |
| 107 | A BEME (Best Evidence in Medical Education) systematic review of the use of workplace-based<br>assessment in identifying and remediating poor performance among postgraduate medical trainees.<br>Systematic Reviews, 2015, 4, 65.              | 5.3 | 18        |
| 108 | Dual Tasking With the Timed "Up & Go―Test Improves Detection of Risk of Falls in People With<br>Parkinson Disease. Physical Therapy, 2015, 95, 95-102.  | 2.4 | 82        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | The use of postoperative suction drainage in total knee arthroplasty: a systematic review.<br>International Orthopaedics, 2015, 39, 653-658.   | 1.9 | 55        |
| 110 | Prevalence of prescribing in pregnancy using the Irish primary care research network: a pilot study.<br>BMC Pregnancy and Childbirth, 2015, 15, 67.  | 2.4 | 12        |
| 111 | Do women with breast cancer report treatment after-effects to healthcare professionals, and who provides the intervention?. International Journal of Rehabilitation Research, 2015, 38, 20-26.   | 1.3 | 4         |
| 112 | Community re-integration and long-term need in the first five years after stroke: results from a national survey. Disability and Rehabilitation, 2015, 37, 1834-1838.  | 1.8 | 84        |
| 113 | Factors associated with community reintegration in the first year after stroke: a qualitative meta-synthesis. Disability and Rehabilitation, 2015, 37, 1599-1608.  | 1.8 | 73        |
| 114 | Health, perceived quality of life and health services use among homeless illicit drug users. Drug and<br>Alcohol Dependence, 2015, 154, 139-145.   | 3.2 | 19        |
| 115 | Addition of motivational interventions to exercise and traditional Physiotherapy: a review and meta-analysis. Physiotherapy, 2015, 101, 1-12.  | 0.4 | 118       |
| 116 | Cost benefit analysis of the use of tranexamic acid in primary lower limb arthroplasty: A retrospective cohort study. World Journal of Orthopedics, 2015, 6, 977.  | 1.8 | 13        |
| 117 | Developing an International Register of Clinical Prediction Rules for Use in Primary Care: A Descriptive Analysis. Annals of Family Medicine, 2014, 12, 359-366.   | 1.9 | 37        |
| 118 | Family-Mediated Exercises (FAME): An Exploration of Participant's Involvement in a Novel Form of<br>Exercise Delivery After Stroke. Topics in Stroke Rehabilitation, 2014, 21, 63-74.  | 1.9 | 25        |
| 119 | Clinical prediction rules in practice: review of clinical guidelines and survey of GPs. British Journal of General Practice, 2014, 64, e233-e242.  | 1.4 | 37        |
| 120 | Development and validation of a clinical prediction rule to identify suspected breast cancer: a prospective cohort study. BMC Cancer, 2014, 14, 743.   | 2.6 | 18        |
| 121 | Is the Timed Up and Go test a useful predictor of risk of falls in community dwelling older adults: a systematic review and meta- analysis. BMC Geriatrics, 2014, 14, 14.  | 2.7 | 615       |
| 122 | Prevalence of potentially inappropriate prescribing and prescribing omissions in older Irish adults:<br>findings from The Irish LongituDinal Study on Ageing study (TILDA). European Journal of Clinical<br>Pharmacology, 2014, 70, 599-606. | 1.9 | 78        |
| 123 | Lifestyle interventions for secondary disease prevention in stroke and transient ischaemic attack: a systematic review. European Journal of Preventive Cardiology, 2014, 21, 1026-1039.  | 1.8 | 49        |
| 124 | Predictors of Short-Term Outcome to Exercise and Manual Therapy for People With Hip<br>Osteoarthritis. Physical Therapy, 2014, 94, 31-39.  | 2.4 | 23        |
| 125 | Commentary to: A caregiver-mediated home-based intervention improves physical functioning and social participation in people with chronic stroke. Journal of Physiotherapy, 2014, 60, 235.   | 1.7 | 1         |
| 126 | Potential for alcohol and drug interactions in older adults: evidence from the Irish longitudinal study on ageing. BMC Geriatrics, 2014, 14, 57.   | 2.7 | 51        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Long-term risk of stroke after transient ischaemic attack: a hospital-based validation of the ABCD2 rule. BMC Research Notes, 2014, 7, 281.  | 1.4 | 5         |
| 128 | Diagnostic accuracy of a clinical prediction rule (CPR) for identifying patients with recent-onset undifferentiated arthritis who are at a high risk of developing rheumatoid arthritis: A systematic review and meta-analysis. Seminars in Arthritis and Rheumatism, 2014, 43, 498-507. | 3.4 | 20        |
| 129 | Prescribing patterns of glucosamine in an older population: a national cohort study. BMC<br>Complementary and Alternative Medicine, 2013, 13, 316.   | 3.7 | 6         |
| 130 | Prognostic value of the <scp>CAPRA</scp> clinical prediction rule: a systematic review and metaâ€analysis. BJU International, 2013, 111, 427-436.  | 2.5 | 25        |
| 131 | The International Classification of Functioning (ICF) Core Set for breast cancer from the perspective of women with the condition. Disability and Rehabilitation, 2013, 35, 740-748.   | 1.8 | 8         |
| 132 | Effectiveness of Acupuncture for Nonspecific Chronic Low Back Pain. Spine, 2013, 38, 2124-2138.  | 2.0 | 94        |
| 133 | Adverse outcomes in older adults attending emergency department. European Journal of Emergency<br>Medicine, 2013, 20, 230-239.   | 1.1 | 33        |
| 134 | Fixation of Ankle Syndesmotic Injuries. American Journal of Sports Medicine, 2012, 40, 2828-2835.  | 4.2 | 214       |
| 135 | The Hounsfield value for cortical bone geometry in the proximal humerus—an in vitro study. Skeletal<br>Radiology, 2012, 41, 557-568.   | 2.0 | 38        |
| 136 | Diagnostic Accuracy of Clinical Tests for Subacromial Impingement Syndrome: A Systematic Review and Meta-Analysis. Archives of Physical Medicine and Rehabilitation, 2012, 93, 229-236.  | 0.9 | 82        |
| 137 | Diagnostic accuracy of the STRATIFY clinical prediction rule for falls: A systematic review and meta-analysis. BMC Family Practice, 2012, 13, 76.  | 2.9 | 25        |
| 138 | Quality of life in individuals with chronic foot conditions: A cross sectional observational study.<br>Foot, 2012, 22, 66-69.  | 1.1 | 12        |
| 139 | Injection of Botulinum Toxin for Treatment of Chronic Lateral Epicondylitis: Systematic Review and<br>Meta-Analysis. Seminars in Arthritis and Rheumatism, 2011, 40, 585-587.  | 3.4 | 14        |
| 140 | Family-Mediated Exercise Intervention (FAME). Stroke, 2011, 42, 681-686.   | 2.0 | 105       |
| 141 | Prognostic value of the ABCD2 clinical prediction rule: a systematic review and meta-analysis. Family Practice, 2011, 28, 366-376.   | 1.9 | 26        |
| 142 | Non-right-handedness and Free Serum Testosterone Levels in Detoxified Patients with Alcohol<br>Dependence. Alcohol and Alcoholism, 2010, 45, 237-240.  | 1.6 | 16        |
| 143 | Computer-related posture and discomfort in primary school children: The effects of a school-based ergonomic intervention. Computers and Education, 2010, 55, 276-284.  | 8.3 | 28        |
| 144 | To what extent are family members and friends involved in physiotherapy and the delivery of exercises to people with stroke?. Disability and Rehabilitation, 2009, 31, 898-905.  | 1.8 | 29        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Sources and nature of secondary school teachers' education in computer-related ergonomics.<br>Computers and Education, 2009, 53, 504-510.  | 8.3 | 2         |
| 146 | Physiotherapy after stroke in Ireland: a qualitative insight into the patients' and physiotherapists' experience. International Journal of Rehabilitation Research, 2009, 32, 238-244.                                     | 1.3 | 26        |
| 147 | Computer use in school: Its effect on posture and discomfort in schoolchildren. Work, 2009, 32, 321-328.   | 1.1 | 27        |
| 148 | A randomised controlled trial evaluating family mediated exercise (FAME) therapy following stroke.<br>BMC Neurology, 2008, 8, 22.  | 1.8 | 13        |
| 149 | A randomised controlled trial evaluating the effect of an individual auditory cueing device on freezing and gait speed in people with Parkinson's disease. BMC Neurology, 2008, 8, 46.                                     | 1.8 | 29        |
| 150 | The Impact of Increased Duration of Exercise Therapy on Functional Recovery Following Stroke $\hat{a} \in \mathbb{C}^{2}$ What Is the Evidence?. Topics in Stroke Rehabilitation, 2008, 15, 365-377.                       | 1.9 | 61        |
| 151 | Additional exercise therapy for the recovery of function after stroke. The Cochrane Library, 0, , .  | 2.8 | 4         |
| 152 | Screening instruments to predict adverse outcomes for undifferentiated older adults attending the emergency department: Protocol for a prospective cohort study. HRB Open Research, 0, 4, 2.                               | 0.6 | 1         |
| 153 | The barriers and facilitators to implementing screening in emergency departments: a qualitative<br>evidence synthesis (QES) protocol exploring the experiences of healthcare workers. HRB Open<br>Research, 0, 3, 50.      | 0.6 | 1         |
| 154 | Exploring the perspectives of key stakeholders on the design and delivery of an intervention to rehabilitate people with cognitive deficits post-stroke. HRB Open Research, 0, 3, 93.                                      | 0.6 | 0         |
| 155 | Diagnostic accuracy of the Mini Nutritional Assessment – Short Form to identify malnutrition among older adults: protocol for a systematic review and meta-analysis. HRB Open Research, 0, 4, 83.                          | 0.6 | 1         |
| 156 | Unmet healthcare needs in adults with childhood-onset neurodisabilities: a protocol for a systematic review. HRB Open Research, 0, 4, 107.   | 0.6 | 1         |
| 157 | The barriers and facilitators to screening in emergency departments: a qualitative evidence synthesis (QES) protocol. HRB Open Research, 0, 3, 50.   | 0.6 | 1         |
| 158 | Exploring the perspectives of people post-stroke, carers and healthcare professionals to inform the development of an intervention to improve cognitive impairment post-stroke. HRB Open Research, 0, 3, 93.               | 0.6 | 0         |
| 159 | Steps Ahead: optimising physical activity in adults with cystic fibrosis: Study ProtocolÂfor a pilot randomised trial using wearable technology. HRB Open Research, 0, 3, 21.  | 0.6 | 1         |
| 160 | Steps Ahead: optimising physical activity in adults with cystic fibrosis: Study ProtocolÂfor a pilot<br>randomised trial using wearable technology, goal setting and text message feedback HRB Open<br>Research, 0, 3, 21. | 0.6 | 2         |
| 161 | What is the level of nutrition care provided to older adults attending emergency departments? A scoping review protocol HRB Open Research, 0, 5, 7.  | 0.6 | 0         |
| 162 | Becoming an academic retiree: A longitudinal study of women academics' transition to retirement experiences from a university in the Republic of Ireland. Journal of Occupational Science, 0, , 1-15.                      | 1.3 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Effectiveness of interventions to support the transition home after acute stroke: a protocol for a systematic review. HRB Open Research, 0, 4, 105. | 0.6 | 2         |
| 164 | Comprehensive geriatric assessment in the emergency department: A protocol for a prospective cohort study. HRB Open Research, 0, 5, 26.             | 0.6 | 1         |
| 165 | Impact of visual field loss post-stroke on activities of daily living: a prospective cohort study.<br>Neuropsychological Rehabilitation, 0, , 1-16. | 1.6 | Ο         |
| 166 | The experiences of homecare workers in navigating the COVID-19 pandemic: a protocol for a qualitative study. HRB Open Research, 0, 5, 43.           | 0.6 | 0         |