
Jakob Wallden

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6305841/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Postâ€operative nausea and vomiting in bariatric surgery patients: an observational study. Acta Anaesthesiologica Scandinavica, 2017, 61, 471-479. | 1.6 | 55 |
| 2 | Survival after primary breast cancer surgery following propofol or sevoflurane general anesthesia—A retrospective, multicenter, database analysis of 6305 Swedish patients. Acta Anaesthesiologica Scandinavica, 2020, 64, 1048-1054. | 1.6 | 34 |
| 3 | The Delay of Gastric Emptying Induced by Remifentanil Is Not Influenced by Posture. Anesthesia and Analgesia, 2004, 99, 429-434. | 2.2 | 26 |
| 4 | The effect of anesthetic technique on early postoperative gastric emptying: comparison of propofol-remifentanil and opioid-free sevoflurane anesthesia. Journal of Anesthesia, 2006, 20, 261-267. | 1.7 | 24 |
| 5 | Heparinâ€binding protein as a biomarker of acute kidney injury in critical illness. Acta Anaesthesiologica Scandinavica, 2017, 61, 797-803. | 1.6 | 19 |
| 6 | Preoperative anxiety in preschool children: A randomized clinical trial comparing midazolam, clonidine, and dexmedetomidine. Paediatric Anaesthesia, 2021, 31, 1225-1233. | 1.1 | 19 |
| 7 | Effects of fentanyl on gastric myoelectrical activity: a possible association with polymorphisms of the μâ€opioid receptor gene?. Acta Anaesthesiologica Scandinavica, 2008, 52, 708-715. | 1.6 | 16 |
| 8 | Validation of a prediction model for post-discharge nausea and vomiting after general anaesthesia in a cohort of Swedish ambulatory surgery patients. European Journal of Anaesthesiology, 2016, 33, 743-749. | 1.7 | 15 |
| 9 | Early postâ€operative nausea and vomiting: A retrospective observational study of 2030 patients. Acta Anaesthesiologica Scandinavica, 2021, 65, 1229-1239. | 1.6 | 14 |
| 10 | Supraventricular Tachycardia Induced by Datex Patient Monitoring System. Anesthesia and Analgesia, 1998, 86, 1339. | 2.2 | 12 |
| 11 | Risk of postoperative nausea and vomiting in hip and knee arthroplasty: a prospective cohort study after spinal anaesthesia including intrathecal morphine. BMC Anesthesiology, 2020, 20, 242. | 1.8 | 12 |
| 12 | Preoperative Point-of-Care Assessment of Left Ventricular Systolic Dysfunction With Transthoracic Echocardiography. Anesthesia and Analgesia, 2021, 132, 717-725. | 2.2 | 11 |
| 13 | Renal clearance of heparin-binding protein and elimination during renal replacement therapy: Studies in ICU patients and healthy volunteers. PLoS ONE, 2019, 14, e0221813. | 2.5 | 8 |
| 14 | Effects of remifentanil on gastric tone. Acta Anaesthesiologica Scandinavica, 2008, 52, 969-976. | 1.6 | 5 |
| 15 | Reply to: Sorbello et al., <scp>PONV</scp> in bariatric surgery: time for opioidâ€free anaesthesia. Acta Anaesthesiologica Scandinavica, 2017, 61, 858-858. | 1.6 | 2 |
| 16 | Heparin-binding protein in ventilator-induced lung injury. Intensive Care Medicine Experimental, 2018, 6, 33. | 1.9 | 2 |
| 17 | PONV in bariatric surgery. European Journal of Anaesthesiology, 2014, 31, 16-17. | 1.7 | 1 |
| 18 | The influence of opioids on gastric function: experimental and clinical studies. Acta Anaesthesiologica Scandinavica, 2008, 52, 1432-1432. | 1.6 | 0 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Limitations of care and comorbidities are associated with increased mortality in patients treated with non-invasive ventilation: A retrospective observational study in a single-center ICU F1000Research, 0, 10, 865. | 1.6 | 0 |
| 20 | Pre-operative point-of-care assessment of left ventricular diastolic dysfunction, an observational study. BMC Anesthesiology, 2022, 22, 96. | 1.8 | 0 |