

Ping Yan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6308844/publications.pdf>

Version: 2024-02-01

92
papers

1,076
citations

471061

17
h-index

500791

28
g-index

93
all docs

93
docs citations

93
times ranked

521
citing authors

#	ARTICLE	IF	CITATIONS
1	Numerical modeling of transverse mode competition in strongly pumped multimode fiber lasers and amplifiers. Optics Express, 2007, 15, 3236.	1.7	158
2	An approximate analytic solution of strongly pumped Yb-doped double-clad fiber lasers without neglecting the scattering loss. Optics Communications, 2004, 230, 401-410.	1.0	49
3	219 kW narrow linewidth FBG-based MOPA configuration fiber laser. Optics Express, 2019, 27, 3136.	1.7	43
4	High-power 1018-nm ytterbium-doped fiber laser with output of 805 W. Optics Letters, 2017, 42, 1193.	3.8	38
5	A Side-Pump Coupler With Refractive Index Valley Configuration for Fiber Lasers and Amplifiers. Journal of Lightwave Technology, 2013, 31, 2715-2722.	2.7	36
6	1.1-kW Ytterbium Monolithic Fiber Laser With Assembled End-Pump Scheme to Couple High Brightness Single Emitters. IEEE Photonics Technology Letters, 2011, 23, 697-699.	1.3	31
7	End-pumped 300 W continuous-wave ytterbium-doped all-fiber laser with master oscillator multi-stage power amplifiers configuration. Optics Express, 2008, 16, 17864.	1.7	30
8	All-fiber high-speed image detection enabled by deep learning. Nature Communications, 2022, 13, 1433.	5.8	30
9	Distributed pumping multifiber series fiber laser. Optics Express, 2005, 13, 2699.	1.7	26
10	High Energy and High Peak Power Nanosecond Pulses Generated by Fiber Amplifier. IEEE Photonics Technology Letters, 2014, 26, 2295-2298.	1.3	26
11	5.1 kW Tandem-Pumped Fiber Amplifier Seeded by Random Fiber Laser With High Suppression of Stimulated Raman Scattering. IEEE Journal of Quantum Electronics, 2021, 57, 1-9.	1.0	24
12	A 1150-W 1018-nm Fiber Laser Bidirectional Pumped by Wavelength-Stabilized Laser Diodes. IEEE Journal of Selected Topics in Quantum Electronics, 2018, 24, 1-6.	1.9	23
13	High-power all-fiber superfluorescent source with fused angle-polished side-pumping configuration. Applied Optics, 2011, 50, 1164.	2.1	22
14	933 W Yb-doped fiber ASE amplifier with 504 nm bandwidth. Optics Express, 2016, 24, 19940.	1.7	21
15	An Efficient 4-kW Level Random Fiber Laser Based on a Tandem-Pumping Scheme. IEEE Photonics Technology Letters, 2019, 31, 817-820.	1.3	20
16	Beam quality improvement by joint compensation of amplitude and phase. Optics Letters, 2013, 38, 1101.	1.7	19
17	Influence of fusion splice on high power ytterbium-doped fiber laser with master oscillator multi-stage power amplifiers structure. Optics and Lasers in Engineering, 2011, 49, 1054-1059.	2.0	18
18	Low repetition rate broadband high energy and peak power nanosecond pulsed Yb-doped fiber amplifier. Optics and Laser Technology, 2013, 49, 284-287.	2.2	17

#	ARTICLE	IF	CITATIONS
19	Evaluating the beam quality of double-cladding fiber lasers in applications. Applied Optics, 2016, 55, 6145.	2.1	17
20	Dual-wavelength bidirectional pumped high-power Raman fiber laser. High Power Laser Science and Engineering, 2019, 7, .	2.0	17
21	Fused angle-polished multi-points side-pumping coupler for monolithic fiber lasers and amplifiers. Optics Communications, 2012, 285, 2137-2143.	1.0	15
22	Studies of central wavelength of high-power all-fiber superfluorescent sources with Yb-doped double-clad fibers. Optics Communications, 2016, 380, 250-259.	1.0	15
23	3.1 kW monolithic MOPA configuration fibre laser bidirectionally pumped by non-wavelength-stabilized laser diodes. Laser Physics Letters, 2017, 14, 080001.	0.6	14
24	10 kW Fiber Amplifier Seeded by Random Fiber Laser With Suppression of Spectral Broadening and SRS. IEEE Photonics Technology Letters, 2022, 34, 721-724.	1.3	14
25	Guided mode meta-optics: metasurface-dressed waveguides for arbitrary mode couplers and on-chip OAM emitters with a configurable topological charge. Optics Express, 2021, 29, 39406.	1.7	13
26	Studies of pump light leakage out of couplers for multi-coupler side-pumped Yb-doped double-clad fiber lasers. Optics Communications, 2004, 239, 421-428.	1.0	12
27	Numerical analysis of temperature distributions in Yb-doped double-clad fiber lasers with consideration of radiative heat transfer. Optical Engineering, 2006, 45, 124201.	0.5	12
28	Largely Tunable Terahertz Circular Polarization Splitters Based on Patterned Graphene Nanoantenna Arrays. IEEE Photonics Journal, 2019, 11, 1-11.	1.0	12
29	2196-W large-mode-area Er:Yb codoped fiber amplifier operating at 1600 nm pumped by 1018 nm fiber lasers. Optics Letters, 2021, 46, 2192.	1.7	12
30	Method to evaluate beam quality of Gaussian beams with aberrations. Applied Optics, 2012, 51, 6539.	0.9	11
31	Stimulated Raman scattering threshold for partially coherent light in silica fibers. Optics Express, 2015, 23, 28438.	1.7	11
32	Research on multi-kilowatts level tapered fiber bundle N _A —1 pumping combiner for high power fiber laser. Frontiers of Optoelectronics, 2016, 9, 301-305.	1.9	11
33	Directly diode and bi-directional pumping 6 kW continuous-wave all-fibre laser. Laser Physics, 2018, 28, 125107.	0.6	11
34	High-Speed All-Fiber Micro-Imaging with Large Depth of Field. Laser and Photonics Reviews, 2022, 16, .	4.4	11
35	Theoretical study of pumping absorption in a co-linear side-pumping coupler. Optics Communications, 2013, 300, 220-224.	1.0	10
36	Exploring the initiation of fiber fuse. Scientific Reports, 2019, 9, 11655.	1.6	10

#	ARTICLE	IF	CITATIONS
37	Hybrid-structure 1018-nm monolithic single-mode fiber laser producing high power and high efficiency. <i>OSA Continuum</i> , 2019, 2, 1138.	1.8	10
38	GaAs as a passive Q-switch and Brewster plate for pulsed Yb:YAG laser. <i>Optics Communications</i> , 2003, 222, 355-361.	1.0	9
39	Investigations on Transverse-Mode Competition and Beam Quality Modeling in End-Pumped Lasers. <i>IEEE Journal of Quantum Electronics</i> , 2008, 44, 1009-1019.	1.0	9
40	670 kW nanosecond all-fiber super-irradiation pulsed amplifiers at high repetition rates. <i>Journal of Optics (United Kingdom)</i> , 2014, 16, 105202.	1.0	9
41	Tandem-Pumped High-Power Narrow-Linewidth Fiber Laser Tunable From 1060 to 1090 nm. <i>Journal of Lightwave Technology</i> , 2020, 38, 1461-1467.	2.7	9
42	Power scalability of a continuous-wave high-power Er-Yb co-doped fiber amplifier pumped by Yb-doped fiber lasers. <i>Applied Optics</i> , 2021, 60, 2046.	0.9	9
43	Q-switched fiber laser by all-fiber piezoelectric modulation and pulsed pump. <i>Optics Communications</i> , 2009, 282, 2066-2069.	1.0	8
44	High energy, single-polarized, single-transverse-mode, nanosecond pulses generated by a multi-stage Yb-doped photonic crystal fiber amplifier. <i>Optics Communications</i> , 2015, 345, 168-172.	1.0	8
45	Stabilization of pulse-to-pulse energy and width by gain-controlled pre-pulse in laser-diode-pumped Q-switched laser. <i>Optical Engineering</i> , 2003, 42, 159.	0.5	7
46	Fiber coupler for mode selection and high-efficiency pump coupling. <i>Optics Letters</i> , 2013, 38, 1170.	1.7	7
47	High-power and high-brightness Er:Yb codoped fiber MOPA operating at 1535 nm. <i>Optics Express</i> , 2022, 30, 16837.	1.7	7
48	Modeling of radiation-balanced continuous-wave laser oscillators. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2004, 21, 539.	0.9	6
49	Laser performance of monolithic Cr, Nd:YAG crystal with prepumping modulation. <i>Optical Engineering</i> , 2005, 44, 014201.	0.5	6
50	High coupling efficiency and low signal light loss (2 + 1) Å ⁻¹ coupler. <i>Chinese Physics B</i> , 2015, 24, 064208.	0.7	6
51	Beam Transmission Properties in High Power Ytterbium-Doped Tandem-Pumping Fiber Amplifier. <i>IEEE Photonics Journal</i> , 2019, 11, 1-12.	1.0	6
52	Static Stability Analysis for a Novel Permanent Magnetic Suspension Laser Beam Scanner. <i>Japanese Journal of Applied Physics</i> , 2002, 41, 1343-1346.	0.8	5
53	Q-switched operation of end-pumped Yb:YAG lasers with non-uniform temperature distribution. <i>Optics Communications</i> , 2004, 231, 331-341.	1.0	5
54	Flat-topped beam output from a double-clad rectangular dielectric waveguide laser with a high-index inner cladding. <i>Optics Communications</i> , 2009, 282, 2407-2412.	1.0	5

#	ARTICLE	IF	CITATIONS
55	All-fiber linearly polarized laser oscillator by fiber coiling loss control. Chinese Physics B, 2018, 27, 044201.	0.7	5
56	1535-1620 nm Widely Tunable Watt-Level Single-Mode Er:Yb Codoped All-Fiber MOPA. IEEE Photonics Technology Letters, 2020, 32, 518-521.	1.3	5
57	6.85 kW Ytterbium-Raman Fiber Amplifier Based on Adjustable Raman Threshold Method. Journal of Lightwave Technology, 2022, 40, 3907-3915.	2.7	5
58	LD side-pumped passively Q-switched Yb:YAG slab laser. Optics and Lasers in Engineering, 2004, 42, 413-419.	2.0	4
59	High-Repetition-Rate, Single-Pass Third-Harmonic Generation of 354 nm Ultraviolet Laser with 51.5% Efficiency. Applied Physics Express, 2012, 5, 092702.	1.1	4
60	All-fiber high energy and peak power broadband Yb-doped fiber amplifier. Journal of Optics (United Kingdom), 2010, 11, 011001.	1.0	4
61	Efficiency and beam quality deterioration in double-cladding fiber amplifiers induced by core misalignment of fusion splices. Optics Communications, 2015, 351, 9-14.	1.0	4
62	Fiber core mode leakage induced by refractive index variation in high-power fiber laser. Chinese Physics B, 2017, 26, 034205.	0.7	4
63	Suppressing the amplified spontaneous emission in the high-power 1018-nm monolithic fiber laser by decreasing the feedback from the inner reflections. Journal of the Optical Society of America B: Optical Physics, 2020, 37, 2514.	0.9	4
64	Thermal induced polarization coupling in double-cladding linearly polarized fiber lasers. Optics Communications, 2022, 512, 128036.	1.0	4
65	Performance of run-length limited (4, 18) code for optical storage systems. Optical and Quantum Electronics, 2004, 36, 1079-1088.	1.5	3
66	All-Fiber Mode-Locked Ring Laser With a Sagnac Filter. IEEE Photonics Technology Letters, 2011, 23, 1301-1303.	1.3	3
67	Beam Transformation in Hybrid Fiber-Bulk Amplifier System. Applied Physics Express, 2012, 5, 112703.	1.1	3
68	Optical properties of ytterbium-doped tandem-pumped fiber oscillator. Chinese Physics B, 2014, 23, 014203.	0.7	3
69	Deterioration of laser beam quality caused by cladding modes in fusion splices of double-cladding fibers. Applied Physics B: Lasers and Optics, 2015, 120, 623-629.	1.1	3
70	Internal Features of Fiber Fuse in a Yb-Doped Double-Clad Fiber at 3 kW. Chinese Physics Letters, 2018, 35, 054201.	1.3	3
71	Modeling of End-Pumped CW Yb:YAG Lasers Exhibiting Non-Uniform Temperature Distribution. Optical and Quantum Electronics, 2004, 36, 745-758.	1.5	2
72	Spike suppression in fiber amplifiers through nonlinear polarization rotation. Optics Letters, 2010, 35, 1407.	1.7	2

#	ARTICLE	IF	CITATIONS
73	Experimental and theoretical study of the weak-modulation all-normal-dispersion mode-locked fiber lasers. Journal of the Optical Society of America B: Optical Physics, 2010, 27, 1589.	0.9	2
74	The beam quality of a truncated Gaussian beam with aberrations. Laser Physics Letters, 2013, 10, 055001.	0.6	2
75	Effect of mode competition on photodarkening distribution of Yb-doped fiber laser. Optics Communications, 2013, 287, 167-175.	1.0	2
76	Orientation dependent wavefront correction system under grazing incidence. Optics Express, 2013, 21, 20497.	1.7	2
77	Numerical analysis of mode competition and selection in Yb-doped multicore fiber lasers. , 2014, , .		2
78	Spectral pedestal during the kilowatt-level amplification of a random fiber laser operating near the lasing threshold. Optics Express, 2022, 30, 296.	1.7	2
79	Broadband nanostructured fiber mode convertors enabled by inverse design. Optics Express, 2022, 30, 17625.	1.7	2
80	High-stability LD-pumped solid state laser. , 1999, , .		1
81	Indoor infrared wireless communication system based on Ethernet network. , 2002, , .		1
82	Experiment and design of near-diffraction-limited cw and Q-cw Yb:YAG microchip lasers. , 2002, 4914, 448.		1
83	Double Loop Optical Buffer With Vertical 8-Figure Structure Based on a Collinear 3 \times 3 Coupler. IEEE Photonics Technology Letters, 2011, 23, 1845-1847.	1.3	1
84	First experimental investigation of the amplification of a Yb-doped fiber laser pumped with 1000 and 1014-nm laser diodes. Optical Review, 2015, 22, 693-699.	1.2	1
85	Fiber fuse behavior in kW-level continuous-wave double-clad field laser. Chinese Physics B, 2016, 25, 014204.	0.7	1
86	An Efficient Non-Invasive Method to Fabricate In-Fiber Microcavities Using a Continuous-Wave Laser. IEEE Photonics Technology Letters, 2020, 32, 573-576.	1.3	1
87	Optical parametric oscillator pumped by single-cell SBS and two-cell SBS phase-conjugation beam. , 2003, , .		0
88	Analysis of the pump-beam path in corner-pumped slab laser. Quantum Electronics, 2007, 37, 541-544.	0.3	0
89	Theoretical study of pump absorption of colinear side-pumping coupler with pumping and absorption loops. Optical Engineering, 2013, 52, 096111.	0.5	0
90	Optical properties of high power S-band fiber oscillators and amplifiers. , 2014, , .		0

#	ARTICLE	IF	CITATIONS
91	Pump couplers in a series connection. , 2014, , .		0
92	Pump couplers in a cascaded structure. International Journal of Nanotechnology, 2015, 12, 926.	0.1	0