

Alina Vrieling

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6309106/publications.pdf>

Version: 2024-02-01

80
papers

4,711
citations

81743

39
h-index

98622

67
g-index

81
all docs

81
docs citations

81
times ranked

7859
citing authors

#	ARTICLE	IF	CITATIONS
1	Skeletal muscle radiodensity and visceral adipose tissue index are associated with survival in renal cell cancer – A multicenter population-based cohort study. <i>Clinical Nutrition</i> , 2022, 41, 131-143.	2.3	11
2	Limited Changes in Lifestyle Behaviours after Non-Muscle Invasive Bladder Cancer Diagnosis. <i>Cancers</i> , 2022, 14, 960.	1.7	6
3	Adherence to the WCRF/AICR Cancer Prevention Recommendations and Risk of Recurrence in Non-muscle Invasive Bladder Cancer. <i>Current Developments in Nutrition</i> , 2022, 6, 256.	0.1	0
4	Validation and reliability of the Dutch version of the EORTC QLQ-NMIBC24 Questionnaire Module for patients with non-muscle-invasive bladder cancer. <i>Journal of Patient-Reported Outcomes</i> , 2021, 5, 96.	0.9	5
5	No clear associations of adult BMI and diabetes mellitus with non-muscle invasive bladder cancer recurrence and progression. <i>PLoS ONE</i> , 2020, 15, e0229384.	1.1	12
6	Epidemiology, prevention, screening, diagnosis, and evaluation: update of the ICUD–SIU joint consultation on bladder cancer. <i>World Journal of Urology</i> , 2019, 37, 3-13.	1.2	42
7	One-carbon metabolism biomarkers and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 145, 2349-2359.	2.3	6
8	Low awareness, adherence, and practice but positive attitudes regarding lifestyle recommendations among non-muscle-invasive bladder cancer patients. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 573.e1-573.e8.	0.8	5
9	The UroLife study: protocol for a Dutch prospective cohort on lifestyle habits in relation to non-muscle-invasive bladder cancer prognosis and health-related quality of life. <i>BMJ Open</i> , 2019, 9, e030396.	0.8	13
10	Body Mass Index, Diet-Related Factors, and Bladder Cancer Prognosis: A Systematic Review and Meta-Analysis. <i>Bladder Cancer</i> , 2018, 4, 91-112.	0.2	33
11	Most response-inducing strategies do not increase participation in observational studies: a systematic review and meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2018, 99, 1-13.	2.4	14
12	Body Composition in Relation to Clinical Outcomes in Renal Cell Cancer: A Systematic Review and Meta-analysis. <i>European Urology Focus</i> , 2018, 4, 420-434.	1.6	45
13	Increasing awareness and knowledge of lifestyle recommendations for cancer prevention in Lynch syndrome carriers: Randomized controlled trial. <i>Clinical Genetics</i> , 2018, 93, 67-77.	1.0	9
14	Dietary patterns and risk of recurrence and progression in non-muscle-invasive bladder cancer. <i>International Journal of Cancer</i> , 2018, 142, 1797-1804.	2.3	23
15	The association of BMI with risk of recurrence and progression in patients with non-muscle-invasive bladder cancer. <i>Translational Andrology and Urology</i> , 2018, 7, S702-S705.	0.6	0
16	Smoking intensity and bladder cancer aggressiveness at diagnosis. <i>PLoS ONE</i> , 2018, 13, e0194039.	1.1	29
17	Lifestyle and bladder cancer prevention: no consistent evidence from cohort studies. <i>European Journal of Epidemiology</i> , 2017, 32, 1033-1035.	2.5	3
18	Determinants of adherence to recommendations for cancer prevention among Lynch Syndrome mutation carriers: A qualitative exploration. <i>PLoS ONE</i> , 2017, 12, e0178205.	1.1	10

#	ARTICLE	IF	CITATIONS
19	Relationship between menopausal hormone therapy and mortality after breast cancer The MARIE<i>plus</i>study, a prospective case cohort. <i>International Journal of Cancer</i> , 2016, 138, 2098-2108.	2.3	10
20	Low awareness of risk factors among bladder cancer survivors: New evidence and a literature overview. <i>European Journal of Cancer</i> , 2016, 60, 136-145.	1.3	33
21	Determinants of long-term fatigue in breast cancer survivors: results of a prospective patient cohort study. <i>Psycho-Oncology</i> , 2015, 24, 40-46.	1.0	68
22	The effect of smoking and timing of smoking cessation on clinical outcome in nonâ€œmuscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 65.e9-65.e17.	0.8	35
23	Enterolactone concentrations and prognosis after postmenopausal breast cancer: Assessment of effect modification and metaâ€œanalysis. <i>International Journal of Cancer</i> , 2014, 135, 923-933.	2.3	49
24	Plasma and dietary carotenoids and vitamins A, C and E and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2014, 135, 2930-2939.	2.3	55
25	Determinants of newly diagnosed comorbidities among breast cancer survivors. <i>Journal of Cancer Survivorship</i> , 2014, 8, 384-393.	1.5	21
26	Circulating 25â€œhydroxyvitamin D and postmenopausal breast cancer survival: Influence of tumor characteristics and lifestyle factors?. <i>International Journal of Cancer</i> , 2014, 134, 2972-2983.	2.3	40
27	Alcohol Consumption and Survival after a Breast Cancer Diagnosis: A Literature-Based Meta-analysis and Collaborative Analysis of Data for 29,239 Cases. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 934-945.	1.1	37
28	Pre-diagnostic smoking behaviour and poorer prognosis in a German breast cancer patient cohort â€œDifferential effects by tumour subtype, NAT2 status, BMI and alcohol intake. <i>Cancer Epidemiology</i> , 2014, 38, 419-426.	0.8	19
29	Genome-wide association study yields variants at 20p12.2 that associate with urinary bladder cancer. <i>Human Molecular Genetics</i> , 2014, 23, 5545-5557.	1.4	46
30	Walking, bicycling, and sports in postmenopausal breast cancer survivorsâ€œresults from a German patient cohort study. <i>Psycho-Oncology</i> , 2013, 22, 1291-1298.	1.0	15
31	Dietary patterns and survival in German postmenopausal breast cancer survivors. <i>British Journal of Cancer</i> , 2013, 108, 188-192.	2.9	72
32	Association of pre-diagnosis physical activity with recurrence and mortality among women with breast cancer. <i>International Journal of Cancer</i> , 2013, 133, 1431-1440.	2.3	62
33	Evidence of Geneâ€œEnvironment Interactions between Common Breast Cancer Susceptibility Loci and Established Environmental Risk Factors. <i>PLoS Genetics</i> , 2013, 9, e1003284.	1.5	136
34	Mortality and Recurrence Risk in Relation to the Use of Lipid-Lowering Drugs in a Prospective Breast Cancer Patient Cohort. <i>PLoS ONE</i> , 2013, 8, e75088.	1.1	48
35	19p13.1 Is a Triple-Negativeâ€œSpecific Breast Cancer Susceptibility Locus. <i>Cancer Research</i> , 2012, 72, 1795-1803.	0.4	100
36	Pre-diagnostic alcohol consumption and postmenopausal breast cancer survival: a prospective patient cohort study. <i>Breast Cancer Research and Treatment</i> , 2012, 136, 195-207.	1.1	27

#	ARTICLE	IF	CITATIONS
37	Physical activity in a German breast cancer patient cohort: One-year trends and characteristics associated with change in activity level. <i>European Journal of Cancer</i> , 2012, 48, 297-304.	1.3	67
38	Alcohol dehydrogenase and aldehyde dehydrogenase gene polymorphisms, alcohol intake and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 1303-1308.	1.3	34
39	Postmenopausal Sex Hormones in Relation to Body Fat Distribution. <i>Obesity</i> , 2012, 20, 1088-1095.	1.5	78
40	The Association Between Dietary Lignans, Phytoestrogen-Rich Foods, and Fiber Intake and Postmenopausal Breast Cancer Risk: A German Case-Control Study. <i>Nutrition and Cancer</i> , 2012, 64, 652-665.	0.9	71
41	Impact of Diet, Body Mass Index, and Physical Activity on Cancer Survival. <i>Current Nutrition Reports</i> , 2012, 1, 30-36.	2.1	17
42	Serum enterolactone and postmenopausal breast cancer risk by estrogen, progesterone and herceptin 2 receptor status. <i>International Journal of Cancer</i> , 2012, 130, 1401-1410.	2.3	37
43	Fatigue and quality of life in breast cancer survivors: temporal courses and long-term pattern. <i>Journal of Cancer Survivorship</i> , 2012, 6, 11-19.	1.5	133
44	Associations of Breast Cancer Risk Factors With Tumor Subtypes: A Pooled Analysis From the Breast Cancer Association Consortium Studies. <i>Journal of the National Cancer Institute</i> , 2011, 103, 250-263.	3.0	596
45	Cigarette Smoking and Colorectal Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition Study. <i>Clinical Gastroenterology and Hepatology</i> , 2011, 9, 137-144.	2.4	61
46	Estimated enterolignans, lignan-rich foods, and fibre in relation to survival after postmenopausal breast cancer. <i>British Journal of Cancer</i> , 2011, 105, 1151-1157.	2.9	59
47	Serum 25-hydroxyvitamin D and postmenopausal breast cancer survival: a prospective patient cohort study. <i>Breast Cancer Research</i> , 2011, 13, R74.	2.2	101
48	Estrogen metabolite ratio: Is the 2-hydroxyestrone to 16α-hydroxyestrone ratio predictive for breast cancer?. <i>International Journal of Women's Health</i> , 2011, 3, 37.	1.1	27
49	Functional Polymorphisms in the TERT Promoter Are Associated with Risk of Serous Epithelial Ovarian and Breast Cancers. <i>PLoS ONE</i> , 2011, 6, e24987.	1.1	48
50	Dietary patterns and the risk of postmenopausal breast cancer in a German case-control study. <i>Cancer Causes and Control</i> , 2011, 22, 273-282.	0.8	35
51	7q21-rs6964587 and breast cancer risk: an extended case-control study by the Breast Cancer Association Consortium. <i>Journal of Medical Genetics</i> , 2011, 48, 698-702.	1.5	5
52	Postmenopausal Serum Sex Steroids and Risk of Hormone Receptor-Positive and -Negative Breast Cancer: a Nested Case-Control Study. <i>Cancer Prevention Research</i> , 2011, 4, 1626-1635.	0.7	108
53	Serum Enterolactone and Prognosis of Postmenopausal Breast Cancer. <i>Journal of Clinical Oncology</i> , 2011, 29, 3730-3738.	0.8	62
54	Assessing interactions between the associations of common genetic susceptibility variants, reproductive history and body mass index with breast cancer risk in the breast cancer association consortium: a combined case-control study. <i>Breast Cancer Research</i> , 2010, 12, R110.	2.2	82

#	ARTICLE	IF	CITATIONS
55	Adult weight gain in relation to breast cancer risk by estrogen and progesterone receptor status: a meta-analysis. <i>Breast Cancer Research and Treatment</i> , 2010, 123, 641-649.	1.1	137
56	Alcohol intake and pancreatic cancer: a pooled analysis from the pancreatic cancer cohort consortium (PanScan). <i>Cancer Causes and Control</i> , 2010, 21, 1213-1225.	0.8	93
57	Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 126, 2394-2403.	2.3	118
58	Serum levels of IGF-1, IGFBP-3 and colorectal cancer risk: results from the EPIC cohort, plus a meta-analysis of prospective studies. <i>International Journal of Cancer</i> , 2010, 126, 1702-1715.	2.3	190
59	No association between educational level and pancreatic cancer incidence in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology</i> , 2010, 34, 696-701.	0.8	8
60	The role of body mass index, physical activity, and diet in colorectal cancer recurrence and survival: a review of the literature. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 471-490.	2.2	126
61	Meta-analyses of lignans and enterolignans in relation to breast cancer risk. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 141-153.	2.2	153
62	The role of body mass index, physical activity, and diet in colorectal cancer recurrence and survival: a review of the literature. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 471-490.	2.2	82
63	Vitamin D Receptor and Calcium Sensing Receptor Polymorphisms and the Risk of Colorectal Cancer in European Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2485-2491.	1.1	73
64	Cigarette Smoking and Pancreatic Cancer: A Pooled Analysis From the Pancreatic Cancer Cohort Consortium. <i>American Journal of Epidemiology</i> , 2009, 170, 403-413.	1.6	298
65	The Association between Diet and Serum Concentrations of IGF-1, IGFBP-1, IGFBP-2, and IGFBP-3 in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1333-1340.	1.1	121
66	Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009, 124, 1926-1934.	2.3	69
67	Lifetime and baseline alcohol intake and risk of cancer of the upper aerodigestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2009, 125, 406-412.	2.3	46
68	Consumption of vegetables and fruit and the risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009, 125, 2643-2651.	2.3	42
69	Ethanol intake and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009, 20, 785-794.	0.8	48
70	Menstrual and reproductive factors and pancreatic cancer in the SEARCH program of the IARC. <i>Cancer Causes and Control</i> , 2009, 20, 1757-1762.	0.8	17
71	Expression of insulin-like growth factor system components in colorectal tissue and its relation with serum IGF levels. <i>Growth Hormone and IGF Research</i> , 2009, 19, 126-135.	0.5	22
72	Smoking and body fatness measurements: A cross-sectional analysis in the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2009, 49, 365-373.	1.6	22

#	ARTICLE	IF	CITATIONS
73	Alcohol Consumption and the Risk for Prostate Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 1282-1287.	1.1	37
74	No Effect of Red Clover-Derived Isoflavone Intervention on the Insulin-Like Growth Factor System in Women at Increased Risk of Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 2585-2593.	1.1	5
75	Effects of Lycopene on the Insulin-Like Growth Factor (IGF) System in Premenopausal Breast Cancer Survivors and Women at High Familial Breast Cancer Risk. <i>Nutrition and Cancer</i> , 2008, 60, 342-353.	0.9	27
76	Lycopene supplementation elevates circulating insulin-like growth factor-binding protein-1 and -2 concentrations in persons at greater risk of colorectal cancer. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 1456-1462.	2.2	57
77	Isolated Isoflavones Do Not Affect the Circulating Insulin-Like Growth Factor System in Men at Increased Colorectal Cancer Risk. <i>Journal of Nutrition</i> , 2007, 137, 379-383.	1.3	16
78	Insulin-Like Growth Factor (IGF)-System mRNA Quantities in Normal and Tumor Breast Tissue of Women with Sporadic and Familial Breast Cancer Risk. <i>Breast Cancer Research and Treatment</i> , 2004, 84, 225-233.	1.1	36
79	Dietary Determinants of Circulating Insulin-like Growth Factor (IGF)-I and IGF Binding Proteins 1, -2 and -3 in Women in the Netherlands. <i>Cancer Causes and Control</i> , 2004, 15, 787-796.	0.8	55
80	Cigarette smoking and genetic alterations in sporadic colon carcinomas. <i>Carcinogenesis</i> , 2003, 24, 565-571.	1.3	52