

Abhay Sagare

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6309192/abhay-sagare-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

39
papers

10,477
citations

34
h-index

42
g-index

42
ext. papers

12,298
ext. citations

15.3
avg, IF

6.21
L-index

#	Paper	IF	Citations
39	Protection of ischemic white matter and oligodendrocytes in mice by 3K3A-activated protein C. <i>Journal of Experimental Medicine</i> , 2022 , 219,	16.6	2
38	Brain delivery of supplemental docosahexaenoic acid (DHA): A randomized placebo-controlled clinical trial. <i>EBioMedicine</i> , 2020 , 59, 102883	8.8	30
37	Blood-brain barrier breakdown is an early biomarker of human cognitive dysfunction. <i>Nature Medicine</i> , 2019 , 25, 270-276	50.5	577
36	3K3A-activated protein C blocks amyloidogenic BACE1 pathway and improves functional outcome in mice. <i>Journal of Experimental Medicine</i> , 2019 , 216, 279-293	16.6	35
35	Pericyte degeneration causes white matter dysfunction in the mouse central nervous system. <i>Nature Medicine</i> , 2018 , 24, 326-337	50.5	211
34	Blood-brain barrier breakdown in Alzheimer disease and other neurodegenerative disorders. <i>Nature Reviews Neurology</i> , 2018 , 14, 133-150	15	991
33	Can adjunctive therapies augment the efficacy of endovascular thrombolysis? A potential role for activated protein C. <i>Neuropharmacology</i> , 2018 , 134, 293-301	5.5	11
32	Role of clusterin in the brain vascular clearance of amyloid- β <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 8681-8682	11.5	52
31	GLUT1 reductions exacerbate Alzheimer's disease vasculo-neuronal dysfunction and degeneration. <i>Nature Neuroscience</i> , 2015 , 18, 521-530	25.5	350
30	Cerebrospinal fluid biomarkers of neurovascular dysfunction in mild dementia and Alzheimer's disease. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015 , 35, 1055-68	7.3	74
29	Shedding of soluble platelet-derived growth factor receptor- β from human brain pericytes. <i>Neuroscience Letters</i> , 2015 , 607, 97-101	3.3	71
28	Impaired vascular-mediated clearance of brain amyloid beta in Alzheimer's disease: the role, regulation and restoration of LRP1. <i>Frontiers in Aging Neuroscience</i> , 2015 , 7, 136	5.3	117
27	Central role for PICALM in amyloid- β blood-brain barrier transcytosis and clearance. <i>Nature Neuroscience</i> , 2015 , 18, 978-87	25.5	265
26	Blood-brain barrier breakdown in the aging human hippocampus. <i>Neuron</i> , 2015 , 85, 296-302	13.9	1023
25	The pericyte: a forgotten cell type with important implications for Alzheimer's disease?. <i>Brain Pathology</i> , 2014 , 24, 371-86	6	158
24	Blood-spinal cord barrier disruption contributes to early motor-neuron degeneration in ALS-model mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E1035-42	11.5	150
23	Relationship between cyclophilin a levels and matrix metalloproteinase 9 activity in cerebrospinal fluid of cognitively normal apolipoprotein e4 carriers and blood-brain barrier breakdown. <i>JAMA Neurology</i> , 2013 , 70, 1198-200	17.2	83

22	A lipoprotein receptor cluster IV mutant preferentially binds amyloid- β and regulates its clearance from the mouse brain. <i>Journal of Biological Chemistry</i> , 2013 , 288, 15154-66	5.4	29
21	Apolipoprotein E controls cerebrovascular integrity via cyclophilin A. <i>Nature</i> , 2012 , 485, 512-6	50.4	813
20	A multimodal RAGE-specific inhibitor reduces amyloid β -mediated brain disorder in a mouse model of Alzheimer disease. <i>Journal of Clinical Investigation</i> , 2012 , 122, 1377-92	15.9	385
19	Impaired lipoprotein receptor-mediated peripheral binding of plasma amyloid- β s an early biomarker for mild cognitive impairment preceding Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , 2011 , 24, 25-34	4.3	53
18	From the liver to the blood-brain barrier: an interconnected system regulating brain amyloid- β levels. <i>Journal of Neuroscience Research</i> , 2011 , 89, 967-8	4.4	21
17	Low-density lipoprotein receptor-related protein-1: a serial clearance homeostatic mechanism controlling Alzheimer's amyloid β -peptide elimination from the brain. <i>Journal of Neurochemistry</i> , 2010 , 115, 1077-89	6	173
16	Protein S protects neurons from excitotoxic injury by activating the TAM receptor Tyro3-phosphatidylinositol 3-kinase-Akt pathway through its sex hormone-binding globulin-like region. <i>Journal of Neuroscience</i> , 2010 , 30, 15521-34	6.6	45
15	Pericytes control key neurovascular functions and neuronal phenotype in the adult brain and during brain aging. <i>Neuron</i> , 2010 , 68, 409-27	13.9	963
14	Protein S controls hypoxic/ischemic blood-brain barrier disruption through the TAM receptor Tyro3 and sphingosine 1-phosphate receptor. <i>Blood</i> , 2010 , 115, 4963-72	2.2	86
13	Impaired spine formation and learning in GPCR kinase 2 interacting protein-1 (GIT1) knockout mice. <i>Brain Research</i> , 2010 , 1317, 218-26	3.7	37
12	Endothelial protein C receptor-assisted transport of activated protein C across the mouse blood-brain barrier. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009 , 29, 25-33	7.3	54
11	SRF and myocardin regulate LRP-mediated amyloid-beta clearance in brain vascular cells. <i>Nature Cell Biology</i> , 2009 , 11, 143-53	23.4	202
10	ALS-causing SOD1 mutants generate vascular changes prior to motor neuron degeneration. <i>Nature Neuroscience</i> , 2008 , 11, 420-2	25.5	341
9	apoE isoform-specific disruption of amyloid beta peptide clearance from mouse brain. <i>Journal of Clinical Investigation</i> , 2008 , 118, 4002-13	15.9	509
8	The role of the cell surface LRP and soluble LRP in blood-brain barrier Abeta clearance in Alzheimer's disease. <i>Current Pharmaceutical Design</i> , 2008 , 14, 1601-5	3.3	142
7	Clearance of amyloid-beta by circulating lipoprotein receptors. <i>Nature Medicine</i> , 2007 , 13, 1029-31	50.5	330
6	Transport pathways for clearance of human Alzheimer's amyloid beta-peptide and apolipoproteins E and J in the mouse central nervous system. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007 , 27, 909-18	7.3	495
5	Role of the MEOX2 homeobox gene in neurovascular dysfunction in Alzheimer disease. <i>Nature Medicine</i> , 2005 , 11, 959-65	50.5	233

4	IgG-assisted age-dependent clearance of Alzheimer's amyloid beta peptide by the blood-brain barrier neonatal Fc receptor. <i>Journal of Neuroscience</i> , 2005 , 25, 11495-503	6.6	198
3	P-glycoprotein deficiency at the blood-brain barrier increases amyloid-beta deposition in an Alzheimer disease mouse model. <i>Journal of Clinical Investigation</i> , 2005 , 115, 3285-90	15.9	459
2	Method for measurement of the blood-brain barrier permeability in the perfused mouse brain: application to amyloid-beta peptide in wild type and Alzheimer's Tg2576 mice. <i>Journal of Neuroscience Methods</i> , 2004 , 138, 233-42	3	48
1	LRP/amyloid beta-peptide interaction mediates differential brain efflux of A β isoforms. <i>Neuron</i> , 2004 , 43, 333-44	13.9	661