

Keith H Nuechterlein

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6309910/keith-h-nuechterlein-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

178
papers

14,392
citations

58
h-index

118
g-index

180
ext. papers

16,488
ext. citations

4.8
avg, IF

6.08
L-index

#	Paper	IF	Citations
178	Mapping genomic loci implicates genes and synaptic biology in schizophrenia.. <i>Nature</i> , 2022 ,	50.4	35
177	The Disease Recovery Evaluation and Modification (DREaM) study: Effectiveness of paliperidone palmitate versus oral antipsychotics in patients with recent-onset schizophrenia or schizophreniform disorder.. <i>Schizophrenia Research</i> , 2022 , 243, 86-97	3.6	2
176	Confident memory errors and disrupted reality testing in early psychosis. <i>Schizophrenia Research</i> , 2021 , 238, 170-177	3.6	1
175	Cognitive heterogeneity in first-episode psychosis and its relationship with premorbid developmental adjustment. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	3
174	Cortical morphometric correlational networks associated with cognitive deficits in first episode schizophrenia. <i>Schizophrenia Research</i> , 2021 , 231, 179-188	3.6	0
173	Awareness of illness is associated with better social and nonsocial cognition in recent-onset schizophrenia. <i>Schizophrenia Research</i> , 2021 , 231, 51-53	3.6	0
172	Computer-aided learning for managing stress: A feasibility trial with clinical high risk adolescents and young adults. <i>Microbial Biotechnology</i> , 2021 , 15, 471-479	3.3	
171	Personnel time required for supported employment and education services for individuals in a recent-onset psychosis treatment program. <i>Microbial Biotechnology</i> , 2021 , 15, 402-405	3.3	4
170	Changes in inflammation are related to depression and amount of aerobic exercise in first episode schizophrenia. <i>Microbial Biotechnology</i> , 2021 , 15, 213-216	3.3	5
169	Anticholinergic Medication Burden-Associated Cognitive Impairment in Schizophrenia. <i>American Journal of Psychiatry</i> , 2021 , 178, 838-847	11.9	16
168	Linguistic and neurocognitive correlates of probabilistic classification learning in schizophrenia. <i>Schizophrenia Research: Cognition</i> , 2021 , 26, 100209	2.8	0
167	The clinical characterization of the patient with primary psychosis aimed at personalization of management. <i>World Psychiatry</i> , 2021 , 20, 4-33	14.4	43
166	Association between cortical volume and gray-white matter contrast with second generation antipsychotic medication exposure in first episode male schizophrenia patients. <i>Schizophrenia Research</i> , 2020 , 222, 397-410	3.6	1
165	The effects of age and sex on cognitive impairment in schizophrenia: Findings from the Consortium on the Genetics of Schizophrenia (COGS) study. <i>PLoS ONE</i> , 2020 , 15, e0232855	3.7	6
164	Profile of cognitive deficits in schizophrenia and factor structure of the Czech MATRICS Consensus Cognitive Battery. <i>Schizophrenia Research</i> , 2020 , 218, 85-92	3.6	5
163	Associations between physiological responses to social-evaluative stress and daily functioning in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2020 , 218, 233-239	3.6	4
162	Relationship of poor insight to neurocognition, social cognition, and psychiatric symptoms in schizophrenia: A meta-analysis. <i>Schizophrenia Research</i> , 2020 , 220, 164-171	3.6	8

161	S81. METAMEMORY IMPAIRMENT ACROSS THE PSYCHOSIS TRAJECTORY: ASSOCIATIONS WITH SYMPTOM SEVERITY. <i>Schizophrenia Bulletin</i> , 2020 , 46, S65-S65	1.3	78
160	A randomized controlled trial of cognitive remediation and long-acting injectable risperidone after a first episode of schizophrenia: improving cognition and work/school functioning. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	7
159	Early Visual Processing Is Associated With Social Cognitive Performance in Recent-Onset Schizophrenia. <i>Frontiers in Psychiatry</i> , 2020 , 11, 823	5	2
158	Heritability of acoustic startle magnitude and latency from the consortium on the genetics of schizophrenia. <i>Schizophrenia Research</i> , 2020 , 224, 33-39	3.6	0
157	Structural and Functional Connectivity of Visual Cortex in Schizophrenia and Bipolar Disorder: A Graph-Theoretic Analysis. <i>Schizophrenia Bulletin Open</i> , 2020 , 1, sgaa056	2.2	3
156	Enhancing return to work or school after a first episode of schizophrenia: the UCLA RCT of Individual Placement and Support and Workplace Fundamentals Module training. <i>Psychological Medicine</i> , 2020 , 50, 20-28	6.9	25
155	Virtual reality assessment of functional capacity in the early course of schizophrenia: Associations with cognitive performance and daily functioning. <i>Microbial Biotechnology</i> , 2020 , 14, 106-114	3.3	10
154	Evidence of shared familial factors influencing neurocognitive endophenotypes in adult- and childhood-onset schizophrenia. <i>Psychological Medicine</i> , 2020 , 50, 1672-1679	6.9	3
153	The effects of age and sex on cognitive impairment in schizophrenia: Findings from the Consortium on the Genetics of Schizophrenia (COGS) study 2020 , 15, e0232855		
152	The effects of age and sex on cognitive impairment in schizophrenia: Findings from the Consortium on the Genetics of Schizophrenia (COGS) study 2020 , 15, e0232855		
151	The effects of age and sex on cognitive impairment in schizophrenia: Findings from the Consortium on the Genetics of Schizophrenia (COGS) study 2020 , 15, e0232855		
150	The effects of age and sex on cognitive impairment in schizophrenia: Findings from the Consortium on the Genetics of Schizophrenia (COGS) study 2020 , 15, e0232855		
149	F39. LEPTIN-BINDING PROTEIN LEVELS ARE ASSOCIATED WITH COGNITIVE FUNCTIONING EARLY IN THE COURSE OF SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2019 , 45, S270-S270	1.3	1
148	Affective prosody and facial emotion recognition in first-episode schizophrenia: Associations with functioning & symptoms. <i>Schizophrenia Research: Cognition</i> , 2019 , 18, 100153	2.8	6
147	Evaluation of a plasticity-based cognitive training program in schizophrenia: Results from the eCaesar trial. <i>Schizophrenia Research</i> , 2019 , 208, 182-189	3.6	12
146	Social vs. non-social measures of learning potential for predicting community functioning across phase of illness in schizophrenia. <i>Schizophrenia Research</i> , 2019 , 204, 104-110	3.6	3
145	Genome-wide Association of Endophenotypes for Schizophrenia From the Consortium on the Genetics of Schizophrenia (COGS) Study. <i>JAMA Psychiatry</i> , 2019 , 76, 1274-1284	14.5	32
144	Cognitive impairment in psychotic illness: prevalence, profile of impairment, developmental course, and treatment considerations?. <i>Dialogues in Clinical Neuroscience</i> , 2019 , 21, 239-248	5.7	45

143	fMRI evidence of aberrant neural adaptation for objects in schizophrenia and bipolar disorder. <i>Human Brain Mapping</i> , 2019 , 40, 1608-1617	5.9	17
142	Herpes simplex virus 1 infection and valacyclovir treatment in schizophrenia: Results from the VISTA study. <i>Schizophrenia Research</i> , 2019 , 206, 291-299	3.6	6
141	Cognitive remediation can improve negative symptoms and social functioning in first-episode schizophrenia: A randomized controlled trial. <i>Schizophrenia Research</i> , 2019 , 203, 24-31	3.6	32
140	Temporal lobe thickness and verbal memory in first-degree relatives of individuals with schizophrenia. <i>Schizophrenia Research</i> , 2018 , 199, 221-225	3.6	6
139	Abnormal Trajectory of Intracortical Myelination in Schizophrenia Implicates White Matter in Disease Pathophysiology and the Therapeutic Mechanism of Action of Antipsychotics. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018 , 3, 454-462	3.4	13
138	Deficient prepulse inhibition in schizophrenia in a multi-site cohort: Internal replication and extension. <i>Schizophrenia Research</i> , 2018 , 198, 6-15	3.6	32
137	Episodic Memory for Dynamic Social Interaction Across Phase of Illness in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018 , 44, 620-630	1.3	3
136	Family burden predicts functional outcome in the early course of schizophrenia beyond psychiatric symptoms and baseline functioning. <i>Schizophrenia Research</i> , 2018 , 202, 328-332	3.6	4
135	A direct examination of the cognitive underpinnings of multitasking abilities: A first study examining schizophrenia. <i>Psychiatry Research</i> , 2018 , 268, 288-296	9.9	4
134	Clinical and Cognitive Significance of Auditory Sensory Processing Deficits in Schizophrenia. <i>American Journal of Psychiatry</i> , 2018 , 175, 275-283	11.9	36
133	Expressed emotion and the escalation of depressive symptoms in individuals with recent-onset schizophrenia. <i>Microbial Biotechnology</i> , 2017 , 11, 351-353	3.3	2
132	The Brazilian standardization of the MATRICS consensus cognitive battery (MCCB): Psychometric study. <i>Schizophrenia Research</i> , 2017 , 185, 148-153	3.6	13
131	Examining the reliability and validity of the Clinical Assessment Interview for Negative Symptoms within the Management of Schizophrenia in Clinical Practice (MOSAIC) multisite national study. <i>Schizophrenia Research</i> , 2017 , 185, 137-143	3.6	20
130	The Pioneering Contributions of Irving Gottesman: An Appreciation. <i>Clinical Psychological Science</i> , 2017 , 5, 424-426	6	
129	Assessing neural tuning for object perception in schizophrenia and bipolar disorder with multivariate pattern analysis of fMRI data. <i>NeuroImage: Clinical</i> , 2017 , 16, 491-497	5.3	8
128	SU78. Intracortical Myelination Within the Frontal Lobe as a Potential Biomarker for Therapeutic Effectiveness in Antipsychotics Using MRI With Selective Myelin-Lipid Suppression at 1.5 and 3 T. <i>Schizophrenia Bulletin</i> , 2017 , 43, S189-S189	1.3	78
127	Aerobic Exercise Improves Cognitive Functioning in People With Schizophrenia: A Systematic Review and Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2017 , 43, 546-556	1.3	189
126	SA96. Schizophrenia and Schizophrenia-Spectrum Disorders in the First-Degree Relatives of Children and Adults With Schizophrenia: The UCLA Family Study. <i>Schizophrenia Bulletin</i> , 2017 , 43, S147-S147	1.3	0

125	Gating Deficit Heritability and Correlation With Increased Clinical Severity in Schizophrenia Patients With Positive Family History. <i>American Journal of Psychiatry</i> , 2016 , 173, 385-91	11.9	31
124	Longitudinal stability of social cognition in schizophrenia: A 5-year follow-up of social perception and emotion processing. <i>Schizophrenia Research</i> , 2016 , 176, 467-472	3.6	34
123	Genetic assessment of additional endophenotypes from the Consortium on the Genetics of Schizophrenia Family Study. <i>Schizophrenia Research</i> , 2016 , 170, 30-40	3.6	46
122	Cognitive Assessment Interview (CAI): Validity as a co-primary measure of cognition across phases of schizophrenia. <i>Schizophrenia Research</i> , 2016 , 172, 137-42	3.6	9
121	Healthy adolescent performance on the MATRICS Consensus Cognitive Battery (MCCB): Developmental data from two samples of volunteers. <i>Schizophrenia Research</i> , 2016 , 172, 106-13	3.6	18
120	Abnormal Ventral and Dorsal Attention Network Activity during Single and Dual Target Detection in Schizophrenia. <i>Frontiers in Psychology</i> , 2016 , 7, 323	3.4	18
119	Enhancing Cognitive Training Through Aerobic Exercise After a First Schizophrenia Episode: Theoretical Conception and Pilot Study. <i>Schizophrenia Bulletin</i> , 2016 , 42 Suppl 1, S44-52	1.3	56
118	California Verbal Learning Test-II performance in schizophrenia as a function of ascertainment strategy: comparing the first and second phases of the Consortium on the Genetics of Schizophrenia (COGS). <i>Schizophrenia Research</i> , 2015 , 163, 32-7	3.6	11
117	Verbal working memory in schizophrenia from the Consortium on the Genetics of Schizophrenia (COGS) study: the moderating role of smoking status and antipsychotic medications. <i>Schizophrenia Research</i> , 2015 , 163, 24-31	3.6	22
116	The utility of P300 as a schizophrenia endophenotype and predictive biomarker: clinical and socio-demographic modulators in COGS-2. <i>Schizophrenia Research</i> , 2015 , 163, 53-62	3.6	63
115	Long-Acting Injectable Risperidone for Relapse Prevention and Control of Breakthrough Symptoms After a Recent First Episode of Schizophrenia. A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2015 , 72, 822-9	14.5	161
114	Robust differences in antisaccade performance exist between COGS schizophrenia cases and controls regardless of recruitment strategies. <i>Schizophrenia Research</i> , 2015 , 163, 47-52	3.6	13
113	Contributions of Feature Binding During Encoding and Functional Connectivity of the Medial Temporal Lobe Structures to Episodic Memory Deficits Across the Prodromal and First-Episode Phases of Schizophrenia. <i>Clinical Psychological Science</i> , 2015 , 3, 159-174	6	19
112	Prefrontal and Hippocampal Brain Volume Deficits: Role of Low Physical Activity on Brain Plasticity in First-Episode Schizophrenia Patients. <i>Journal of the International Neuropsychological Society</i> , 2015 , 21, 868-79	3.1	20
111	Factors predicting work outcome in Japanese patients with schizophrenia: role of multiple functioning levels. <i>Schizophrenia Research: Cognition</i> , 2015 , 2, 105-112	2.8	13
110	The RAISE Connection Program for Early Psychosis: Secondary Outcomes and Mediators and Moderators of Improvement. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 365-71	1.8	20
109	Attention/vigilance in schizophrenia: performance results from a large multi-site study of the Consortium on the Genetics of Schizophrenia (COGS). <i>Schizophrenia Research</i> , 2015 , 163, 38-46	3.6	48
108	Neurocognitive performance in family-based and case-control studies of schizophrenia. <i>Schizophrenia Research</i> , 2015 , 163, 17-23	3.6	22

107	Validation of mismatch negativity and P3a for use in multi-site studies of schizophrenia: characterization of demographic, clinical, cognitive, and functional correlates in COGS-2. <i>Schizophrenia Research</i> , 2015 , 163, 63-72	3.6	116
106	Factor structure and heritability of endophenotypes in schizophrenia: findings from the Consortium on the Genetics of Schizophrenia (COGS-1). <i>Schizophrenia Research</i> , 2015 , 163, 73-9	3.6	45
105	Hippocampal dysfunction during declarative memory encoding in schizophrenia and effects of genetic liability. <i>Schizophrenia Research</i> , 2015 , 161, 357-66	3.6	26
104	Negative symptoms and functioning during the first year after a recent onset of schizophrenia and 8 years later. <i>Schizophrenia Research</i> , 2015 , 161, 407-13	3.6	90
103	The relationship of attitudinal beliefs to negative symptoms, neurocognition, and daily functioning in recent-onset schizophrenia. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1308-18	1.3	52
102	The impact of second-generation antipsychotic adherence on positive and negative symptoms in recent-onset schizophrenia. <i>Schizophrenia Research</i> , 2014 , 159, 95-100	3.6	11
101	Detecting reliable cognitive change in individual patients with the MATRICS Consensus Cognitive Battery. <i>Schizophrenia Research</i> , 2014 , 159, 182-7	3.6	17
100	Developing a Cognitive Training Strategy for First-Episode Schizophrenia: Integrating Bottom-Up and Top-Down Approaches. <i>American Journal of Psychiatric Rehabilitation</i> , 2014 , 17, 225-253		37
99	Comparison of the heritability of schizophrenia and endophenotypes in the COGS-1 family study. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1404-11	1.3	26
98	The MATRICS consensus cognitive battery: what we know 6 years later. <i>American Journal of Psychiatry</i> , 2014 , 171, 1151-4	11.9	37
97	Social cognition and functional outcome in schizophrenia: The moderating role of cardiac vagal tone. <i>Journal of Abnormal Psychology</i> , 2014 , 123, 764-770	7	8
96	A novel, online social cognitive training program for young adults with schizophrenia: A pilot study. <i>Schizophrenia Research: Cognition</i> , 2014 , 1, e11-e19	2.8	70
95	Deficient prepulse inhibition in schizophrenia detected by the multi-site COGS. <i>Schizophrenia Research</i> , 2014 , 152, 503-12	3.6	74
94	The early longitudinal course of cognitive deficits in schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2014 , 75 Suppl 2, 25-9	4.6	28
93	Statistical shape analysis of the corpus callosum in Schizophrenia. <i>NeuroImage</i> , 2013 , 64, 547-59	7.9	24
92	Genome-wide linkage analyses of 12 endophenotypes for schizophrenia from the Consortium on the Genetics of Schizophrenia. <i>American Journal of Psychiatry</i> , 2013 , 170, 521-32	11.9	105
91	Managing disclosure following recent-onset psychosis: utilizing the individual placement and support model. <i>Microbial Biotechnology</i> , 2013 , 7, 338-44	3.3	11
90	Risperidone Nonadherence and Return of Positive Symptoms in the Early Course of Schizophrenia. <i>Focus (American Psychiatric Publishing)</i> , 2012 , 10, 231-238	1.1	0

89	Social cognition in schizophrenia, Part 1: performance across phase of illness. <i>Schizophrenia Bulletin</i> , 2012 , 38, 854-64	1.3	283
88	Impact on intracortical myelination trajectory of long acting injection versus oral risperidone in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2012 , 140, 122-8	3.6	52
87	Disease and genetic contributions toward local tissue volume disturbances in schizophrenia: a tensor-based morphometry study. <i>Human Brain Mapping</i> , 2012 , 33, 2081-91	5.9	12
86	The puzzle of schizophrenia: tracking the core role of cognitive deficits. <i>Development and Psychopathology</i> , 2012 , 24, 529-36	4.3	29
85	Social cognition in schizophrenia, Part 2: 12-month stability and prediction of functional outcome in first-episode patients. <i>Schizophrenia Bulletin</i> , 2012 , 38, 865-72	1.3	215
84	The cultural adaptability of intermediate measures of functional outcome in schizophrenia. <i>Schizophrenia Bulletin</i> , 2012 , 38, 630-41	1.3	22
83	Relationships between perceptions of the family environment and of negative life events in recent-onset schizophrenia patients. <i>Schizophrenia Research</i> , 2011 , 127, 266-7	3.6	3
82	The MCCB impairment profile for schizophrenia outpatients: results from the MATRICS psychometric and standardization study. <i>Schizophrenia Research</i> , 2011 , 126, 124-31	3.6	172
81	Remission and recovery during the first outpatient year of the early course of schizophrenia. <i>Schizophrenia Research</i> , 2011 , 132, 18-23	3.6	71
80	Long acting injection versus oral risperidone in first-episode schizophrenia: differential impact on white matter myelination trajectory. <i>Schizophrenia Research</i> , 2011 , 132, 35-41	3.6	71
79	Mean diffusivity and fractional anisotropy as indicators of disease and genetic liability to schizophrenia. <i>Journal of Psychiatric Research</i> , 2011 , 45, 980-8	5.2	91
78	The attentional blink in schizophrenia: isolating the perception/attention interface. <i>Journal of Psychiatric Research</i> , 2011 , 45, 1346-51	5.2	19
77	Risperidone nonadherence and return of positive symptoms in the early course of schizophrenia. <i>American Journal of Psychiatry</i> , 2011 , 168, 286-92	11.9	86
76	Analysis of 94 candidate genes and 12 endophenotypes for schizophrenia from the Consortium on the Genetics of Schizophrenia. <i>American Journal of Psychiatry</i> , 2011 , 168, 930-46	11.9	201
75	Neurocognitive predictors of work outcome in recent-onset schizophrenia. <i>Schizophrenia Bulletin</i> , 2011 , 37 Suppl 2, S33-40	1.3	209
74	Bifactor and item response theory analyses of interviewer report scales of cognitive impairment in schizophrenia. <i>Psychological Assessment</i> , 2011 , 23, 245-61	5.3	35
73	The Cognitive Assessment Interview (CAI): development and validation of an empirically derived, brief interview-based measure of cognition. <i>Schizophrenia Research</i> , 2010 , 121, 24-31	3.6	60
72	Psychophysiological prodromal signs of schizophrenic relapse: a pilot study. <i>Schizophrenia Research</i> , 2010 , 123, 64-7	3.6	16

71	The contributions of disease and genetic factors towards regional cortical thinning in schizophrenia: the UCLA family study. <i>Schizophrenia Research</i> , 2010 , 123, 116-25	3.6	31
70	Latest developments in the matrices process. <i>Psychiatry</i> , 2010 , 7, 49-52		7
69	Schizophrenia as a Cognitive Disorder: Recent Approaches to Identifying its Core Cognitive Components to Aid Treatment Development 2010 , 267-282		
68	Development and evaluation of a health promotion group for individuals with severe psychiatric disabilities. <i>Psychiatric Rehabilitation Journal</i> , 2009 , 33, 56-9	2.4	9
67	Development of a measure of relationship perception in schizophrenia. <i>Psychiatry Research</i> , 2009 , 166, 54-62	9.9	60
66	Emotional intelligence in schizophrenia. <i>Schizophrenia Research</i> , 2009 , 107, 61-8	3.6	94
65	CMINDS does not have identical tests to the CATIE and MATRICS batteries. Commentary on O'Riordan et al. <i>Schizophrenia Research</i> , 2009 , 107, 327-9; author reply 330-1	3.6	2
64	Symptoms as mediators of the relationship between neurocognition and functional outcome in schizophrenia: a meta-analysis. <i>Schizophrenia Research</i> , 2009 , 113, 189-99	3.6	370
63	In vivo evidence of differential impact of typical and atypical antipsychotics on intracortical myelin in adults with schizophrenia. <i>Schizophrenia Research</i> , 2009 , 113, 322-31	3.6	71
62	CNTRICS final task selection: control of attention. <i>Schizophrenia Bulletin</i> , 2009 , 35, 182-96	1.3	73
61	Remember and know judgments during recognition in chronic schizophrenia. <i>Schizophrenia Research</i> , 2008 , 100, 181-90	3.6	47
60	The validity of Psychosis Proneness Scales as vulnerability indicators in recent-onset schizophrenia patients. <i>Schizophrenia Research</i> , 2008 , 100, 224-36	3.6	41
59	Stability of visual masking performance in recent-onset schizophrenia: an 18-month longitudinal study. <i>Schizophrenia Research</i> , 2008 , 103, 266-74	3.6	14
58	Identifying cognitive mechanisms targeted for treatment development in schizophrenia: an overview of the first meeting of the Cognitive Neuroscience Treatment Research to Improve Cognition in Schizophrenia Initiative. <i>Biological Psychiatry</i> , 2008 , 64, 4-10	7.9	151
57	Executive functioning component mechanisms and schizophrenia. <i>Biological Psychiatry</i> , 2008 , 64, 26-33	7.9	129
56	The MATRICS Consensus Cognitive Battery, part 1: test selection, reliability, and validity. <i>American Journal of Psychiatry</i> , 2008 , 165, 203-13	11.9	1502
55	The MATRICS Consensus Cognitive Battery, part 2: co-norming and standardization. <i>American Journal of Psychiatry</i> , 2008 , 165, 214-20	11.9	474
54	Individual placement and support for individuals with recent-onset schizophrenia: integrating supported education and supported employment. <i>Psychiatric Rehabilitation Journal</i> , 2008 , 31, 340-9	2.4	161

53	Impaired implicit learning in schizophrenia. <i>Neuropsychology</i> , 2008 , 22, 606-17	3.8	57
52	Selective corticostriatal dysfunction in schizophrenia: examination of motor and cognitive skill learning. <i>Neuropsychology</i> , 2008 , 22, 100-9	3.8	60
51	The Consortium on the Genetics of Schizophrenia: neurocognitive endophenotypes. <i>Schizophrenia Bulletin</i> , 2007 , 33, 49-68	1.3	286
50	Initial heritability analyses of endophenotypic measures for schizophrenia: the consortium on the genetics of schizophrenia. <i>Archives of General Psychiatry</i> , 2007 , 64, 1242-50		326
49	Social perception as a mediator of the influence of early visual processing on functional status in schizophrenia. <i>American Journal of Psychiatry</i> , 2006 , 163, 448-54	11.9	262
48	Do recent-onset schizophrenia patients experience a "social network crisis"? <i>Psychiatry (New York)</i> , 2006 , 69, 115-29	1	66
47	Neurocognitive performance and functional disability in the psychosis prodrome. <i>Schizophrenia Research</i> , 2006 , 84, 100-11	3.6	211
46	Classifying episodes in schizophrenia and bipolar disorder: criteria for relapse and remission applied to recent-onset samples. <i>Psychiatry Research</i> , 2006 , 144, 153-66	9.9	41
45	Translating basic attentional paradigms to schizophrenia research: reconsidering the nature of the deficits. <i>Development and Psychopathology</i> , 2006 , 18, 831-51	4.3	26
44	Schizophrenia patients demonstrate a distinctive pattern of decision-making impairment on the Iowa Gambling Task. <i>Schizophrenia Research</i> , 2005 , 72, 215-24	3.6	183
43	Distinguishing separable domains of cognition in human and animal studies: what separations are optimal for targeting interventions? A summary of recommendations from breakout group 2 at the measurement and treatment research to improve cognition in schizophrenia new approaches conference. <i>Schizophrenia Bulletin</i> , 2005 , 31, 870-4	1.3	44
42	Maintenance and manipulation of information in schizophrenia: further evidence for impairment in the central executive component of working memory. <i>Schizophrenia Research</i> , 2004 , 68, 173-87	3.6	86
41	Approaching a consensus cognitive battery for clinical trials in schizophrenia: the NIMH-MATRICES conference to select cognitive domains and test criteria. <i>Biological Psychiatry</i> , 2004 , 56, 301-7	7.9	700
40	NIMH-MATRICES survey on assessment of neurocognition in schizophrenia. <i>Schizophrenia Research</i> , 2004 , 72, 11-9	3.6	92
39	Identification of separable cognitive factors in schizophrenia. <i>Schizophrenia Research</i> , 2004 , 72, 29-39	3.6	947
38	A prospective study of childhood neurocognitive functioning in schizophrenic patients and their siblings. <i>American Journal of Psychiatry</i> , 2003 , 160, 2060-2	11.9	170
37	Dysregulated brain development in adult men with schizophrenia: a magnetic resonance imaging study. <i>Biological Psychiatry</i> , 2003 , 53, 412-21	7.9	101
36	The temporal stability of electrodermal variables over a one-year period in patients with recent-onset schizophrenia and in normal subjects. <i>Psychophysiology</i> , 2002 , 39, 124-132	4.1	32

35	Neurocognitive impairments in nonpsychotic parents of children with schizophrenia and attention-deficit/hyperactivity disorder: the University of California, Los Angeles Family Study. <i>Archives of General Psychiatry</i> , 2002 , 59, 1053-60		67
34	Neurocognitive functioning and schizophrenia spectrum disorders can be independent expressions of familial liability for schizophrenia in community control children: the UCLA family study. <i>Schizophrenia Research</i> , 2002 , 54, 111-20	3.6	16
33	The structure of schizotypy: relationships between neurocognitive and personality disorder features in relatives of schizophrenic patients in the UCLA Family Study. <i>Schizophrenia Research</i> , 2002 , 54, 121-30	3.6	55
32	Clinical outcome following neuroleptic discontinuation in patients with remitted recent-onset schizophrenia. <i>American Journal of Psychiatry</i> , 2001 , 158, 1835-42	11.9	192
31	Family transactions and relapse in bipolar disorder. <i>Family Process</i> , 2001 , 40, 5-14	3.9	39
30	Schizophrenia and schizophrenia-spectrum personality disorders in the first-degree relatives of children with schizophrenia: the UCLA Family study. <i>Archives of General Psychiatry</i> , 2001 , 58, 581-8		154
29	Attention in HIV-infected children: results from the Hemophilia Growth and Development Study. <i>Journal of the International Neuropsychological Society</i> , 2000 , 6, 443-54	3.1	26
28	Neurocognitive vulnerability, interpersonal criticism, and the emergence of unusual thinking by schizophrenic patients during family transactions. <i>Archives of General Psychiatry</i> , 2000 , 57, 1174-9		24
27	Symptom dimensions in recent-onset schizophrenia and mania: a principal components analysis of the 24-item Brief Psychiatric Rating Scale. <i>Psychiatry Research</i> , 2000 , 97, 129-35	9.9	270
26	The factor structure of schizophrenia spectrum personality disorders: signs and symptoms in relatives of psychotic patients from the UCLA family members study. <i>Psychiatry Research</i> , 1999 , 87, 137-46	8.9	23
25	A longitudinal analysis of eye tracking dysfunction and attention in recent-onset schizophrenia. <i>Psychophysiology</i> , 1998 , 35, 443-451	4.1	19
24	Depressive symptoms in the early course of schizophrenia: relationship to familial psychiatric illness. <i>American Journal of Psychiatry</i> , 1997 , 154, 1551-6	11.9	41
23	Reduced attention-related negative potentials in schizophrenic adults. <i>Psychophysiology</i> , 1994 , 31, 272-81	4.1	32
22	Intrafamilial relationships and the course of schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 1994 , 384, 60-6	6.5	15
21	Information-processing abnormalities as neuropsychological vulnerability indicators for schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 1994 , 384, 71-9	6.5	139
20	Developmental Processes in Schizophrenic Disorders: longitudinal studies of vulnerability and stress. <i>Schizophrenia Bulletin</i> , 1992 , 18, 387-425	1.3	411
19	Life events and schizophrenic relapse after withdrawal of medication. <i>British Journal of Psychiatry</i> , 1992 , 161, 615-20	5.4	43
18	Stress-Indicative Patterns of Non-Verbal Behaviour Their Role in Family Interaction. <i>British Journal of Psychiatry</i> , 1992 , 161, 103-113	5.4	8

17	Paths to Relapse: Possible Transactional Processes Connecting Patient Illness Onset, Expressed Emotion, and Psychotic Relapse. <i>British Journal of Psychiatry</i> , 1992 , 161, 88-96	5.4	54
16	Family Interaction Versus Individual Psychopathology: Do They Indicate the Same Processes in the Families of Schizophrenics?. <i>British Journal of Psychiatry</i> , 1992 , 161, 97-102	5.4	18
15	Neuropsychological vulnerability or episode factors in schizophrenia?. <i>Behavioral and Brain Sciences</i> , 1991 , 14, 37-38	0.9	9
14	Interrater reliability of the Structured Clinical Interview for DSM-III-R, Axis II: schizophrenia spectrum and affective spectrum disorders. <i>Psychiatry Research</i> , 1991 , 39, 55-63	9.9	37
13	Glucose metabolic rate in normals and schizophrenics during the Continuous Performance Test assessed by positron emission tomography. <i>British Journal of Psychiatry</i> , 1990 , 156, 216-27	5.4	269
12	Can communication deviance be measured in a family problem-solving interaction?. <i>Family Process</i> , 1990 , 29, 213-26	3.9	17
11	Patterns of Expressed Emotion and Patient Coping Styles that Characterise the Families of Recent Onset Schizophrenics. <i>British Journal of Psychiatry</i> , 1989 , 155, 107-111	5.4	29
10	Is expressed emotion an index of a transactional process? I. Parents' affective style. <i>Family Process</i> , 1989 , 28, 153-67	3.9	89
9	Is expressed emotion an index of a transactional process? II. Patient's coping style. <i>Family Process</i> , 1989 , 28, 169-81	3.9	92
8	The relationship of symptomatology and medication to electrodermal activity in schizophrenia. <i>Psychophysiology</i> , 1989 , 26, 148-57	4.1	56
7	A prospective study of stressful life events and schizophrenic relapse.. <i>Journal of Abnormal Psychology</i> , 1989 , 98, 407-411	7	147
6	Prodromal signs and symptoms of schizophrenic relapse.. <i>Journal of Abnormal Psychology</i> , 1988 , 97, 405-412	7	99
5	Signal detection in vigilance tasks and behavioral attributes among offspring of schizophrenic mothers and among hyperactive children.. <i>Journal of Abnormal Psychology</i> , 1983 , 92, 4-28	7	308
4	Schizophrenic information-processing deficit: What type or level of processing is disordered?. <i>Behavioral and Brain Sciences</i> , 1982 , 5, 609-610	0.9	1
3	Reaction time and attention in schizophrenia: a critical evaluation of the data and theories. <i>Schizophrenia Bulletin</i> , 1977 , 3, 373-428	1.3	253
2	Enhancing work functioning in early psychosis 331-348		1
1	Neurocognitive vulnerability factors for schizophrenia: Convergence across genetic risk studies and longitudinal trait-state studies. 299-327		18