
Mats MÃ¥lqvist

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6312022/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effect of the COVID-19 pandemic response on intrapartum care, stillbirth, and neonatal mortality outcomes in Nepal: a prospective observational study. The Lancet Global Health, 2020, 8, e1273-e1281.	6.3	332
2	Effects of Delayed Umbilical Cord Clamping vs Early Clamping on Anemia in Infants at 8 and 12 Months. JAMA Pediatrics, 2017, 171, 264.	6.2	114
3	Reducing Perinatal Mortality in Nepal Using Helping Babies Breathe. Pediatrics, 2016, 137, .	2.1	111
4	Distance decay in delivery care utilisation associated with neonatal mortality. A case referent study in northern Vietnam. BMC Public Health, 2010, 10, 762.	2.9	77
5	Effect of Facilitation of Local Maternal-and-Newborn Stakeholder Groups on Neonatal Mortality: Cluster-Randomized Controlled Trial. PLoS Medicine, 2013, 10, e1001445.	8.4	65
6	Fathers as Supporters for Improved Exclusive Breastfeeding in Viet Nam. Maternal and Child Health Journal, 2014, 18, 1444-1453.	1.5	61
7	Evaluation of Helping Babies Breathe Quality Improvement Cycle (HBB-QIC) on retention of neonatal resuscitation skills six months after training in Nepal. BMC Pediatrics, 2017, 17, 103.	1.7	61
8	Intact cord resuscitation versus early cord clamping in the treatment of depressed newborn infants during the first 10 minutes of birth (Nepcord III) – a randomized clinical trial. Maternal Health, Neonatology and Perinatology, 2019, 5, 15.	2.2	59
9	Inequity in maternal health care utilization in Vietnam. International Journal for Equity in Health, 2012, 11, 24.	3.5	56
10	Causes and determinants of inequity in maternal and child health in Vietnam. BMC Public Health, 2012, 12, 641.	2.9	53
11	Effect of a scaled-up neonatal resuscitation quality improvement package on intrapartum-related mortality in Nepal: A stepped-wedge cluster randomized controlled trial. PLoS Medicine, 2019, 16, e1002900.	8.4	53
12	Health system context and implementation of evidence-based practices—development and validation of the Context Assessment for Community Health (COACH) tool for low- and middle-income settings. Implementation Science, 2015, 10, 120.	6.9	51
13	What interventions are effective on reducing inequalities in maternal and child health in low- and middle-income settings? A systematic review. BMC Public Health, 2014, 14, 634.	2.9	50
14	Unreported births and deaths, a severe obstacle for improved neonatal survival in low-income countries; a population based study. BMC International Health and Human Rights, 2008, 8, 4.	2.5	47
15	Targeted Interventions for Improved Equity in Maternal and Child Health in Low- and Middle-Income Settings: A Systematic Review and Meta-Analysis. PLoS ONE, 2013, 8, e66453.	2.5	47
16	Poor adherence to neonatal resuscitation guidelines exposed; an observational study using camera surveillance at a tertiary hospital in Nepal. BMC Pediatrics, 2014, 14, 233.	1.7	45
17	Maternal health care utilization in Viet Nam: increasing ethnic inequity. Bulletin of the World Health Organization, 2013, 91, 254-261.	3.3	44
18	Ethnic minority health in Vietnam: a review exposing horizontal inequity. Global Health Action, 2013, 6, 19803.	1.9	42

#	Article	IF	CITATIONS
19	Effect of Delayed Cord Clamping of Term Babies on Neurodevelopment at 12 Months: A Randomized Controlled Trial. Neonatology, 2019, 115, 36-42.	2.0	40
20	Risk factors for antepartum stillbirth: a case-control study in Nepal. BMC Pregnancy and Childbirth, 2015, 15, 146.	2.4	39
21	Father's involvement and its effect on early breastfeeding practices in Viet Nam. Maternal and Child Nutrition, 2016, 12, 768-777.	3.0	38
22	Incidence of intrapartum stillbirth and associated risk factors in tertiary care setting of Nepal: a case-control study. Reproductive Health, 2016, 13, 103.	3.1	35
23	Persistent neonatal mortality despite improved underâ€five survival: a retrospective cohort study in northern Vietnam. Acta Paediatrica, International Journal of Paediatrics, 2008, 97, 166-170.	1.5	34
24	Evidence-based practice in neonatal health: knowledge among primary health care staff in northern Viet Nam. Human Resources for Health, 2009, 7, 36.	3.1	34
25	Inadequate fetal heart rate monitoring and poor use of partogram associated with intrapartum stillbirth: a case-referent study in Nepal. BMC Pregnancy and Childbirth, 2016, 16, 233.	2.4	34
26	Scaling up quality improvement intervention for perinatal care in Nepal (NePeriQIP); study protocol of a cluster randomised trial. BMJ Global Health, 2017, 2, e000497.	4.7	34
27	Placing children and adolescents at the centre of the Sustainable Development Goals will deliver for current and future generations. Global Health Action, 2019, 12, 1670015.	1.9	34
28	Promoting equity to achieve maternal and child health. Reproductive Health Matters, 2011, 19, 176-182.	1.2	33
29	Increased immunization coverage addresses the equity gap in Nepal. Bulletin of the World Health Organization, 2017, 95, 261-269.	3.3	33
30	Implementing knowledge into practice for improved neonatal survival; a cluster-randomised, community-based trial in Quang Ninh province, Vietnam. BMC Health Services Research, 2011, 11, 239.	2.2	32
31	Neonatal mortality: an invisible and marginalised trauma. Global Health Action, 2011, 4, 5724.	1.9	32
32	Implementing a simplified neonatal resuscitation protocol-helping babies breathe at birth (HBB) - at a tertiary level hospital in Nepal for an increased perinatal survival. BMC Pediatrics, 2012, 12, 159.	1.7	32
33	Ethnic inequity in neonatal survival: a caseâ€referent study in northern Vietnam. Acta Paediatrica, International Journal of Paediatrics, 2011, 100, 340-346.	1.5	31
34	Level of mortality risk for babies born preterm or with a small weight for gestation in a tertiary hospital of Nepal. BMC Public Health, 2015, 15, 877.	2.9	31
35	Causes of neonatal death: results from NeoKIP communityâ€based trial in Quang Ninh province, Vietnam. Acta Paediatrica, International Journal of Paediatrics, 2012, 101, 368-373.	1.5	29
36	Dimensions of Learning Organizations Questionnaire (DLOQ) in a low-resource health care setting in Nepal. Health Research Policy and Systems, 2015, 13, 6.	2.8	27

#	Article	IF	CITATIONS
37	Screening for Antepartum Depression Through Community Health Outreach in Swaziland. Journal of Community Health, 2016, 41, 946-952.	3.8	23
38	Quality of Care for Maternal and Newborn Health in Health Facilities in Nepal. Maternal and Child Health Journal, 2020, 24, 31-38.	1.5	23
39	Scaling Up Safer Birth Bundle Through Quality Improvement in Nepal (SUSTAIN)—a stepped wedge cluster randomized controlled trial in public hospitals. Implementation Science, 2019, 14, 65.	6.9	22
40	Causes of maternal deaths and delays in care: comparison between routine maternal death surveillance and response system and an obstetrician expert panel in Tanzania. BMC Health Services Research, 2020, 20, 614.	2.2	21
41	Perinatal services and outcomes in Quang Ninh province, Vietnam. Acta Paediatrica, International Journal of Paediatrics, 2010, 99, 1478-1483.	1.5	19
42	Effect of timing of umbilical cord clamping on anaemia at 8 and 12 months and later neurodevelopment in late pre-term and term infants; a facility-based, randomized-controlled trial in Nepal. BMC Pediatrics, 2016, 16, 35.	1.7	19
43	Delivery care utilisation and care-seeking in the neonatal period: a population-based study in Vietnam. Annals of Tropical Paediatrics, 2008, 28, 191-198.	1.0	18
44	Abolishing inequity, a necessity for poverty reduction and the realisation of child mortality targets. Archives of Disease in Childhood, 2015, 100, S5-S9.	1.9	18
45	Implementation of Pediatric Early Warning Score; Adherence to Guidelines and Influence of Context. Journal of Pediatric Nursing, 2018, 38, 33-39.	1.5	18
46	Validation of the foot length measure as an alternative tool to identify low birth weight and preterm babies in a low-resource setting like Nepal: a cross-sectional study. BMC Pediatrics, 2015, 15, 43.	1.7	17
47	Negotiating social norms, the legacy of vertical health initiatives and contradicting health policies: a qualitative study of health professionals' perceptions and attitudes of providing adolescent sexual and reproductive health care in Arusha and Kilimanjaro region, Tanzania. Global Health Action, 2020, 13, 1775992.	1.9	16
48	A narrative review of factors influencing detection and treatment of depression in Vietnam. International Journal of Mental Health Systems, 2013, 7, 15.	2.7	15
49	Persistent inequity in maternal health care utilization in Nepal despite impressive overall gains. Global Health Action, 2017, 10, 1356083.	1.9	15
50	Delayed cord clamping was not associated with an increased risk of hyperbilirubinaemia on the day of birth or jaundice in the first 4Âweeks. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 71-77.	1.5	15
51	The burden of adolescent motherhood and health consequences in Nepal. BMC Pregnancy and Childbirth, 2020, 20, 318.	2.4	14
52	Sex of Newborns Associated With Place and Mode of Delivery: A Population-Based Study in Northern Vietnam. Gender Medicine, 2012, 9, 418-423.	1.4	13
53	Care seeking for children with fever/cough or diarrhoea in Nepal: equity trends over the last 15 years. Scandinavian Journal of Public Health, 2017, 45, 195-201.	2.3	13
54	Teamwork among midwives during neonatal resuscitation at a maternity hospital in Nepal. Women and Birth, 2017, 30, 262-269.	2.0	13

#	Article	IF	CITATIONS
55	Rebuilding research capacity in fragile states: the case of a Somali–Swedish global health initiative. Global Health Action, 2017, 10, 1348693.	1.9	13
56	Factors associated with timing of umbilical cord clamping in tertiary hospital of Nepal. BMC Research Notes, 2018, 11, 89.	1.4	13
57	Lessons learned from stakeholders in a facilitation intervention targeting neonatal health in Quang Ninh province, Vietnam. BMC Pregnancy and Childbirth, 2013, 13, 234.	2.4	12
58	Resuscitation practices of low and normal birth weight infants in Nepal: an observational study using video camera recordings. Global Health Action, 2017, 10, 1322372.	1.9	12
59	Peer support for disadvantaged parents: a narrative review of strategies used in home visiting health interventions in high-income countries. BMC Health Services Research, 2020, 20, 682.	2.2	12
60	Bringing evidence to policy to achieve health-related MDGs for all: justification and design of the EPI-4 project in China, India, Indonesia, and Vietnam. Global Health Action, 2013, 6, 19650.	1.9	11
61	Determinants of marginalization and inequitable maternal health care in North–Central Vietnam: a framework analysis. Global Health Action, 2015, 8, 27554.	1.9	11
62	Essential newborn care after home delivery in Nepal. Scandinavian Journal of Public Health, 2017, 45, 202-207.	2.3	10
63	Secular trend, seasonality and effects of a community-based intervention on neonatal mortality: follow-up of a cluster-randomised trial in Quang Ninh province, Vietnam. Journal of Epidemiology and Community Health, 2018, 72, 776-782.	3.7	10
64	Community agency and empowerment—a need for new perspectives and deepened understanding. Upsala Journal of Medical Sciences, 2018, 123, 123-130.	0.9	10
65	Prolonged Exclusive Breastfeeding Through Peer Support: A Cohort Study From a Community Outreach Project in Swaziland. Journal of Community Health, 2016, 41, 932-938.	3.8	8
66	Implementing delayed umbilical cord clamping in Nepal—Delivery care staff's perceptions and attitudes towards changes in practice. PLoS ONE, 2019, 14, e0218031.	2.5	8
67	Contraception use and unplanned pregnancies in a peri-urban area of eSwatini (Swaziland). Sexual and Reproductive Healthcare, 2019, 20, 1-6.	1.2	8
68	Achieving the SDGs through interdisciplinary research in global health. Scandinavian Journal of Public Health, 2019, 47, 793-795.	2.3	8
69	Respectful maternal and newborn care: measurement in one EN-BIRTH study hospital in Nepal. BMC Pregnancy and Childbirth, 2021, 21, 228.	2.4	8
70	Effect of Facilitation of Local Stakeholder Groups on Equity in Neonatal Survival; Results from the NeoKIP Trial in Northern Vietnam. PLoS ONE, 2015, 10, e0145510.	2.5	8
71	Foreign-born women's lifestyle and health before and during early pregnancy in Sweden. European Journal of Contraception and Reproductive Health Care, 2020, 25, 20-27.	1.5	7
72	Maternal death surveillance and response in Tanzania: comprehensiveness of narrative summaries and action points from maternal death reviews. BMC Health Services Research, 2021, 21, 52.	2.2	7

#	Article	IF	CITATIONS
73	Clinical communication and caregivers' satisfaction with child healthcare in Nepal; results from Nepal Health Facility Survey 2015. BMC Health Services Research, 2019, 19, 17.	2.2	6
74	Evaluating the implementation of the Reproductive Life Plan in disadvantaged communities: A mixed-methods study using the i-PARIHS framework. PLoS ONE, 2020, 15, e0236712.	2.5	6
75	Mistreatment of newborns after childbirth in health facilities in Nepal: Results from a prospective cohort observational study. PLoS ONE, 2021, 16, e0246352.	2.5	6
76	Mismatched ambition, execution and outcomes: implementing maternal death surveillance and response system in Mtwara region, Tanzania. BMJ Global Health, 2021, 6, e005040.	4.7	6
77	Disclosing suboptimal indications for emergency caesarean sections due to fetal distress and prolonged labor: a multicenter cross-sectional study at 12 public hospitals in Nepal. Reproductive Health, 2020, 17, 197.	3.1	6
78	Performance of health workers on neonatal resuscitation care following scaled-up quality improvement interventions in public hospitals of Nepal - a prospective observational study. BMC Health Services Research, 2021, 21, 362.	2.2	5
79	High levels of unmet need for family planning in Nepal. Sexual and Reproductive Healthcare, 2018, 17, 1-6.	1.2	4
80	The world we want: focus on the most disadvantaged. Global Health Action, 2013, 6, 20919.	1.9	3
81	Adapting a South African social innovation for maternal peer support to migrant communities in Sweden: a qualitative study. International Journal for Equity in Health, 2022, 21, .	3.5	3
82	The perpetuating cycle of unplanned pregnancy: underlying causes and implications in Eswatini. Culture, Health and Sexuality, 2020, 23, 1-16.	1.8	2
83	Impact of free newborn care service package on out of pocket expenditureâ€evidence from a multicentric study in Nepal. BMC Health Services Research, 2021, 21, 128.	2.2	2
84	Using an urban child health index to detect intra-urban disparities in Sweden. Scandinavian Journal of Public Health, 2021, 49, 563-570.	2.3	2
85	Preserving misconceptions or a call for action? – A hermeneutic re-reading of the Nativity story. Global Health Action, 2015, 8, 30386.	1.9	1
86	Caring for the Acutely, Severely III Child—A Multifaceted Situation with Paradoxical Elements: Swedish Healthcare Professionals' Experiences. Journal of Pediatric Nursing, 2016, 31, e293-e300.	1.5	1
87	From skepticism to assurance and control; Implementation of a patient safety system at a pediatric hospital in Sweden. PLoS ONE, 2018, 13, e0207744.	2.5	1
88	Effect of a scaled-up quality improvement intervention on health workers' competence on neonatal resuscitation in simulated settings in public hospitals: A pre-post study in Nepal. PLoS ONE, 2021, 16, e0250762.	2.5	1
89	Family planning practices and women's impression of the reproductive life plan in Eswatini. Sexual and Reproductive Healthcare, 2022, 32, 100723.	1.2	1
90	Factors associated with poor adherence to intrapartum fetal heart monitoring in relationship to intrapartum related death: A prospective cohort study. PLOS Global Public Health, 2022, 2, e0000289.	1.6	1

#	Article	IF	CITATIONS
91	Time to step up commitments to child survival and poverty reduction. Scandinavian Journal of Public Health, 2016, 44, 733-733.	2.3	Ο
92	Maternal health—still a long way to go. Scandinavian Journal of Public Health, 2018, 46, 783-784.	2.3	0
93	Breastfeeding hampered by complacency and commercial interests. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 2177-2178.	1.5	0
94	Payment mechanism for institutional births in Nepal. Archives of Public Health, 2021, 79, 163.	2.4	0
95	Effect of a perinatal care quality improvement package on patient satisfaction: a secondary outcome analysis of a cluster-randomised controlled trial. BMJ Open, 2022, 12, e054544.	1.9	0