List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6312448/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Influence of perioperative SARS-CoV-2 infection on mortality in orthopaedic inpatients with surgically treated traumatic fractures. European Journal of Orthopaedic Surgery and Traumatology, 2023, 33, 1043-1049.	0.6	1
2	Chronic Disease and Immunosuppression Increase the Risk for Nonvaccine Serotype Pneumococcal Disease: A Nationwide Population-based Study. Clinical Infectious Diseases, 2022, 74, 1338-1349.	2.9	8
3	Clinical phenotypes and outcomes of SARS-CoV-2, influenza, RSV and seven other respiratory viruses: a retrospective study using complete hospital data. Thorax, 2022, 77, 1-10.	2.7	24
4	Peripheral Oxygen Saturation Facilitates Assessment of Respiratory Dysfunction in the Sequential Organ Failure Assessment Score With Implications for the Sepsis-3 Criteria. Critical Care Medicine, 2022, 50, e272-e283.	0.4	9
5	Bacterial co-infections in community-acquired pneumonia caused by SARS-CoV-2, influenza virus and respiratory syncytial virus. BMC Infectious Diseases, 2022, 22, 108.	1.3	42
6	Automated surveillance systems for healthcare-associated infections: results from a European survey and experiences from real-life utilization. Journal of Hospital Infection, 2022, 122, 35-43.	1.4	17
7	Impact of the COVID-19 pandemic on the incidence and mortality of hospital-onset bloodstream infection: a cohort study. BMJ Quality and Safety, 2022, 31, 379-382.	1.8	5
8	The accuracy of fully automated algorithms for surveillance of healthcare-onset <i>Clostridioides difficile</i> infections in hospitalized patients. Antimicrobial Stewardship & Healthcare Epidemiology, 2022, 2, .	0.2	0
9	SARS-CoV-2 testing in patients with low COVID-19 suspicion at admission to a tertiary care hospital, Stockholm, Sweden, March to September 2020. Eurosurveillance, 2022, 27, .	3.9	2
10	Staphylococcus aureus bacteremia, cardiac implantable electronic device, extraction, and the risk of recurrence. Journal of Infection, 2022, 84, e67-e69.	1.7	2
11	Incidence and severity of COVIDâ€19 in adults with and without HIV diagnosis. Journal of Internal Medicine, 2022, 292, 168-171.	2.7	5
12	Prophylactic anticoagulation with low molecular weight heparin in COVID-19: cohort studies in Denmark and Sweden. Clinical Microbiology and Infection, 2022, 28, 1291.e1-1291.e5.	2.8	3
13	The early impact of vaccination against SARS-CoV-2 in Region Stockholm, Sweden. Vaccine, 2022, 40, 2823-2827.	1.7	3
14	Bacterial meningitis: Aetiology, risk factors, disease trends and severe sequelae during 50 years in Sweden. Journal of Internal Medicine, 2022, 292, 350-364.	2.7	8
15	Pneumococcal urinary antigen testing for antimicrobial guidance in community-acquired pneumonia: a register-based cohort study. Journal of Infection, 2022, , .	1.7	0
16	Myxovirus resistance protein A for discriminating between viral and bacterial lower respiratory tract infections in children – The TREND study. Clinical Microbiology and Infection, 2022, 28, 1251-1257.	2.8	5
17	Impact of time to antibiotic therapy on clinical outcome in patients with bacterial infections in the emergency department: implications for antimicrobial stewardship. Clinical Microbiology and Infection, 2021, 27, 175-181.	2.8	59
18	Treatment of community-acquired bacterial brain abscess: a survey among infectious diseases specialists in France, Sweden, Australia, and Denmark. European Journal of Clinical Microbiology and Infectious Diseases, 2021, 40, 255-260.	1.3	5

#	Article	IF	CITATIONS
19	Characteristics and outcomes of patients with COVIDâ€19 admitted to ICU in a tertiary hospital in Stockholm, Sweden. Acta Anaesthesiologica Scandinavica, 2021, 65, 76-81.	0.7	45
20	Etiology of Clinical Community-Acquired Pneumonia in Swedish Children Aged 1–59 Months with High Pneumococcal Vaccine Coverage—The TREND Study. Vaccines, 2021, 9, 384.	2.1	9
21	The accuracy of fully automated algorithms for surveillance of healthcare-associated urinary tract infections in hospitalized patients. Journal of Hospital Infection, 2021, 110, 139-147.	1.4	6
22	Combination versus monotherapy as definitive treatment for <i>Pseudomonas aeruginosa</i> bacteraemia: a multicentre retrospective observational cohort study. Journal of Antimicrobial Chemotherapy, 2021, 76, 2172-2181.	1.3	19
23	PRAISE: providing a roadmap for automated infection surveillance in Europe. Clinical Microbiology and Infection, 2021, 27, S3-S19.	2.8	25
24	Partial oral antibiotic treatment for bacterial brain abscess: an open-label randomized non-inferiority trial (ORAL). Trials, 2021, 22, 796.	0.7	8
25	Ceftazidime, Carbapenems, or Piperacillin-tazobactam as Single Definitive Therapy for Pseudomonas aeruginosa Bloodstream Infection: A Multisite Retrospective Study. Clinical Infectious Diseases, 2020, 70, 2270-2280.	2.9	24
26	Etiology, clinical presentation, outcome and the effect of initial management in immunocompromised patients with community acquired bacterial meningitis. Journal of Infection, 2020, 80, 291-297.	1.7	9
27	Risk factors for mortality among patients with Pseudomonas aeruginosa bacteraemia: a retrospective multicentre study. International Journal of Antimicrobial Agents, 2020, 55, 105847.	1.1	33
28	Malaria and risk of lymphoid neoplasms and other cancer: a nationwide population-based cohort study. BMC Medicine, 2020, 18, 296.	2.3	7
29	Extended-Spectrum-Î <sup>2</sup> -Lactamase- and Plasmid AmpC-Producing Escherichia coli Causing Community-Onset Bloodstream Infection: Association of Bacterial Clones and Virulence Genes with Septic Shock, Source of Infection, and Recurrence. Antimicrobial Agents and Chemotherapy, 2020, 64, .	1.4	17
30	Cost-effectiveness of pneumococcal vaccination for elderly in Sweden. Vaccine, 2020, 38, 4988-4995.	1.7	11
31	Validation of automated sepsis surveillance based on the Sepsis-3 clinical criteria against physician record review in a general hospital population: observational study using electronic health records data. BMJ Quality and Safety, 2020, 29, 735-745.	1.8	36
32	HAI-Proactive: Development of an Automated Surveillance System for Healthcare-Associated Infections in Sweden. Infection Control and Hospital Epidemiology, 2020, 41, s39-s39.	1.0	2
33	Temporal Dynamics and Risk Factors for Bloodstream Infection With Extended-spectrum β-Lactamase–producing Bacteria in Previously-colonized Individuals: National Population-based Cohort Study. Clinical Infectious Diseases, 2019, 68, 641-649.	2.9	30
34	The changing epidemiology of communityâ€acquired pneumonia: nationwide registerâ€based study in Sweden. Journal of Internal Medicine, 2019, 286, 689-701.	2.7	26
35	Risk factors for community-onset bloodstream infection with extended-spectrum β-lactamase-producing Enterobacteriaceae: national population-based case–control study. Clinical Microbiology and Infection, 2019, 25, 1408-1414.	2.8	17
36	Meropenem versus Cefotaxime and Ampicillin as Empirical Antibiotic Treatment in Adult Bacterial Meningitis: a Quality Registry Study, 2008 to 2016. Antimicrobial Agents and Chemotherapy, 2019, 63, .	1.4	3

#	Article	IF	CITATIONS
37	Prediction of bloodstream infection caused by extended-spectrum β-lactamase-producing Enterobacterales in patients with suspected community-onset sepsis. International Journal of Antimicrobial Agents, 2019, 53, 820-829.	1.1	11
38	The DENOVA score efficiently identifies patients with monomicrobial Enterococcus faecalis bacteremia where echocardiography is not necessary. Infection, 2019, 47, 45-50.	2.3	49
39	Introducing a New Algorithm for Classification of Etiology in Studies on Pediatric Pneumonia: Protocol for the Trial of Respiratory Infections in Children for Enhanced Diagnostics Study. JMIR Research Protocols, 2019, 8, e12705.	0.5	11
40	Ceftriaxone versus ceftriaxone plus a macrolide for community-acquired pneumonia in hospitalized patients with HIV/AIDS: a randomized controlled trial. Clinical Microbiology and Infection, 2018, 24, 146-151.	2.8	9
41	Lumbar Puncture Performed Promptly or After Neuroimaging in Acute Bacterial Meningitis in Adults: A Prospective National Cohort Study Evaluating Different Guidelines. Clinical Infectious Diseases, 2018, 66, 321-328.	2.9	32
42	Management of community-acquired pneumonia in immunocompetent adults: updated Swedish guidelines 2017. Infectious Diseases, 2018, 50, 247-272.	1.4	36
43	Reply to Theilacker et al. Clinical Infectious Diseases, 2018, 66, 1642-1643.	2.9	2
44	Invasive infection caused by Klebsiella pneumoniae is a disease affecting patients with high comorbidity and associated with high long-term mortality. PLoS ONE, 2018, 13, e0195258.	1,1	63
45	Coeliac disease and invasive pneumococcal disease: a population-based cohort study. Epidemiology and Infection, 2017, 145, 1203-1209.	1.0	20
46	Obesity and Diabetes as Risk Factors for Severe Plasmodium falciparum Malaria: Results From a Swedish Nationwide Study. Clinical Infectious Diseases, 2017, 65, 949-958.	2.9	44
47	Narrow-spectrum ß-lactam monotherapy in hospital treatment of community-acquired pneumonia: a register-based cohort study. Clinical Microbiology and Infection, 2017, 23, 247-252.	2.8	8
48	Comparison of the Impact of Pneumococcal Conjugate Vaccine 10 or Pneumococcal Conjugate Vaccine 13 on Invasive Pneumococcal Disease in Equivalent Populations. Clinical Infectious Diseases, 2017, 65, 1780-1790.e1.	2.9	123
49	Management of women with human papillomavirus persistence: long-term follow-up of a randomized clinicalÂtrial. American Journal of Obstetrics and Gynecology, 2017, 216, 264.e1-264.e7.	0.7	37
50	Community carriage of ESBL-producing <i>Escherichia coli</i> is associated with strains of low pathogenicity: a Swedish nationwide study. Journal of Antimicrobial Chemotherapy, 2017, 72, 582-588.	1.3	68
51	Effects of PCV7 and PCV13 on invasive pneumococcal disease and carriage in Stockholm, Sweden. European Respiratory Journal, 2016, 47, 1208-1218.	3.1	125
52	Unaltered pneumococcal carriage prevalence due to expansion of non-vaccine types of low invasive potential 8 years after vaccine introduction in Stockholm, Sweden. Vaccine, 2016, 34, 4565-4571.	1.7	64
53	Frequent acquisition of low-virulence strains of ESBL-producing <i>Escherichia coli</i> in travellers. Journal of Antimicrobial Chemotherapy, 2016, 71, 3548-3555.	1.3	55
54	Betamethasone and dexamethasone in adult community-acquired bacterial meningitis: a quality registry study from 1995 to 2014. Clinical Microbiology and Infection, 2016, 22, 814.e1-814.e7.	2.8	18

#	Article	IF	CITATIONS
55	Routine atypical antibiotic coverage is not necessary in hospitalised patients with non-severe community-acquired pneumonia. International Journal of Antimicrobial Agents, 2016, 48, 224-225.	1.1	1
56	Outbreak of enterovirus D68 of the new B3 lineage in Stockholm, Sweden, August to September 2016. Eurosurveillance, 2016, 21, .	3.9	73
57	Respiratory viruses associated with community-acquired pneumonia in children: matched case–control study. Thorax, 2015, 70, 847-853.	2.7	111
58	Adult bacterial meningitis—a quality registry study: earlier treatment and favourable outcome if initial management by infectious diseases physicians. Clinical Microbiology and Infection, 2015, 21, 560-566.	2.8	15
59	Duration of residency in a non-endemic area and risk of severe malaria in African immigrants. Clinical Microbiology and Infection, 2015, 21, 494-501.	2.8	18
60	Screening Algorithm to Perform Transesophageal Echocardiography in Patients With <i>Staphylococcus aureus</i> Bacteremia. Clinical Infectious Diseases, 2015, 61, 1630.1-1630.	2.9	3
61	Clinical and Microbiological Factors Associated with High Nasopharyngeal Pneumococcal Density in Patients with Pneumococcal Pneumonia. PLoS ONE, 2015, 10, e0140112.	1.1	18
62	Clinical manifestations of invasive pneumococcal disease by vaccine and non-vaccine types. European Respiratory Journal, 2014, 44, 1646-1657.	3.1	43
63	Prevalence of community-acquired bacteraemia in Guinea-Bissau: an observational study. BMC Infectious Diseases, 2014, 14, 3859.	1.3	26
64	Clinical Utility of PCR for Common Viruses in Acute Respiratory Illness. Pediatrics, 2014, 133, e538-e545.	1.0	139
65	Klebsiella variicola Is a Frequent Cause of Bloodstream Infection in the Stockholm Area, and Associated with Higher Mortality Compared to K. pneumoniae. PLoS ONE, 2014, 9, e113539.	1.1	143
66	Contribution of host, bacterial factors and antibiotic treatment to mortality in adult patients with bacteraemic pneumococcal pneumonia. Thorax, 2013, 68, 571-579.	2.7	98
67	Fecal Carriage of ESBL-Producing E. coli and K. pneumoniae in Children in Guinea-Bissau: A Hospital-Based Cross-Sectional Study. PLoS ONE, 2012, 7, e51981.	1.1	77
68	Human papillomavirus type-specific risk of cervical cancer in a population with high human immunodeficiency virus prevalence: case–control study. Journal of General Virology, 2011, 92, 2784-2791.	1.3	36
69	Clinical prediction models for mortality in patients with covid-19: external validation and individual participant data meta-analysis. BMJ, The, 0, , e069881.	3.0	24