## **Chris Martin**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6313192/publications.pdf Version: 2024-02-01



**CHDIS ΜΛΟΤΙΝ** 

#	Article	IF	CITATIONS
1	STAT3-Mediated Astrocyte Reactivity Associated with Brain Metastasis Contributes to Neurovascular Dysfunction. Cancer Research, 2020, 80, 5642-5655.	0.9	18
2	Acute effects of systemic inflammation upon the neuro-glial-vascular unit and cerebrovascular function. Brain, Behavior, & Immunity - Health, 2020, 5, 100074.	2.5	11
3	Seizure epicenter depth and translaminar field potential synchrony underlie complex variations in tissue oxygenation during ictal initiation. NeuroImage, 2018, 171, 165-175.	4.2	9
4	Physiological and Pathological Brain Activation in the Anesthetized Rat Produces Hemodynamic-Dependent Cortical Temperature Increases That Can Confound the BOLD fMRI Signal. Frontiers in Neuroscience, 2018, 12, 550.	2.8	9
5	A Critical Role for Astrocytes in Hypercapnic Vasodilation in Brain. Journal of Neuroscience, 2017, 37, 2403-2414.	3.6	58
6	Long-term restoration of visual function in end-stage retinal degeneration using subretinal human melanopsin gene therapy. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 11211-11216.	7.1	62
7	Multi-modal assessment of neurovascular coupling during cerebral ischaemia and reperfusion using remote middle cerebral artery occlusion. Journal of Cerebral Blood Flow and Metabolism, 2017, 37, 2494-2508.	4.3	11
8	CNTF Gene Therapy Confers Lifelong Neuroprotection in a Mouse Model of Human Retinitis Pigmentosa. Molecular Therapy, 2015, 23, 1308-1319.	8.2	66
9	Long-Latency Reductions in Gamma Power Predict Hemodynamic Changes That Underlie the Negative BOLD Signal. Journal of Neuroscience, 2015, 35, 4641-4656.	3.6	34
10	ls Vasomotion in Cerebral Arteries Impaired in Alzheimer's Disease?. Journal of Alzheimer's Disease, 2015, 46, 35-53.	2.6	73
11	A systematic review of physiological methods in rodent pharmacological MRI studies. Psychopharmacology, 2015, 232, 489-499.	3.1	39
12	Neurovascular and neuroimaging effects of the hallucinogenic serotonin receptor agonist psilocin in the rat brain. Neuropharmacology, 2015, 99, 210-220.	4.1	29
13	A systematic review of physiological methods in rodent pharmacological MRI studies. , 2015, 232, 489.		1
14	Contributions and complexities from the use of in vivo animal models to improve understanding of human neuroimaging signals. Frontiers in Neuroscience, 2014, 8, 211.	2.8	37
15	Structural and functional effects of metastases in rat brain determined by multimodal MRI. International Journal of Cancer, 2014, 134, 885-896.	5.1	25
16	Systemic inflammation alters central 5-HT function as determined by pharmacological MRI. Neurolmage, 2013, 75, 177-186.	4.2	16
17	Functional MRI in conscious rats using a chronically implanted surface coil. Journal of Magnetic Resonance Imaging, 2013, 38, 739-744.	3.4	20
18	Complex spatiotemporal haemodynamic response following sensory stimulation in the awake rat. NeuroImage, 2013, 66, 1-8.	4.2	27

CHRIS MARTIN

#	Article	IF	CITATIONS
19	Reversal of end-stage retinal degeneration and restoration of visual function by photoreceptor transplantation. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 1101-1106.	7.1	229
20	Close temporal coupling of neuronal activity and tissue oxygen responses in rodent whisker barrel cortex. European Journal of Neuroscience, 2011, 34, 1983-1996.	2.6	28
21	A dynamic model of neurovascular coupling: Implications for blood vessel dilation and constriction. NeuroImage, 2010, 52, 1135-1147.	4.2	31
22	A Dynamic Causal Model of the Coupling Between Pulse Stimulation and Neural Activity. Neural Computation, 2009, 21, 2846-2868.	2.2	2
23	Experimental use of nonhuman primates is not a simple problem. Nature Medicine, 2008, 14, 1011-1011.	30.7	6
24	Altered neurovascular coupling during informationâ€processing states. European Journal of Neuroscience, 2008, 27, 2758-2772.	2.6	22
25	Pharmacological MRI in animal models: A useful tool for 5-HT research?. Neuropharmacology, 2008, 55, 1038-1047.	4.1	41
26	Fine Detail of Neurovascular Coupling Revealed by Spatiotemporal Analysis of the Hemodynamic Response to Single Whisker Stimulation in Rat Barrel Cortex. Journal of Neurophysiology, 2008, 99, 787-798.	1.8	119
27	Feedback control in active sensing: rat exploratory whisking is modulated by environmental contact. Proceedings of the Royal Society B: Biological Sciences, 2007, 274, 1035-1041.	2.6	231
28	Anaesthetic use in animal models for neuroimaging. NeuroImage, 2007, 38, 1-2.	4.2	3
29	Investigating neural–hemodynamic coupling and the hemodynamic response function in the awake rat. NeuroImage, 2006, 32, 33-48.	4.2	236
30	Haemodynamic and neural responses to hypercapnia in the awake rat. European Journal of Neuroscience, 2006, 24, 2601-2610.	2.6	42
31	Long Duration Stimuli and Nonlinearities in the Neural–Haemodynamic Coupling. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, 651-661.	4.3	49
32	The Hemodynamic Impulse Response to a Single Neural Event. Journal of Cerebral Blood Flow and Metabolism, 2003, 23, 546-555.	4.3	129
33	Optical imaging spectroscopy in the unanaesthetised rat. Journal of Neuroscience Methods, 2002, 120, 25-34.	2.5	53
34	Hemodynamic Response in the Unanesthetized Rat: Intrinsic Optical Imaging and Spectroscopy of the Barrel Cortex. Journal of Cerebral Blood Flow and Metabolism, 2002, 22, 670-679.	4.3	81