

# Somchai Pinlaor

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6313631/publications.pdf>

Version: 2024-02-01

116  
papers

4,239  
citations

117571

34  
h-index

128225

60  
g-index

120  
all docs

120  
docs citations

120  
times ranked

4673  
citing authors

#	ARTICLE	IF	CITATIONS
1	Development and Efficacy of Droplet Digital PCR for Detection of <i>Strongyloides stercoralis</i> in Stool. American Journal of Tropical Medicine and Hygiene, 2022, 106, 312-319.	0.6	12
2	Biochemical constituents and insecticidal activities of <i>Callistemon viminalis</i> essential oil against adults and eggs of <i>Pediculus humanus capitis</i> (Phthiraptera: Pediculidae). Phytomedicine Plus, 2022, 2, 100156.	0.9	3
3	Detection of S100 Calcium Binding Protein A6 by Silicon Nitride Photonic Sensor. , 2022, , .		1
4	Hydroethanolic <i>Cyperus rotundus</i> L. extract exhibits anti-obesity property and increases lifespan expectancy in <i>Drosophila melanogaster</i> fed a high-fat diet. Journal of HerbMed Pharmacology, 2022, 11, 296-304.	0.4	3
5	A newly developed droplet digital PCR for <i>Ehrlichia canis</i> detection: comparisons to conventional PCR and blood smear techniques. Journal of Veterinary Medical Science, 2022, 84, 831-840.	0.3	4
6	<i>Opisthorchis viverrini</i> infection induces metabolic disturbances in hamsters fed with high fat/high fructose diets: Implications for liver and kidney pathologies. Journal of Nutritional Biochemistry, 2022, 107, 109053.	1.9	1
7	Association of <i>Strongyloides stercoralis</i> infection and type 2 diabetes mellitus in northeastern Thailand: Impact on diabetic complication-related renal biochemical parameters. PLoS ONE, 2022, 17, e0269080.	1.1	8
8	N-glycosylation profiling of serum immunoglobulin in opisthorchiasis patients. Journal of Proteomics, 2021, 230, 103980.	1.2	3
9	Profiling of Bile Microbiome Identifies District Microbial Population between Cholelithiasis and Cholangiocarcinoma Patients. Asian Pacific Journal of Cancer Prevention, 2021, 22, 233-240.	0.5	11
10	Curcumin-loaded nanocomplexes: Acute and chronic toxicity studies in mice and hamsters. Toxicology Reports, 2021, 8, 1346-1357.	1.6	14
11	Solid dispersion improves release of curcumin from nanoparticles: Potential benefit for intestinal absorption. Materials Today Communications, 2021, 26, 101999.	0.9	4
12	<i>CagA</i> and <i>N</i> -nitrosodimethylamine administration induce cholangiocarcinoma development in hamsters. Helicobacter, 2021, 26, e12817.	1.6	7
13	Phylogeography and demographic history of Thai <i>Pediculus humanus capitis</i> (Phthiraptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 5 104825.	1.0	4
14	<i>Opisthorchis viverrini</i> Infection Induces Metabolic and Fecal Microbial Disturbances in Association with Liver and Kidney Pathologies in Hamsters. Journal of Proteome Research, 2021, 20, 3940-3951.	1.8	12
15	Reply to letter to the editor. Helicobacter, 2021, 26, e12831.	1.6	0
16	Repeated Ivermectin Treatment Induces Ivermectin Resistance in <i>Strongyloides ratti</i> by Upregulating the Expression of ATP-Binding Cassette Transporter Genes. American Journal of Tropical Medicine and Hygiene, 2021, 105, 1117-1123.	0.6	2
17	Mucin-producing hamster cholangiocarcinoma cell line, Ham-2, possesses the aggressive cancer phenotypes with liver and lung metastases. In Vitro Cellular and Developmental Biology - Animal, 2021, 57, 825-834.	0.7	0
18	Improved agar plate culture conditions for diagnosis of <i>Strongyloides stercoralis</i> . Acta Tropica, 2020, 203, 105291.	0.9	14

#	ARTICLE	IF	CITATIONS
19	High level of interleukin-33 in cancer cells and cancer-associated fibroblasts correlates with good prognosis and suppressed migration in cholangiocarcinoma. <i>Journal of Cancer</i> , 2020, 11, 6571-6581.	1.2	10
20	Expression of FOXO4 Inhibits Cholangiocarcinoma Cell Proliferation In Vitro via Induction of G0/G1 Arrest. <i>Anticancer Research</i> , 2020, 40, 6899-6905.	0.5	5
21	Opposing Roles of FoxA1 and FoxA3 in Intrahepatic Cholangiocarcinoma Progression. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1796.	1.8	10
22	An optimized agar plate culture improves diagnostic efficiency for <i>Strongyloides stercoralis</i> infection in an endemic community. <i>Parasitology Research</i> , 2020, 119, 1409-1413.	0.6	3
23	A combination of monosodium glutamate and high-fat and high-fructose diets increases the risk of kidney injury, gut dysbiosis and host-microbial co-metabolism. <i>PLoS ONE</i> , 2020, 15, e0231237.	1.1	18
24	Roles of Zinc Finger Protein 423 in Proliferation and Invasion of Cholangiocarcinoma through Oxidative Stress. <i>Biomolecules</i> , 2019, 9, 263.	1.8	10
25	Anti-parasitic Drug Ivermectin Exhibits Potent Anticancer Activity Against Gemcitabine-resistant Cholangiocarcinoma <i>In Vitro</i> . <i>Anticancer Research</i> , 2019, 39, 4837-4843.	0.5	24
26	Current omics-based biomarkers for cholangiocarcinoma. <i>Expert Review of Molecular Diagnostics</i> , 2019, 19, 997-1005.	1.5	7
27	Comparison of stool examination techniques to detect <i>Opisthorchis viverrini</i> in low intensity infection. <i>Acta Tropica</i> , 2019, 191, 13-16.	0.9	20
28	Evaluation of a short term effect of praziquantel treatment in opisthorchiasis-induced hepatobiliary inflammation by urinary 8-oxodG. <i>Acta Tropica</i> , 2019, 189, 124-128.	0.9	2
29	Evaluation of a Commercial Enzyme-Linked Immunosorbent Assay Kit and In-House <i>Fasciola gigantica</i> Cysteine Proteinases-Based Enzyme-Linked Immunosorbent Assays for Diagnosis of Human Fascioliasis. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019, 100, 591-598.	0.6	4
30	<i>Opisthorchis viverrini</i> Infection Augments the Severity of Nonalcoholic Fatty Liver Disease in High-Fat/High-Fructose Diet-Fed Hamsters. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019, 101, 1161-1169.	0.6	7
31	Proteomics detection of S100A6 in tumor tissue interstitial fluid and evaluation of its potential as a biomarker of cholangiocarcinoma. <i>Tumor Biology</i> , 2018, 40, 101042831876719.	0.8	37
32	Clinical significance of GalNAcylated glycans in cholangiocarcinoma: Values for diagnosis and prognosis. <i>Clinica Chimica Acta</i> , 2018, 477, 66-71.	0.5	8
33	Prolonged oxidative stress down-regulates Early B cell factor 1 with inhibition of its tumor suppressive function against cholangiocarcinoma genesis. <i>Redox Biology</i> , 2018, 14, 637-644.	3.9	62
34	Melatonin suppresses eosinophils and Th17 cells in hamsters treated with a combination of human liver fluke infection and a chemical carcinogen. <i>Pharmacological Reports</i> , 2018, 70, 98-105.	1.5	27
35	Discovering proteins for chemoprevention and chemotherapy by curcumin in liver fluke infection-induced bile duct cancer. <i>PLoS ONE</i> , 2018, 13, e0207405.	1.1	9
36	Overexpression of CD44 Variant 9: A Novel Cancer Stem Cell Marker in Human Cholangiocarcinoma in Relation to Inflammation. <i>Mediators of Inflammation</i> , 2018, 2018, 1-8.	1.4	19

#	ARTICLE	IF	CITATIONS
37	Effect of a health education program on reduction of pediculosis in school girls at Amphoe Muang, Khon Kaen Province, Thailand. <i>PLoS ONE</i> , 2018, 13, e0198599.	1.1	18
38	Co-occurrence of opisthorchiasis and diabetes exacerbates morbidity of the hepatobiliary tract disease. <i>PLoS Neglected Tropical Diseases</i> , 2018, 12, e0006611.	1.3	12
39	Anthocyanin complex exerts anti-cholangiocarcinoma activities and improves the efficacy of drug treatment in a gemcitabine-resistant cell line. <i>International Journal of Oncology</i> , 2018, 52, 1715-1726.	1.4	2
40	Coinfection with <i>Helicobacter pylori</i> and <i>Opisthorchis viverrini</i> Enhances the Severity of Hepatobiliary Abnormalities in Hamsters. <i>Infection and Immunity</i> , 2017, 85, .	1.0	29
41	Differential Protein Expression Marks the Transition From Infection With <i>Opisthorchis viverrini</i> to Cholangiocarcinoma. <i>Molecular and Cellular Proteomics</i> , 2017, 16, 911-923.	2.5	9
42	Plasma orosomucoid 2 as a potential risk marker of cholangiocarcinoma. <i>Cancer Biomarkers</i> , 2017, 18, 27-34.	0.8	13
43	Upregulation of $\alpha$ -fetoprotein in chronic liver fluke infection is a potential diagnostic marker of cholangiocarcinoma. <i>Proteomics - Clinical Applications</i> , 2016, 10, 248-256.	0.8	25
44	Effects of fermentation time and low temperature during the production process of Thai pickled fish (pla-som) on the viability and infectivity of <i>Opisthorchis viverrini</i> metacercariae. <i>International Journal of Food Microbiology</i> , 2016, 218, 1-5.	2.1	23
45	Nanoencapsulated curcumin and praziquantel treatment reduces periductal fibrosis and attenuates bile canalicular abnormalities in <i>Opisthorchis viverrini</i> -infected hamsters. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2016, 12, 21-32.	1.7	25
46	Contamination of <i>Opisthorchis viverrini</i> and <i>Haplorchis taichui</i> metacercariae in fermented fish products in northeastern Thailand markets. <i>Food Control</i> , 2016, 59, 493-498.	2.8	17
47	Chronic <i>Opisthorchis viverrini</i> Infection Changes the Liver Microbiome and Promotes <i>Helicobacter</i> Growth. <i>PLoS ONE</i> , 2016, 11, e0165798.	1.1	40
48	Plasma $\alpha$ -fetoprotein autoantibody against actin-related protein 3 in liver fluke <i>Opisthorchis viverrini</i> infection. <i>Parasite Immunology</i> , 2015, 37, 340-348.	0.7	9
49	Melatonin induces apoptosis in cholangiocarcinoma cell lines by activating the reactive oxygen species-mediated mitochondrial pathway. <i>Oncology Reports</i> , 2015, 33, 1443-1449.	1.2	36
50	Oxidative Stress and Its Significant Roles in Neurodegenerative Diseases and Cancer. <i>International Journal of Molecular Sciences</i> , 2015, 16, 193-217.	1.8	323
51	MRI and 1H MRS findings of hepatobiliary changes and cholangiocarcinoma development in hamsters infected with <i>Opisthorchis viverrini</i> and treated with N-nitrosodimethylamine. <i>Magnetic Resonance Imaging</i> , 2015, 33, 1146-1155.	1.0	3
52	Plasma Autoantibodies against Heat Shock Protein 70, Enolase 1 and Ribonuclease/Angiogenin Inhibitor 1 as Potential Biomarkers for Cholangiocarcinoma. <i>PLoS ONE</i> , 2014, 9, e103259.	1.1	19
53	Increase of exostosin 1 in plasma as a potential biomarker for opisthorchiasis-associated cholangiocarcinoma. <i>Tumor Biology</i> , 2014, 35, 1029-1039.	0.8	25
54	Risk biomarkers for assessment and chemoprevention of liver fluke-associated cholangiocarcinoma. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2014, 21, 309-315.	1.4	31

#	ARTICLE	IF	CITATIONS
55	Anti-inflammatory and anti-periductal fibrosis effects of an anthocyanin complex in <i>Opisthorchis viverrini</i> -infected hamsters. <i>Food and Chemical Toxicology</i> , 2014, 74, 206-215.	1.8	21
56	Cytokine/Chemokine Secretion and Proteomic Identification of Upregulated Annexin A1 from Peripheral Blood Mononuclear Cells Cocultured with the Liver Fluke <i>Opisthorchis viverrini</i> . <i>Infection and Immunity</i> , 2014, 82, 2135-2147.	1.0	12
57	Bile canalicular changes and defective bile secretion in <i>Opisthorchis viverrini</i> -infected hamsters. <i>Folia Parasitologica</i> , 2014, 61, 512-522.	0.7	7
58	Bile canalicular changes and defective bile secretion in <i>Opisthorchis viverrini</i> -infected hamsters. <i>Folia Parasitologica</i> , 2014, 61, 512-22.	0.7	4
59	Alcohol and alkalosis enhance excystation of <i>Opisthorchis viverrini</i> metacercariae. <i>Parasitology Research</i> , 2013, 112, 2397-2402.	0.6	15
60	Subtype identification of <i>Blastocystis</i> spp. isolated from patients in a major hospital in northeastern Thailand. <i>Parasitology Research</i> , 2013, 112, 1781-1786.	0.6	42
61	Viable metacercariae of <i>Opisthorchis viverrini</i> in northeastern Thai cyprinid fish dishes as part of a rational program for control of <i>O. viverrini</i> -associated cholangiocarcinoma. <i>Parasitology Research</i> , 2013, 112, 1323-1327.	0.6	38
62	MRI and 1H MRS evaluation for the serial bile duct changes in hamsters after infection with <i>Opisthorchis viverrini</i> . <i>Magnetic Resonance Imaging</i> , 2013, 31, 1418-1425.	1.0	11
63	Inflammation-related DNA damage and expression of CD133 and Oct3/4 in cholangiocarcinoma patients with poor prognosis. <i>Free Radical Biology and Medicine</i> , 2013, 65, 1464-1472.	1.3	53
64	Î±-Tocopherol and lipid profiles in plasma and the expression of Î±-tocopherol-related molecules in the liver of <i>Opisthorchis viverrini</i> -infected hamsters. <i>Parasitology International</i> , 2013, 62, 127-133.	0.6	6
65	Curcumin Prevents Bile Canalicular Alterations in the Liver of Hamsters Infected with <i>Opisthorchis viverrini</i> . <i>Korean Journal of Parasitology</i> , 2013, 51, 695-701.	0.5	7
66	Proteomic analysis to identify plasma orosomucoid 2 and kinesin 18A as potential biomarkers of cholangiocarcinoma. <i>Cancer Biomarkers</i> , 2013, 12, 81-95.	0.8	27
67	DNA Damage in Inflammation-Related Carcinogenesis and Cancer Stem Cells. <i>Oxidative Medicine and Cellular Longevity</i> , 2013, 2013, 1-9.	1.9	163
68	Melatonin inhibits cholangiocarcinoma and reduces liver injury in <i>Opisthorchis viverrini</i> -infected and nitrosodimethylamine-treated hamsters. <i>Journal of Pineal Research</i> , 2013, 55, 257-266.	3.4	26
69	Annexin A1: A new immunohistological marker of cholangiocarcinoma. <i>World Journal of Gastroenterology</i> , 2013, 19, 2456.	1.4	37
70	Histopathological Changes in Tissues of <i>Bithynia siamensis</i> goniomphalos Incubated in Crude Extracts of Camellia Seed and Mangosteen Pericarp. <i>Korean Journal of Parasitology</i> , 2013, 51, 537-544.	0.5	6
71	Distribution and Abundance of <i>Opisthorchis viverrini</i> Metacercariae in Cyprinid Fish in Northeastern Thailand. <i>Korean Journal of Parasitology</i> , 2013, 51, 703-710.	0.5	44
72	Establishment of an Allo-Transplantable Hamster Cholangiocarcinoma Cell Line and Its Application for In Vivo Screening of Anti-Cancer Drugs. <i>Korean Journal of Parasitology</i> , 2013, 51, 711-717.	0.5	11

#	ARTICLE	IF	CITATIONS
73	Alteration of galectin-1 during tumorigenesis of <i>Opisthorchis viverrini</i> infection-induced cholangiocarcinoma and its correlation with clinicopathology. <i>Tumor Biology</i> , 2012, 33, 1169-1178.	0.8	7
74	Platelet-derived growth factor may be a potential diagnostic and prognostic marker for cholangiocarcinoma. <i>Tumor Biology</i> , 2012, 33, 1785-1802.	0.8	38
75	Proton pump inhibitors suppress iNOS-dependent DNA damage in Barrett's esophagus by increasing Mn-SOD expression. <i>Biochemical and Biophysical Research Communications</i> , 2012, 421, 280-285.	1.0	20
76	Diagnostic values of parasite-specific antibody detections in saliva and urine in comparison with serum in opisthorchiasis. <i>Parasitology International</i> , 2012, 61, 196-202.	0.6	29
77	Oxidative and nitrative DNA damage: Key events in opisthorchiasis-induced carcinogenesis. <i>Parasitology International</i> , 2012, 61, 130-135.	0.6	139
78	Specific serum IgG, but not IgA, antibody against purified <i>Opisthorchis viverrini</i> antigen associated with hepatobiliary disease and cholangiocarcinoma. <i>Parasitology International</i> , 2012, 61, 212-216.	0.6	16
79	The liver fluke <i>Opisthorchis viverrini</i> expresses nitric oxide synthase but not gelatinases. <i>Parasitology International</i> , 2012, 61, 112-117.	0.6	6
80	Plasma hydroxyproline, MMP-7 and collagen I as novel predictive risk markers of hepatobiliary disease-associated cholangiocarcinoma. <i>International Journal of Cancer</i> , 2012, 131, E416-24.	2.3	21
81	Down-Regulated Expression of HSP70 in Correlation with Clinicopathology of Cholangiocarcinoma. <i>Pathology and Oncology Research</i> , 2012, 18, 227-237.	0.9	15
82	Increased expression of TLR-2, COX-2, and SOD-2 genes in the peripheral blood leukocytes of opisthorchiasis patients induced by <i>Opisthorchis viverrini</i> antigen. <i>Parasitology Research</i> , 2012, 110, 1969-1977.	0.6	13
83	Inflammation-induced protein carbonylation contributes to poor prognosis for cholangiocarcinoma. <i>Free Radical Biology and Medicine</i> , 2012, 52, 1465-1472.	1.3	52
84	Liver fluke-induced hepatic oxysterols stimulate DNA damage and apoptosis in cultured human cholangiocytes. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2012, 731, 48-57.	0.4	36
85	Proteomic Identification of Plasma Protein Tyrosine Phosphatase Alpha and Fibronectin Associated with Liver Fluke, <i>Opisthorchis viverrini</i> , Infection. <i>PLoS ONE</i> , 2012, 7, e45460.	1.1	15
86	Curcumin suppresses proliferation and induces apoptosis in human biliary cancer cells through modulation of multiple cell signaling pathways. <i>Carcinogenesis</i> , 2011, 32, 1372-1380.	1.3	117
87	Curcumin induces a nuclear factor-erythroid 2-related factor 2-driven response against oxidative and nitrative stress after praziquantel treatment in liver fluke-infected hamsters. <i>International Journal for Parasitology</i> , 2011, 41, 615-626.	1.3	45
88	Candidate genes involving in tumorigenesis of cholangiocarcinoma induced by <i>Opisthorchis viverrini</i> infection. <i>Parasitology Research</i> , 2011, 109, 657-673.	0.6	22
89	Involvement of c-Ski Oncoprotein in Carcinogenesis of Cholangiocacinoma Induced by <i>Opisthorchis viverrini</i> and N-nitrosodimethylamine. <i>Pathology and Oncology Research</i> , 2011, 17, 219-227.	0.9	22
90	Curcumin decreases cholangiocarcinogenesis in hamsters by suppressing inflammation-mediated molecular events related to multistep carcinogenesis. <i>International Journal of Cancer</i> , 2011, 129, 88-100.	2.3	93

#	ARTICLE	IF	CITATIONS
91	Accumulation of miscoding etheno-DNA adducts and highly expressed DNA repair during liver fluke-induced cholangiocarcinogenesis in hamsters. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2010, 691, 9-16.	0.4	22
92	Reduction of periductal fibrosis in liver fluke-infected hamsters after long-term curcumin treatment. <i>European Journal of Pharmacology</i> , 2010, 638, 134-141.	1.7	46
93	Involvement of MMP-9 in peribiliary fibrosis and cholangiocarcinogenesis via Rac1-dependent DNA damage in a hamster model. <i>International Journal of Cancer</i> , 2010, 127, 2576-2587.	2.3	86
94	Protective effect of melatonin against <i>Opisthorchis viverrini</i> -induced oxidative and nitrosative DNA damage and liver injury in hamsters. <i>Journal of Pineal Research</i> , 2010, 49, 271-282.	3.4	49
95	Lipid Peroxidation and Etheno DNA Adducts in White Blood Cells of Liver Fluke-Infected Patients: Protection by Plasma $\alpha$ -Tocopherol and Praziquantel. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 310-318.	1.1	34
96	Time profiles of the expression of metalloproteinases, tissue inhibitors of metalloproteinases, cytokines and collagens in hamsters infected with <i>Opisthorchis viverrini</i> with special reference to peribiliary fibrosis and liver injury. <i>International Journal for Parasitology</i> , 2009, 39, 825-835.	1.3	73
97	Curcumin reduces oxidative and nitrosative DNA damage through balancing of oxidant-antioxidant status in hamsters infected with <i>Opisthorchis viverrini</i> . <i>Molecular Nutrition and Food Research</i> , 2009, 53, 1316-1328.	1.5	62
98	Alterations of gene expression of RB pathway in <i>Opisthorchis viverrini</i> infection-induced cholangiocarcinoma. <i>Parasitology Research</i> , 2009, 105, 1273-1281.	0.6	22
99	Turmeric reduces inflammatory cells in hamster opisthorchiasis. <i>Parasitology Research</i> , 2009, 105, 1459-1463.	0.6	21
100	Effect of praziquantel treatment on the expression of matrix metalloproteinases in relation to tissue resorption during fibrosis in hamsters with acute and chronic <i>Opisthorchis viverrini</i> infection. <i>Acta Tropica</i> , 2009, 111, 181-191.	0.9	26
101	Urinary 8-Oxo-7,8-Dihydro-2-Deoxyguanosine in Patients with Parasite Infection and Effect of Antiparasitic Drug in Relation to Cholangiocarcinogenesis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 518-524.	1.1	67
102	High Excretion of Etheno Adducts in Liver Fluke-Infected Patients: Protection by Praziquantel against DNA Damage. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 1658-1664.	1.1	28
103	Oxidative and Nitrosative Stress in <i>Opisthorchis viverrini</i> -Infected Hamsters: An Indirect Effect after Praziquantel Treatment. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008, 78, 564-573.	0.6	50
104	Oxidative and nitrosative stress in <i>Opisthorchis viverrini</i> -infected hamsters: an indirect effect after praziquantel treatment. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008, 78, 564-73.	0.6	19
105	Oxidative and nitrosative DNA damage in animals and patients with inflammatory diseases in relation to inflammation-related carcinogenesis. <i>Biological Chemistry</i> , 2006, 387, 365-372.	1.2	386
106	iNOS-dependent DNA damage via NF- $\kappa$ B expression in hamsters infected with <i>Opisthorchis viverrini</i> and its suppression by the antihelminthic drug praziquantel. <i>International Journal of Cancer</i> , 2006, 119, 1067-1072.	2.3	88
107	Nitrosative and oxidative DNA damage in oral lichen planus in relation to human oral carcinogenesis. <i>Cancer Science</i> , 2005, 96, 553-559.	1.7	95
108	<i>Opisthorchis viverrini</i> antigen induces the expression of Toll-like receptor 2 in macrophage RAW cell line. <i>International Journal for Parasitology</i> , 2005, 35, 591-596.	1.3	40

#	ARTICLE	IF	CITATIONS
109	Nitrative and oxidative DNA damage in intrahepatic cholangiocarcinoma patients in relation to tumor invasion. <i>World Journal of Gastroenterology</i> , 2005, 11, 4644.	1.4	79
110	Detection of opportunistic and non-opportunistic intestinal parasites and liver flukes in HIV-positive and HIV-negative subjects. <i>Southeast Asian Journal of Tropical Medicine and Public Health</i> , 2005, 36, 841-5.	1.0	23
111	Repeated infection with <i>Opisthorchis viverrini</i> induces accumulation of 8-nitroguanine and 8-oxo-7,8-dihydro-2'-deoxyguanine in the bile duct of hamsters via inducible nitric oxide synthase. <i>Carcinogenesis</i> , 2004, 25, 1535-1542.	1.3	157
112	Hepatobiliary changes, antibody response, and alteration of liver enzymes in hamsters re-infected with <i>Opisthorchis viverrini</i> . <i>Experimental Parasitology</i> , 2004, 108, 32-39.	0.5	38
113	PCR diagnosis of <i>Pneumocystis carinii</i> on sputum and bronchoalveolar lavage samples in immuno-compromised patients. <i>Parasitology Research</i> , 2004, 94, 213-218.	0.6	51
114	Accumulation of 8-nitroguanine in human gastric epithelium induced by <i>Helicobacter pylori</i> infection. <i>Biochemical and Biophysical Research Communications</i> , 2004, 319, 506-510.	1.0	95
115	Mechanism of NO-mediated oxidative and nitrative DNA damage in hamsters infected with <i>Opisthorchis viverrini</i> : a model of inflammation-mediated carcinogenesis. <i>Nitric Oxide - Biology and Chemistry</i> , 2004, 11, 175-183.	1.2	164
116	8-Nitroguanine formation in the liver of hamsters infected with <i>Opisthorchis viverrini</i> . <i>Biochemical and Biophysical Research Communications</i> , 2003, 309, 567-571.	1.0	108