

Luciane M. Menezes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6314213/publications.pdf>

Version: 2024-02-01

77
papers

1,395
citations

448610

19
h-index

406436

35
g-index

80
all docs

80
docs citations

80
times ranked

1461
citing authors

#	ARTICLE	IF	CITATIONS
1	Low-level laser therapy (LLLT) improves alveolar bone healing in rats. <i>Lasers in Medical Science</i> , 2022, 37, 961-969.	1.0	8
2	Disinfection of Orthodontic Elastomers and Its Effects on Tensile Strength. , 2022, 35, 22-26.		1
3	Impact of cigarette smoke on osteogenic and osteoclast signaling in middle palatal suture. <i>Brazilian Dental Journal</i> , 2022, 33, 99-108.	0.5	1
4	Dimensional and morphologic characteristics of unilateral impacted maxillary central incisors. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2022, 162, 340-347.	0.8	1
5	A reflection on the role of women in Science, Dentistry and Brazilian Orthodontics. <i>Dental Press Journal of Orthodontics</i> , 2021, 26, e21spe2.	0.2	3
6	VEGF and FGF-2 Released In Palatal Suture after Rapid Maxillary Expansion (RME). <i>Brazilian Dental Journal</i> , 2021, 32, 98-103.	0.5	0
7	Metal ion quantification in the saliva of patients with lingual arch appliances using silver solder, laser, or TiG welding. <i>Clinical Oral Investigations</i> , 2020, 24, 2109-2120.	1.4	7
8	Management of the Vertical Dimension in the Camouflage Treatment of an Adult Skeletal Class III Malocclusion. <i>Case Reports in Dentistry</i> , 2020, 2020, 1-12.	0.2	1
9	Comparison between traditional and alternative biocompatible welding techniques used in orthodontic devices. <i>Journal of Orthodontics</i> , 2020, 48, 146531252097240.	0.4	0
10	FIBROMATOSE GENGIVAL: REVISÃO DE LITERATURA/GINGIVAL FIBROMATOSIS: A LITERATURE REVIEW. <i>Brazilian Journal of Development</i> , 2020, 6, 88853-88862.	0.0	0
11	A new jig design for molar distalization with skeletal anchorage. <i>Journal of Clinical Orthodontics: JCO</i> , 2020, 52, 302-308.	0.1	0
12	Interleukin 17 (IL-17) and interleukin 23 (IL-23) levels are modulated by compressive orthodontic forces in humans. <i>Journal of the World Federation of Orthodontists</i> , 2019, 8, 148-152.	0.9	4
13	An interview with Lincoln Issamu Nojima. <i>Dental Press Journal of Orthodontics</i> , 2019, 24, 22-32.	0.2	0
14	Color changes of esthetic elastomeric ligatures evaluated with the Commission Internationale d'Éclairage color system. <i>European Journal of Dentistry</i> , 2018, 12, 428-433.	0.8	5
15	Cone-beam computed tomography evaluation of bone plate and root length after maxillary expansion using tooth-borne and tooth-tissue-borne banded expanders. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018, 154, 504-516.	0.8	27
16	Conventional surgical-orthodontic approach with double-jaw surgery for a patient with a skeletal Class III malocclusion: Stability of results 10 years posttreatment. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018, 154, 128-139.	0.8	7
17	Juvenile idiopathic arthritis in orthodontics: Case report with a 6-year follow-up. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2017, 151, 384-396.	0.8	3
18	Volumetric assessment of alveolar clefts: a literature review. <i>Journal of Oral Pathology and Medicine</i> , 2017, 46, 569-573.	1.4	20

#	ARTICLE	IF	CITATIONS
19	Cytotoxic outcomes of orthodontic bands with and without silver solder in different cell lineages. American Journal of Orthodontics and Dentofacial Orthopedics, 2017, 151, 957-963.	0.8	13
20	Rapid 3D mandibular superimposition for growing patients. Angle Orthodontist, 2017, 87, 473-479.	1.1	22
21	Eruption rates of lower second premolars at different development stages evaluated with cone-beam computed tomography. Angle Orthodontist, 2017, 87, 570-575.	1.1	1
22	Cytokines in crevicular fluid and orthodontic force: a systematic review. Revista Odonto Ciencia, 2017, 32, 104.	0.0	3
23	Effect of surface treatment of prefabricated teeth on shear bond strength of orthodontic brackets. Dental Press Journal of Orthodontics, 2017, 22, 47-52.	0.2	5
24	Midfacial Protraction With Skeletal Anchorage After Pterygomaxillary Separation. Journal of Craniofacial Surgery, 2016, 27, 1561-1564.	0.3	0
25	Post-extraction evaluation of sockets with one plate loss – a microtomographic and histological study. Clinical Oral Implants Research, 2016, 27, 31-38.	1.9	12
26	In vivo evaluation of the genotoxic effects of Hyrax auxiliary orthodontic appliances containing silver-soldered joints. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2015, 791, 25-29.	0.9	7
27	Transdisciplinary treatment of Class III malocclusion using conventional implant-supported anchorage: 10-year posttreatment follow-up. Dental Press Journal of Orthodontics, 2015, 20, 69-79.	0.2	2
28	Fast three-dimensional superimposition of cone beam computed tomography for orthopaedics and orthognathic surgery evaluation. International Journal of Oral and Maxillofacial Surgery, 2015, 44, 1188-1196.	0.7	72
29	Three-dimensional monitoring of root movement during orthodontic treatment. American Journal of Orthodontics and Dentofacial Orthopedics, 2015, 147, 132-142.	0.8	54
30	Differences of Cytotoxicity of Orthodontic Bands Assessed by Survival Tests in <i>Saccharomyces cerevisiae</i> . BioMed Research International, 2014, 2014, 1-7.	0.9	8
31	Change in the pulp chamber temperature with different stripping techniques. Progress in Orthodontics, 2014, 15, 55.	1.3	12
32	Cytotoxicity and genotoxicity of orthodontic bands with or without silver soldered joints. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2014, 762, 1-8.	0.9	22
33	Combining traditional techniques to correct anterior open bite and posterior crossbite. American Journal of Orthodontics and Dentofacial Orthopedics, 2013, 143, 412-420.	0.8	8
34	Orthodontically induced eruption of a horizontally impacted maxillary central incisor. American Journal of Orthodontics and Dentofacial Orthopedics, 2013, 144, 119-129.	0.8	8
35	Computed gray levels in multislice and cone-beam computed tomography. American Journal of Orthodontics and Dentofacial Orthopedics, 2013, 144, 147-155.	0.8	18
36	In vitro evaluation of force degradation of elastomeric chains used in Orthodontics. Dental Press Journal of Orthodontics, 2013, 18, 55-62.	0.2	19

#	ARTICLE	IF	CITATIONS
37	Sagittal changes in lower incisors by the use of lingual arch. <i>Dental Press Journal of Orthodontics</i> , 2013, 18, 29-34.	0.2	6
38	Imaging software accuracy for 3-dimensional analysis of the upper airway. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2012, 142, 801-813.	0.8	177
39	The importance of interdisciplinary approach for managing cleft lip and palate: a case report. <i>Journal of the World Federation of Orthodontists</i> , 2012, 1, e103-e113.	0.9	0
40	Cone-Beam computed tomography evaluation of maxillary expansion in twins with cleft lip and palate. <i>Dental Press Journal of Orthodontics</i> , 2012, 17, 42.e1-42.e11.	0.2	2
41	Evaluation of the lower incisor inclination during alignment and leveling using superelastic NiTi archwires: a laboratory study. <i>Dental Press Journal of Orthodontics</i> , 2012, 17, 51-57.	0.2	3
42	Cytotoxicity of esthetic, metallic, and nickel-free orthodontic brackets: Cellular behavior and viability. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2012, 142, 70-74.	0.8	20
43	Maxillary canine retraction with self-ligating and conventional brackets. <i>Angle Orthodontist</i> , 2011, 81, 292-297.	1.1	60
44	Indirect bonding with thermal glue and brackets with positioning jigs. <i>Progress in Orthodontics</i> , 2011, 12, 180-185.	1.3	1
45	Traumatic injuries during the postoperative period after orthognathic surgery in patient with complete bilateral cleft lip and palate. <i>Revista Odonto Ciencia</i> , 2011, 26, 359-365.	0.0	1
46	Análises microbiológicas de alicates ortodônticos. <i>Dental Press Journal of Orthodontics</i> , 2011, 16, 103-112.	0.2	6
47	Análise comparativa da expansão maxilar com três marcas de parafusos com limitador posterior: ensaio laboratorial em Typodont. <i>Dental Press Journal of Orthodontics</i> , 2011, 16, 119-126.	0.2	0
48	Profile changes in premolar extraction. <i>Revista Odonto Ciencia</i> , 2011, 26, 304-309.	0.0	3
49	Cytotoxicity of orthodontic materials assessed by survival tests in <i>Saccharomyces cerevisiae</i> . <i>Dental Materials</i> , 2011, 27, e81-e86.	1.6	17
50	Release of toxic ions from silver solder used in orthodontics: An in-situ evaluation. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2011, 140, 177-181.	0.8	45
51	Immediate effects of rapid maxillary expansion with Haas-type and hyrax-type expanders: A randomized clinical trial. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2011, 140, 366-376.	0.8	136
52	Biodegradabilidade de braquetes ortodônticos: análise por microscopia eletrônica de varredura. <i>Dental Press Journal of Orthodontics</i> , 2010, 15, 48-51.	0.2	7
53	Characteristics and distribution of dental anomalies in a Brazilian cleft population. <i>Revista Odonto Ciencia</i> , 2010, 25, 137-141.	0.0	5
54	Influência de variáveis metodológicas na resistência de união ao cisalhamento. <i>Dental Press Journal of Orthodontics</i> , 2010, 15, 80-88.	0.2	6

#	ARTICLE	IF	CITATIONS
55	The Release of Ions from Metallic Orthodontic Appliances. <i>Seminars in Orthodontics</i> , 2010, 16, 282-292.	0.8	26
56	Dentoskeletal Effects of Maxillary Protraction in Cleft Patients with Repetitive Weekly Protocol of Alternate Rapid Maxillary Expansions and Constrictions. <i>Cleft Palate-Craniofacial Journal</i> , 2009, 46, 391-398.	0.5	27
57	Cytotoxicity of Silver Solder Employed in Orthodontics. <i>Angle Orthodontist</i> , 2009, 79, 939-944.	1.1	23
58	Biocompatibilidade dos materiais em Ortodontia: mito ou realidade?. <i>Revista Dental Press De Ortodontia E Ortopedia Facial</i> , 2009, 14, 144-157.	0.2	10
59	Surgically assisted rapid maxillary expansion combined with maxillary protraction in an adult: a patient report. <i>World Journal of Orthodontics</i> , 2009, 10, 334-44.	0.2	4
60	Cytotoxicity of Two Autopolymerized Acrylic Resins Used in Orthodontics. <i>Angle Orthodontist</i> , 2008, 78, 926-930.	1.1	30
61	Residual Monomer of Autopolymerized Acrylic Resin According to Different Manipulation and Polishing Methods. <i>Angle Orthodontist</i> , 2008, 78, 722-727.	1.1	28
62	Surface Roughness of Auto Polymerized Acrylic Resin According to Different Manipulation and Polishing Methods. <i>Angle Orthodontist</i> , 2008, 78, 931-934.	1.1	15
63	Molar Changes with Cervical Headgear Alone or in Combination with Rapid Maxillary Expansion. <i>Angle Orthodontist</i> , 2008, 78, 847-851.	1.1	7
64	Nickel, Chromium and Iron Levels in the Saliva of Patients with Simulated Fixed Orthodontic Appliances. <i>Angle Orthodontist</i> , 2008, 78, 345-350.	1.1	108
65	Biodegradabilidade de braquetes ortodônticos: avaliação da liberação iônica in vitro. <i>Revista Dental Press De Ortodontia E Ortopedia Facial</i> , 2008, 13, 77-84.	0.2	6
66	Mordida cruzada posterior: uma classificação mais didática. <i>Revista Dental Press De Ortodontia E Ortopedia Facial</i> , 2008, 13, 146-158.	0.2	4
67	In vivo determination of genotoxicity induced by metals from orthodontic appliances using micronucleus and comet assays. <i>Genetics and Molecular Research</i> , 2008, 7, 1259-1266.	0.3	49
68	Urinary excretion levels of nickel in orthodontic patients. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2007, 131, 635-638.	0.8	61
69	A utilização de diferentes configurações de molas "T" para a obtenção de sistemas de forças otimizados. <i>Revista Dental Press De Ortodontia E Ortopedia Facial</i> , 2006, 11, 57-77.	0.2	5
70	Maxillary first permanent molar impaction. A conservative treatment approach. <i>Journal of Clinical Pediatric Dentistry</i> , 2006, 30, 169-173.	0.5	1
71	Allergy to auto-polymerized acrylic resin in an orthodontic patient. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2006, 129, 431-435.	0.8	57
72	Severe anterior open-bite malocclusion. <i>Angle Orthodontist</i> , 2006, 76, 728-33.	1.1	6

#	ARTICLE	IF	CITATIONS
73	Avaliação in vitro da liberação de nêquel por braquetes metálicos. Revista Dental Press De Ortodontia E Ortopedia Facial, 2005, 10, 87-96.	0.2	3
74	Force systems yielded by different designs of T-loop. Australian Orthodontic Journal, 2005, 21, 103-10.	0.3	5
75	Hypersensitivity to metals in orthodontics. American Journal of Orthodontics and Dentofacial Orthopedics, 2004, 126, 58-64.	0.8	50
76	A new wraparound retainer design. Journal of Clinical Orthodontics: JCO, 2002, 36, 524-6.	0.1	0
77	Correction of an anterior and posterior crossbite case with a modified McNamara appliance: A case report. Contemporary Pediatric Dentistry, 0, , 64-71.	0.0	0