

# Yanai Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6314700/publications.pdf>

Version: 2024-02-01

8  
papers

41  
citations

1937685

4  
h-index

1872680

6  
g-index

8  
all docs

8  
docs citations

8  
times ranked

49  
citing authors

#	ARTICLE	IF	CITATIONS
1	Low-Frequency Genetic Variant in the Hepatic Glucokinase Gene Is Associated With Type 2 Diabetes and Insulin Resistance in Chinese Population. <i>Diabetes</i> , 2021, 70, 809-816.	0.6	3
2	Urinary C-Peptide/creatinine ratio: A useful biomarker of insulin resistance and refined classification of type 2 diabetes mellitus. <i>Journal of Diabetes</i> , 2021, 13, 893-904.	1.8	8
3	Factors Associated with Acute Complications among Individuals with Type 1 Diabetes in China: The 3C Study. <i>Endocrine Research</i> , 2020, 45, 1-8.	1.2	1
4	Factors associated with resistance to complications in long-standing type 1 diabetes in China. <i>Endocrine Connections</i> , 2020, 9, 187-193.	1.9	0
5	Clinical Implications of Urinary C-Peptide Creatinine Ratio in Patients with Different Types of Diabetes. <i>Journal of Diabetes Research</i> , 2019, 2019, 1-8.	2.3	4
6	&lt;p&gt;Urinary C-Peptide Creatinine Ratio as a Non-Invasive Tool for Identifying Latent Autoimmune Diabetes in Adults (LADA)&lt;/p&gt;. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2019, Volume 12, 2531-2537.	2.4	7
7	Characteristics and Ongoing Autoimmunity of Patients With Long-standing Type 1 Diabetes Living in China. <i>Diabetes Care</i> , 2018, 41, e97-e98.	8.6	7
8	Lower Circulating miR-122 Level in Patients with HNF1A Variant-Induced Diabetes Compared with Type 2 Diabetes. <i>Journal of Diabetes Research</i> , 2018, 2018, 1-6.	2.3	11