

Paolo Marino

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6315829/paolo-marino-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

217
papers

14,198
citations

39
h-index

117
g-index

225
ext. papers

16,527
ext. citations

3.7
avg, IF

5.99
L-index

#	Paper	IF	Citations
217	Three-dimensional echocardiography in the evaluation of right ventricular function in pulmonary hypertensive patients: a commentary. <i>Journal of Cardiovascular Medicine</i> , 2021 , 22, 937-938	1.9	0
216	Left atrial conduit function: A short review. <i>Physiological Reports</i> , 2021 , 9, e15053	2.6	0
215	Left atrial conduit function modulates right ventricular afterload, exercise capacity and survival in heart failure patients. <i>Journal of Cardiovascular Medicine</i> , 2021 , 22, 396-404	1.9	1
214	Left atrial conduit flow rate at baseline and during exercise: an index of impaired relaxation in HFpEF patients. <i>ESC Heart Failure</i> , 2021 , 8, 4334-4342	3.7	4
213	Imaging of the left atrium: pathophysiology insights and clinical utility. <i>European Heart Journal Cardiovascular Imaging</i> , 2021 ,	4.1	2
212	Role of Gas6 and TAM Receptors in the Identification of Cardiopulmonary Involvement in Systemic Sclerosis and Scleroderma Spectrum Disorders. <i>Disease Markers</i> , 2020 , 2020, 2696173	3.2	5
211	Enhanced clinical phenotyping by mechanistic bioprofiling in heart failure with preserved ejection fraction: insights from the MEDIA-DHF study (The Metabolic Road to Diastolic Heart Failure). <i>Biomarkers</i> , 2020 , 25, 201-211	2.6	11
210	Myocardial phenotypes and dysfunction in HFpEF and HFrEF assessed by echocardiography and cardiac magnetic resonance. <i>Heart Failure Reviews</i> , 2020 , 25, 75-84	5	3
209	Transcatheter aortic valve replacement acutely improves left ventricular mechanical efficiency in severe aortic stenosis: effects of different phenotypes. <i>Clinical Research in Cardiology</i> , 2020 , 109, 819-831 ^{6.1}	6.1	3
208	Sex differences in circulating proteins in heart failure with preserved ejection fraction. <i>Biology of Sex Differences</i> , 2020 , 11, 47	9.3	5
207	Interobserver Variability in Applying American Society of Echocardiography/European Association of Cardiovascular Imaging 2016 Guidelines for Estimation of Left Ventricular Filling Pressure. <i>Circulation: Cardiovascular Imaging</i> , 2019 , 12, e008122	3.9	23
206	Acute Modifications of Left Ventricular Torsional Mechanics Induced by Cardiac Resynchronization Therapy Affect Short-Term Reverse Remodeling. <i>Circulation Journal</i> , 2019 , 83, 386-394	2.9	2
205	Red Cell Distribution Width and Platelet Count as Biomarkers of Pulmonary Arterial Hypertension in Patients with Connective Tissue Disorders. <i>Disease Markers</i> , 2019 , 2019, 4981982	3.2	12
204	Complex interaction between the atrium and the ventricular filling process: the role of conduit. <i>Open Heart</i> , 2019 , 6, e001042	3	3
203	Atrial conduit function quantitation precardiaversion predicts early arrhythmia recurrence in persistent atrial fibrillation patients. <i>Journal of Cardiovascular Medicine</i> , 2019 , 20, 169-179	1.9	9
202	Prevalence and predictors of high-on treatment platelet reactivity during prasugrel treatment in patients with acute coronary syndrome undergoing stent implantation. <i>Journal of Cardiology</i> , 2019 , 73, 198-203	3	8
201	Impact of adenosine A2a receptor polymorphism rs5751876 on platelet reactivity in ticagrelor treated patients. <i>Pharmacological Research</i> , 2018 , 129, 27-33	10.2	13

200	Machine Learning Analysis of Left Ventricular Function to Characterize Heart Failure With Preserved Ejection Fraction. <i>Circulation: Cardiovascular Imaging</i> , 2018 , 11, e007138	3.9	57
199	Feasibility of cathodic-anodal left ventricular stimulation for alternative multisite pacing. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018 , 41, 597-602	1.6	5
198	Impact of Long-Term Dual Antiplatelet Therapy on Immature Platelet Count and Platelet Reactivity. <i>Angiology</i> , 2018 , 69, 490-496	2.1	9
197	Resting Pd/Pa and haemodynamic relevance of coronary stenosis as evaluated by fractional flow reserve. <i>Coronary Artery Disease</i> , 2018 , 29, 138-144	1.4	5
196	Diagnosis of Heart Failure With Preserved Ejection Fraction: Machine Learning of Spatiotemporal Variations in Left Ventricular Deformation. <i>Journal of the American Society of Echocardiography</i> , 2018 , 31, 1272-1284.e9	5.8	59
195	Association between left atrial phasic conduit function and early atrial fibrillation recurrence in patients undergoing electrical cardioversion. <i>Clinical Research in Cardiology</i> , 2018 , 107, 329-337	6.1	15
194	Transcatheter leadless pacemaker implantation in a patient with failing transvenous pacemaker and total occlusion of superior vena cava. <i>Journal of Cardiovascular Medicine</i> , 2018 , 19, 511-512	1.9	1
193	Coronary flow reserve/diastolic function relationship in angina-suffering patients with normal coronary angiography. <i>Journal of Cardiovascular Medicine</i> , 2017 , 18, 325-331	1.9	3
192	Occurrence of simultaneous cathodal-anodal capture with left ventricular quadripolar leads for cardiac resynchronization therapy: an electrocardiogram evaluation. <i>Europace</i> , 2017 , 19, 596-601	3.9	6
191	Impact of high-dose statins on vitamin D levels and platelet function in patients with coronary artery disease. <i>Thrombosis Research</i> , 2017 , 150, 90-95	8.2	18
190	Vitamin D Binding Protein rs7041 polymorphism and high-residual platelet reactivity in patients receiving dual antiplatelet therapy with clopidogrel or ticagrelor. <i>Vascular Pharmacology</i> , 2017 , 93-95, 42-47	5.9	4
189	Persistence of ICD indication at the time of replacement in patients with initial implant for primary prevention indication: Effect on subsequent ICD therapies. <i>Indian Pacing and Electrophysiology Journal</i> , 2017 , 17, 29-33	1.5	3
188	Immature platelet fraction and the extent of coronary artery disease: A single centre study. <i>Atherosclerosis</i> , 2017 , 260, 110-115	3.1	9
187	Optical coherence tomography guidance during bioresorbable vascular scaffold implantation. <i>Journal of Thoracic Disease</i> , 2017 , 9, S986-S993	2.6	4
186	Incremental value of right atrial strain for early diagnosis of hemodynamic deterioration in pulmonary hypertension: a new noninvasive tool for a more comprehensive diagnostic paradigm. <i>Journal of Cardiovascular Medicine</i> , 2017 , 18, 866-874	1.9	3
185	Gender Difference in the Risk of Contrast-Induced Nephropathy in Patients Undergoing Coronary Angiography or Percutaneous Coronary Intervention. <i>Angiology</i> , 2017 , 68, 542-546	2.1	13
184	Non-invasively estimated left atrial stiffness is associated with short-term recurrence of atrial fibrillation after electrical cardioversion. <i>Journal of Cardiology</i> , 2017 , 69, 731-738	3	8
183	Quantitative assessment of atrial conduit function: a new index of diastolic dysfunction. <i>Clinical Research in Cardiology</i> , 2016 , 105, 17-28	6.1	20

182	Immature platelet fraction and high-on treatment platelet reactivity with ticagrelor in patients with acute coronary syndromes. <i>Journal of Thrombosis and Thrombolysis</i> , 2016 , 41, 663-70	5.1	18
181	Neutrophil to Lymphocyte Ratio and the Extent of Coronary Artery Disease: Results From a Large Cohort Study. <i>Angiology</i> , 2016 , 67, 75-82	2.1	53
180	Vitamin D levels and high-residual platelet reactivity in patients receiving dual antiplatelet therapy with clopidogrel or ticagrelor. <i>Platelets</i> , 2016 , 27, 576-82	3.6	19
179	Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography: An Update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2016 , 17, 1321-1360	4.1	1096
178	Parathyroid Hormone Levels and High-Residual Platelet Reactivity in Patients Receiving Dual Antiplatelet Therapy With Acetylsalicylic Acid and Clopidogrel or Ticagrelor. <i>Cardiovascular Therapeutics</i> , 2016 , 34, 209-15	3.3	8
177	Prevalence and predictors of high-on treatment platelet reactivity with ticagrelor in ACS patients undergoing stent implantation. <i>Vascular Pharmacology</i> , 2016 , 77, 48-53	5.9	19
176	Indications and immediate and long-term results of a novel pericardium covered stent graft: Consecutive 5 year single center experience. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 87, 712-9	2.7	14
175	Gender Differences in Platelet Reactivity in Patients Receiving Dual Antiplatelet Therapy. <i>Cardiovascular Drugs and Therapy</i> , 2016 , 30, 143-50	3.9	15
174	Right bundle branch block and heart failure: Can a bifocal right ventricular pacing be an alternative to biventricular pacing?. <i>Cor Et Vasa</i> , 2016 , 58, e391-e395	0.3	
173	Time-related changes in neointimal tissue coverage of a novel Sirolimus eluting stent: Serial observations with optical coherence tomography. <i>Cardiovascular Revascularization Medicine</i> , 2016 , 17, 38-43	1.6	15
172	Platelet reactivity in patients with impaired renal function receiving dual antiplatelet therapy with clopidogrel or ticagrelor. <i>Vascular Pharmacology</i> , 2016 , 79, 11-15	5.9	15
171	Contrast volume to creatinine clearance ratio for the prediction of contrast-induced nephropathy in patients undergoing coronary angiography or percutaneous intervention. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 931-7	3.9	19
170	Very high-pressure dilatation for undilatable coronary lesions: indications and results with a new dedicated balloon. <i>EuroIntervention</i> , 2016 , 12, 359-65	3.1	33
169	Echocardiographically Derived Pulse Wave Velocity and Diastolic Dysfunction Are Associated with an Increased Incidence of Atrial Fibrillation in Patients with Systolic Heart Failure. <i>Echocardiography</i> , 2016 , 33, 1024-31	1.5	7
168	An anomalous case of acute coronary syndrome: the unexpected autoimmune duo. <i>Journal of Cardiovascular Medicine</i> , 2016 , 17 Suppl 2, e118-e121	1.9	0
167	Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography: An Update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. <i>Journal of the American Society of Echocardiography</i> , 2016 , 29, 277-314	5.8	2369
166	Acute contractile recovery extent during biventricular pacing is not associated with follow-up in patients undergoing resynchronization. <i>IJC Heart and Vasculature</i> , 2016 , 11, 66-73	2.4	2
165	Impact of renal function on mean platelet volume and its relationship with coronary artery disease: A single-centre cohort study. <i>Thrombosis Research</i> , 2016 , 141, 139-44	8.2	12

164	Impact of diabetes on immature platelets fraction and its relationship with platelet reactivity in patients receiving dual antiplatelet therapy. <i>Journal of Thrombosis and Thrombolysis</i> , 2016 , 42, 245-53	5.1	24
163	Vitamin D status, diabetes mellitus and coronary artery disease in patients undergoing coronary angiography. <i>Atherosclerosis</i> , 2016 , 250, 114-21	3.1	18
162	Impact of red blood cells count on the relationship between high density lipoproteins and the prevalence and extent of coronary artery disease: a single centre study [corrected]. <i>Journal of Thrombosis and Thrombolysis</i> , 2015 , 40, 61-8	5.1	6
161	Elevated homocysteine and the risk of contrast-induced nephropathy: a cohort study. <i>Angiology</i> , 2015 , 66, 333-8	2.1	11
160	Impact of sex on uric acid levels and its relationship with the extent of coronary artery disease: A single-centre study. <i>Atherosclerosis</i> , 2015 , 241, 241-8	3.1	39
159	Glycosylated hemoglobin and the risk of periprocedural myocardial infarction in non-diabetic patients. <i>Journal of Diabetes and Its Complications</i> , 2015 , 29, 517-22	3.2	5
158	Homocysteine and risk of periprocedural myocardial infarction in patients undergoing coronary stenting. <i>Journal of Cardiovascular Medicine</i> , 2015 , 16, 100-5	1.9	5
157	Impact of atorvastatin or rosuvastatin co-administration on platelet reactivity in patients treated with dual antiplatelet therapy. <i>Atherosclerosis</i> , 2015 , 243, 389-94	3.1	9
156	Platelet Larger Cell Ratio and High-on Treatment Platelet Reactivity During Dual Antiplatelet Therapy. <i>Cardiovascular Drugs and Therapy</i> , 2015 , 29, 443-50	3.9	5
155	Mean platelet volume and high-residual platelet reactivity in patients receiving dual antiplatelet therapy with clopidogrel or ticagrelor. <i>Expert Opinion on Pharmacotherapy</i> , 2015 , 16, 1739-47	4	13
154	Impact of diabetes on fibrinogen levels and its relationship with platelet reactivity and coronary artery disease: A single-centre study. <i>Diabetes Research and Clinical Practice</i> , 2015 , 109, 541-50	7.4	4
153	Absolute eosinophils count and the extent of coronary artery disease: a single centre cohort study. <i>Journal of Thrombosis and Thrombolysis</i> , 2015 , 39, 459-66	5.1	14
152	Platelet-larger cell ratio and the risk of periprocedural myocardial infarction after percutaneous coronary revascularization. <i>Heart and Vessels</i> , 2015 , 30, 20-7	2.1	6
151	Relationship between glycoprotein IIIa platelet receptor gene polymorphism and coronary artery disease. <i>Angiology</i> , 2015 , 66, 79-85	2.1	3
150	Effect of diabetes mellitus on periprocedural myocardial infarction in patients undergoing coronary stent implantation. <i>Diabetes/Metabolism Research and Reviews</i> , 2015 , 31, 85-92	7.5	3
149	Body Mass Index and Platelet Reactivity During Dual Antiplatelet Therapy With Clopidogrel or Ticagrelor. <i>Journal of Cardiovascular Pharmacology</i> , 2015 , 66, 364-70	3.1	12
148	Homocysteine Levels Influence Platelet Reactivity in Coronary Artery Disease Patients Treated With Acetylsalicylic Acid. <i>Journal of Cardiovascular Pharmacology</i> , 2015 , 66, 35-40	3.1	14
147	Old and New Drugs for Treatment of Stable Angina: New Anti-Anginal Drugs and Coronary Revascularization. <i>Cardiovascular and Hematological Agents in Medicinal Chemistry</i> , 2015 , 13, 21-4	1.9	2

146	Pathophysiological rationale and diagnostic targets for diastolic stress testing. <i>Heart</i> , 2015 , 101, 1355-60.	3.1	14
145	Impact of age on mean platelet volume and its relationship with coronary artery disease: a single-centre cohort study. <i>Experimental Gerontology</i> , 2015 , 62, 32-6	4.5	23
144	Right ventricular septal pacing: Safety and efficacy in a long term follow up. <i>World Journal of Cardiology</i> , 2015 , 7, 490-8	2.1	10
143	Impact of diabetes on uric acid and its relationship with the extent of coronary artery disease and platelet aggregation: a single-centre cohort study. <i>Metabolism: Clinical and Experimental</i> , 2014 , 63, 640-6	12.7	21
142	Eosinophils count and periprocedural myocardial infarction in patients undergoing percutaneous coronary interventions. <i>Atherosclerosis</i> , 2014 , 236, 169-74	3.1	7
141	Systolic heart failure and cardiac resynchronization therapy: a focus on diastole. <i>International Journal of Cardiovascular Imaging</i> , 2014 , 30, 897-905	2.5	6
140	Switching from high-dose clopidogrel to prasugrel in ACS patients undergoing PCI: a single-center experience. <i>Journal of Thrombosis and Thrombolysis</i> , 2014 , 38, 388-94	5.1	13
139	The role of statins in the prevention of contrast induced nephropathy: a meta-analysis of 8 randomized trials. <i>Journal of Thrombosis and Thrombolysis</i> , 2014 , 38, 493-502	5.1	18
138	Glycosylated hemoglobin and coronary artery disease in patients without diabetes mellitus. <i>American Journal of Preventive Medicine</i> , 2014 , 47, 9-16	6.1	20
137	Diabetes, glucose control and mean platelet volume: a single-centre cohort study. <i>Diabetes Research and Clinical Practice</i> , 2014 , 104, 288-94	7.4	27
136	Relationship between homocysteine and coronary artery disease. Results from a large prospective cohort study. <i>Thrombosis Research</i> , 2014 , 134, 288-93	8.2	71
135	Ventricular and pulmonary vascular remodeling induced by pulmonary overflow in a chronic model of pretricuspid shunt. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014 , 148, 2609-17	1.5	11
134	Platelet PIA1/PIA2 polymorphism and the risk of periprocedural myocardial infarction in patients with acute coronary syndromes undergoing coronary angioplasty. <i>Blood Coagulation and Fibrinolysis</i> , 2014 , 25, 107-13	1	5
133	High-density lipoproteins and coronary artery disease: a single-center cohort study. <i>Angiology</i> , 2014 , 65, 696-702	2.1	10
132	A systematic review of diastolic stress tests in heart failure with preserved ejection fraction, with proposals from the EU-FP7 MEDIA study group. <i>European Journal of Heart Failure</i> , 2014 , 16, 1345-61	12.3	55
131	Pre-diabetes and the risk of contrast induced nephropathy in patients undergoing coronary angiography or percutaneous intervention. <i>Diabetes Research and Clinical Practice</i> , 2014 , 106, 458-64	7.4	15
130	Platelet HPA-1 a/HPA-1 b polymorphism and the risk of periprocedural myocardial infarction in patients undergoing elective PCI. <i>Platelets</i> , 2014 , 25, 367-72	3.6	8
129	Lack of interference of electromagnetic navigation bronchoscopy to implanted cardioverter-defibrillator: in-vivo study. <i>Europace</i> , 2014 , 16, 1767-71	3.9	9

128	Uric acid and risk of periprocedural myocardial infarction in patients undergoing percutaneous coronary intervention. <i>Diabetes/Metabolism Research and Reviews</i> , 2014 , 30, 297-304	7.5	6
127	Vitamin D deficiency is independently associated with the extent of coronary artery disease. <i>European Journal of Clinical Investigation</i> , 2014 , 44, 634-42	4.6	67
126	Benefits from new ADP antagonists as compared with clopidogrel in patients with stable angina or acute coronary syndrome undergoing invasive management: a meta-analysis of randomized trials. <i>Journal of Cardiovascular Pharmacology</i> , 2014 , 63, 339-50	3.1	53
125	Haemoglobin levels do not correlate with the extent of coronary artery disease: results from a large cohort study. <i>Coronary Artery Disease</i> , 2014 , 25, 463-8	1.4	1
124	Integrating the knowledge: strength and limitations of echo techniques to diagnose and stage heart failure with preserved ejection fraction. <i>Journal of Cardiovascular Medicine</i> , 2014 , 15, 85-91	1.9	2
123	Prevalence of ventricular arrhythmias in patients with cardiac resynchronization therapy without back-up ICD: a single-center experience. <i>Journal of Cardiovascular Medicine</i> , 2014 , 15, 301-6	1.9	7
122	Combination between mean platelet volume and platelet distribution width to predict the prevalence and extent of coronary artery disease: results from a large cohort study. <i>Blood Coagulation and Fibrinolysis</i> , 2014 , 25, 86-91	1	23
121	Left atrium function in patients with coronary artery disease. <i>Current Opinion in Cardiology</i> , 2014 , 29, 423-9	2.1	8
120	Prevalence of undiagnosed chronic thromboembolic pulmonary hypertension after pulmonary embolism. <i>Blood Coagulation and Fibrinolysis</i> , 2014 , 25, 649-53	1	15
119	Effects of timing, location and definition of reinfarction on mortality in patients with totally occluded infarct related arteries late after myocardial infarction. <i>International Journal of Cardiology</i> , 2014 , 174, 90-5	3.2	0
118	Platelet distribution width and the risk of periprocedural myocardial infarction in patients undergoing percutaneous coronary intervention. <i>Journal of Thrombosis and Thrombolysis</i> , 2014 , 37, 345-52	5.1	8
117	Mean platelet volume and the risk of periprocedural myocardial infarction in patients undergoing coronary angioplasty. <i>Atherosclerosis</i> , 2013 , 228, 136-41	3.1	20
116	Long-term clinical follow-up of the multicentre, randomized study to test immunosuppressive therapy with oral prednisone for the prevention of restenosis after percutaneous coronary interventions: Cortisone plus BMS or DES versus BMS alone to Eliminate Restenosis (CEREA-DES). <i>European Heart Journal</i> , 2013 , 34, 1740-8	9.5	19
115	Aspirin desensitization in patients undergoing planned or urgent coronary stent implantation. A single-center experience. <i>International Journal of Cardiology</i> , 2013 , 167, 561-3	3.2	31
114	Analysis of electrical and mechanical left atrial properties in patients with persistent atrial fibrillation. <i>International Journal of Cardiovascular Imaging</i> , 2013 , 29, 71-8	2.5	5
113	Abnormal left ventricular longitudinal function assessed by echocardiographic and tissue Doppler imaging is a powerful predictor of diastolic dysfunction in hypertensive patients: the SPHERE study. <i>International Journal of Cardiology</i> , 2013 , 168, 3351-8	3.2	25
112	Transient hyperkalemia-induced T-wave oversensing as a cause of inappropriate ICD discharges. <i>Journal of Cardiology Cases</i> , 2013 , 8, 164-167	0.6	3
111	PLA(1)/PLA(2) polymorphism does not influence response to Gp IIb-IIIa inhibitors in patients undergoing coronary angioplasty. <i>Blood Coagulation and Fibrinolysis</i> , 2013 , 24, 411-8	1	32

110	Mean platelet volume is not associated with platelet reactivity and the extent of coronary artery disease in diabetic patients. <i>Blood Coagulation and Fibrinolysis</i> , 2013 , 24, 619-24	1	53
109	Italian cardiological guidelines for sports eligibility in athletes with heart disease: part 2. <i>Journal of Cardiovascular Medicine</i> , 2013 , 14, 500-15	1.9	16
108	Italian cardiological guidelines for sports eligibility in athletes with heart disease: part 1. <i>Journal of Cardiovascular Medicine</i> , 2013 , 14, 477-99	1.9	35
107	P2Y12 inhibitors: pharmacologic mechanism and clinical relevance. <i>Cardiovascular and Hematological Agents in Medicinal Chemistry</i> , 2013 , 11, 101-5	1.9	7
106	Ventricular fusion mimicking acute inferior myocardial infarction in a patient with a dual-chamber pacemaker. <i>Journal of Cardiology Cases</i> , 2012 , 6, e106-e108	0.6	
105	The relationship between early left ventricular myocardial alterations and reduced coronary flow reserve in non-insulin-dependent diabetic patients with microvascular angina. <i>International Journal of Cardiology</i> , 2012 , 154, 250-5	3.2	18
104	Stable ventricular fibrillation in a heterotopic heart transplant recipient. <i>Heart Lung and Circulation</i> , 2012 , 21, 747-9	1.8	2
103	Baseline asynchrony, assessed circumferentially using temporal uniformity of strain, besides coincidence between site of latest mechanical activation and presumed left ventricular lead position, predicts favourable prognosis after resynchronization therapy. <i>International Journal of Cardiology</i> , 2012 , 149, 1014-21	2.5	6
102	Evaluation of intracoronary adenosine to prevent periprocedural myonecrosis in elective percutaneous coronary intervention (from the PREVENT-ICARUS Trial). <i>American Journal of Cardiology</i> , 2012 , 109, 202-7	3	17
101	Short-term effects of aspirin and clopidogrel on mean platelet volume among patients with acute coronary syndromes. A single-center prospective study. <i>Blood Coagulation and Fibrinolysis</i> , 2012 , 23, 756-9	1	23
100	In vitro tests of electromagnetic interference of electromagnetic navigational bronchoscopy to implantable cardioverter defibrillators. <i>Europace</i> , 2012 , 14, 1054-9	3.9	8
99	The relationship between quantitative perfusion and functional results and acquisition time with reduced administered activity for 99mTc tetrofosmin myocardial gated-SPECT. <i>Clinical Nuclear Medicine</i> , 2012 , 37, e162-9	1.7	5
98	An unusual case of ECG ST-segment elevation. <i>Journal of Cardiovascular Medicine</i> , 2012 , 13, 289-91	1.9	1
97	Long-term follow-up of DDDR closed-loop cardiac pacing for the prevention of recurrent vasovagal syncope. <i>Journal of Cardiovascular Medicine</i> , 2012 , 13, 242-5	1.9	20
96	In vitro tests of electromagnetic interference of electromagnetic navigational bronchoscopy to implantable cardioverter defibrillators. <i>Europace</i> , 2012 , 14, 1054-1059	3.9	3
95	Effects of increasing doses of intracoronary adenosine on the assessment of fractional flow reserve. <i>JACC: Cardiovascular Interventions</i> , 2011 , 4, 1079-84	5	72
94	Immunosuppressive therapy with oral prednisone to prevent restenosis after PCI. A multicenter randomized trial. <i>American Journal of Medicine</i> , 2011 , 124, 434-43	2.4	23
93	Apical-sparing Tako-tsubo: a case report. <i>International Journal of Cardiology</i> , 2011 , 150, e34-6	3.2	

92	Future easy and physiological cardiac pacing. <i>World Journal of Cardiology</i> , 2011 , 3, 32-9	2.1	6
91	Silent double aortic arch coincidentally found during cardiac catheterization in elderly man. <i>Congenital Heart Disease</i> , 2011 , 6, 74-6	3.1	3
90	High fibrinogen level is an independent predictor of presence and extent of coronary artery disease among Italian population. <i>Journal of Thrombosis and Thrombolysis</i> , 2011 , 31, 458-63	5.1	41
89	Methodological approach for the assessment of ultrasound reproducibility of cardiac structure and function: a proposal of the study group of Echocardiography of the Italian Society of Cardiology (Ultra Cardia SIC) part I. <i>Cardiovascular Ultrasound</i> , 2011 , 9, 26	2.4	22
88	Usefulness of hemodynamic sensors for physiologic cardiac pacing in heart failure patients. <i>Cardiology Research and Practice</i> , 2011 , 2011, 925653	1.9	12
87	Platelet distribution width and the extent of coronary artery disease: results from a large prospective study. <i>Platelets</i> , 2010 , 21, 508-14	3.6	89
86	Do electrical parameters of the cardiac cycle reflect the corresponding mechanical intervals as the heart rate changes?. <i>Europace</i> , 2010 , 12, 830-4	3.9	30
85	Reducing operator radiation exposure during cardiac resynchronization therapy. <i>Europace</i> , 2010 , 12, 1769-73	3.9	24
84	Atrial asynchrony and function before and after electrical cardioversion for persistent atrial fibrillation. <i>European Journal of Echocardiography</i> , 2010 , 11, 577-83		55
83	Correct estimation of conduit function from left atrial volume curve assessment only is unlikely. <i>Journal of the American Society of Echocardiography</i> , 2010 , 23, 1333; author reply 1333-4	5.8	6
82	Left atrial asynchrony is a major predictor of 1-year recurrence of atrial fibrillation after electrical cardioversion. <i>Journal of Cardiovascular Medicine</i> , 2010 , 11, 499-506	1.9	22
81	Platelet-large cell ratio and the extent of coronary artery disease: results from a large prospective study. <i>Journal of Thrombosis and Thrombolysis</i> , 2010 , 30, 426-33	5.1	15
80	Bivalirudin as compared to unfractionated heparin among patients undergoing coronary angioplasty: A meta-analysis of randomised trials. <i>Thrombosis and Haemostasis</i> , 2009 , 102, 428-36	7	77
79	Risk profile and benefits from Gp IIb-IIIa inhibitors among patients with ST-segment elevation myocardial infarction treated with primary angioplasty: a meta-regression analysis of randomized trials. <i>European Heart Journal</i> , 2009 , 30, 2705-13	9.5	183
78	Impact of duration of clopidogrel prescription on outcome of DES as compared to BMS in primary angioplasty: a meta-regression analysis of randomized trials. <i>Journal of Thrombosis and Thrombolysis</i> , 2009 , 27, 365-78	5.1	10
77	Transradial versus transfemoral approach for percutaneous coronary procedures. <i>Current Cardiology Reports</i> , 2009 , 11, 391-7	4.2	15
76	Reply to Stenting versus plain old angioplasty in patients with ST segment elevation myocardial infarction: Understanding of the randomized trials. <i>International Journal of Cardiology</i> , 2009 , 133, 396	3.2	
75	Efficacy and safety of drug-eluting stents in ST-segment elevation myocardial infarction: a meta-analysis of randomized trials. <i>International Journal of Cardiology</i> , 2009 , 133, 213-22	3.2	77

74	Percutaneous coronary intervention-related time delay, patient's risk profile, and survival benefits of primary angioplasty vs lytic therapy in ST-segment elevation myocardial infarction. <i>American Journal of Emergency Medicine</i> , 2009 , 27, 712-9	2.9	79
73	Facilitated angioplasty with combo therapy among patients with ST-segment elevation myocardial infarction: a meta-analysis of randomized trials. <i>American Journal of Emergency Medicine</i> , 2009 , 27, 683-90 ⁹	2.9	16
72	Benefits from small molecule administration as compared with abciximab among patients with ST-segment elevation myocardial infarction treated with primary angioplasty: a meta-analysis. <i>Journal of the American College of Cardiology</i> , 2009 , 53, 1668-73	15.1	100
71	Recommendations for the evaluation of left ventricular diastolic function by echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2009 , 22, 107-33	5.8	2344
70	Cardiac dyssynchrony quantitated by time-to-peak or temporal uniformity of strain at longitudinal, circumferential, and radial level: implications for resynchronization therapy. <i>Journal of the American Society of Echocardiography</i> , 2009 , 22, 665-71	5.8	24
69	Mean platelet volume and the extent of coronary artery disease: results from a large prospective study. <i>Atherosclerosis</i> , 2009 , 206, 292-7	3.1	94
68	Response to Bai. <i>Journal of the American Society of Echocardiography</i> , 2009 , 22, 860	5.8	
67	A multicenter, randomized study to test immunosuppressive therapy with oral prednisone for the prevention of restenosis after percutaneous coronary interventions: cortisone plus BMS or DES versus BMS alone to eliminate restenosis (CEREA-DES) - study design and rationale. <i>Journal of Cardiovascular Medicine</i> , 2009 , 10, 192-3	1.9	3
66	Ventricular fibrillation in acute mitral valve insufficiency caused by chordae tendineae rupture: report of a surgically corrected case. <i>Journal of Cardiovascular Medicine</i> , 2009 , 10, 261-3	1.9	
65	Left ventricular torsion in paced patients. <i>Journal of Cardiovascular Medicine</i> , 2009 , 10, 921-7	1.9	1
64	Recommendations for the evaluation of left ventricular diastolic function by echocardiography. <i>European Journal of Echocardiography</i> , 2009 , 10, 165-93		1452
63	Lack of benefit from percutaneous intervention of persistently occluded infarct arteries after the acute phase of myocardial infarction is time independent: insights from Occluded Artery Trial. <i>European Heart Journal</i> , 2009 , 30, 183-91	9.5	38
62	The effect of urocortin II administration on the coronary circulation and cardiac function in the anaesthetized pig is nitric-oxide-dependent. <i>European Journal of Pharmacology</i> , 2008 , 578, 242-8	5.3	27
61	Reperfusion strategies in acute ST-elevation myocardial infarction: an overview of current status. <i>Progress in Cardiovascular Diseases</i> , 2008 , 50, 352-82	8.5	69
60	Antithrombotic therapies in primary angioplasty: rationale, results and future directions. <i>Drugs</i> , 2008 , 68, 2325-44	12.1	6
59	Coronary stenting versus balloon angioplasty for acute myocardial infarction: a meta-regression analysis of randomized trials. <i>International Journal of Cardiology</i> , 2008 , 126, 37-44	3.2	94
58	Adjunctive manual thrombectomy improves myocardial perfusion and mortality in patients undergoing primary percutaneous coronary intervention for ST-elevation myocardial infarction: a meta-analysis of randomized trials. <i>European Heart Journal</i> , 2008 , 29, 3002-10	9.5	194
57	Mechanical dyssynchrony and functional mitral regurgitation: pathophysiology and clinical implications. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 461-9	1.9	8

56	Transient trifascicular block complicating myocardial contusion after blunt chest trauma: a case report. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 937-40	1.9	2
55	Practical echocardiography in aortic valve stenosis. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 653-65	1.9	3
54	Orthostatic hypotension as an unusual clinical manifestation of pheochromocytoma: a case report. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 839-41	1.9	14
53	Advances in antithrombotic therapy as adjunct to reperfusion therapies for ST-segment elevation myocardial infarction. <i>Thrombosis and Haemostasis</i> , 2008 , 100, 184-195	7	15
52	Transferring patients with ST-segment elevation myocardial infarction for mechanical reperfusion: a meta-regression analysis of randomized trials. <i>Annals of Emergency Medicine</i> , 2008 , 52, 665-76	2.1	96
51	Role of the Left Atrium 2008 , 53-70		3
50	Advances in antithrombotic therapy as adjunct to reperfusion therapies for ST-segment elevation myocardial infarction. <i>Thrombosis and Haemostasis</i> , 2008 , 100, 184-95	7	3
49	Percutaneous treatment of coronary bifurcations: lesion preparation before provisional bare metal stenting and subsequent immunosuppression with oral prednisone. The IMPRESS-Y study. <i>Journal of Interventional Cardiology</i> , 2007 , 20, 114-21	1.8	5
48	Comparison of efficacy and safety of lower-dose to higher-dose oral prednisone after percutaneous coronary interventions (the IMPRESS-LD study). <i>American Journal of Cardiology</i> , 2007 , 99, 1082-6	3	22
47	Evaluation of pacemaker dependence in patients on ablate and pace therapy for atrial fibrillation. <i>Europace</i> , 2007 , 9, 1119-23	3.9	6
46	Left atrial stiffness and its implications for cardiac function. <i>Future Cardiology</i> , 2007 , 3, 175-83	1.3	5
45	Subacute thrombosis of the abdominal aorta secondary to a free-floating thrombus in the left ventricle. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 870-2	1.9	
44	Intravenous contrast echocardiography after myocardial infarction: relationship among residual myocardial perfusion, contractile reserve and long-term remodelling. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 1012-9	1.9	3
43	New echocardiographic technologies in the clinical management of hypertensive heart disease. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 997-1006	1.9	9
42	Adjunctive benefits from low-molecular-weight heparins as compared to unfractionated heparin among patients with ST-segment elevation myocardial infarction treated with thrombolysis. A meta-analysis of the randomized trials. <i>American Heart Journal</i> , 2007 , 154, 1085.e1-6	4.9	23
41	How to diagnose diastolic heart failure: a consensus statement on the diagnosis of heart failure with normal left ventricular ejection fraction by the Heart Failure and Echocardiography Associations of the European Society of Cardiology. <i>European Heart Journal</i> , 2007 , 28, 2539-50	9.5	1934
40	Permanent parahisian pacing. <i>Indian Pacing and Electrophysiology Journal</i> , 2007 , 7, 110-25	1.5	21
39	Ventricular capture by anodal pacemaker stimulation. <i>Europace</i> , 2006 , 8, 385-7	3.9	8

38	Inappropriate implantable cardioverter-defibrillator discharges unrelated to supraventricular tachyarrhythmias. <i>Europace</i> , 2006 , 8, 863-9	3.9	45
37	Left ventricular systolic longitudinal function: comparison among simple M-mode, pulsed, and M-mode color tissue Doppler of mitral annulus in healthy individuals. <i>Journal of the American Society of Echocardiography</i> , 2006 , 19, 1085-91	5.8	66
36	Patients with hibernating myocardium show altered left ventricular volumes and shape, which revert after revascularization: evidence that dyssynergy might directly induce cardiac remodeling. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 969-77	15.1	95
35	Prevention of ventricular desynchronization by permanent para-Hisian pacing after atrioventricular node ablation in chronic atrial fibrillation: a crossover, blinded, randomized study versus apical right ventricular pacing. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 1938-45	15.1	202
34	Aortic stiffness correlates with an increased extracellular matrix turnover in patients with dilated cardiomyopathy. <i>American Heart Journal</i> , 2006 , 152, 93.e1-6	4.9	21
33	Upgrade of a single chamber endo-epicardial to a triple chamber biventricular implantable cardioverter-defibrillator. <i>Journal of Cardiovascular Medicine</i> , 2006 , 7, 145-8	1.9	
32	Early mitral deceleration and left atrial stiffness. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004 , 287, H1172-8	5.2	33
31	Independent and additional prognostic value of aminoterminal propeptide of type III procollagen circulating levels in patients with chronic heart failure. <i>Journal of Cardiac Failure</i> , 2004 , 10, 403-11	3.3	87
30	Feasibility and safety of transeophageal atrial pacing stress echocardiography in patients with known or suspected coronary artery disease. <i>American Journal of Cardiology</i> , 2003 , 92, 1384-8	3	10
29	Aortic distensibility independently affects exercise tolerance in patients with dilated cardiomyopathy. <i>Circulation</i> , 2003 , 107, 1603-8	16.7	66
28	Long-term, dose-dependent effects of spironolactone on left ventricular function and exercise tolerance in patients with chronic heart failure. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 304-10	15.1	136
27	Can left ventricular diastolic stiffness be measured noninvasively?. <i>Journal of the American Society of Echocardiography</i> , 2002 , 15, 935-43	5.8	41
26	Postinfarctional remodeling: increased dye intensity in the myocardial risk area after angioplasty of infarct-related coronary artery is associated with reduction of ventricular volumes. <i>Journal of the American College of Cardiology</i> , 2001 , 37, 1239-45	15.1	12
25	Relationship between mitral regurgitation and myocardial viability after acute myocardial infarction: their impact on prognosis. <i>International Journal of Cardiology</i> , 2001 , 78, 81-90	3.2	11
24	Prognostic implications of evaluation of contractile reserve in akinetic and hypokinetic segments during low dose dobutamine echocardiography in patients with acute myocardial infarction. <i>International Journal of Cardiology</i> , 2001 , 80, 227-33	3.2	
23	The role of myocardial viability in deriving benefit from reestablishing infarct-related artery flow after acute myocardial infarction. <i>Progress in Cardiovascular Diseases</i> , 2000 , 42, 455-470	8.5	10
22	Usefulness of left atrial size in predicting postoperative symptomatic improvement in patients with aortic stenosis. <i>American Journal of Cardiology</i> , 2000 , 86, 567-70, A9-10	3	38
21	Comparison between low-dose dobutamine echocardiography and thallium-201 scintigraphy in the detection of myocardial viability in patients with recent myocardial infarction. <i>International Journal of Cardiology</i> , 2000 , 73, 213-23	3.2	7

20	Prognostic value of detection of myocardial viability using low-dose dobutamine echocardiography in infarcted patients. <i>American Journal of Cardiology</i> , 1998 , 81, 21G-28G	3	41
19	Increasing degrees of left ventricular filling impairment modulate left atrial function in humans. <i>American Journal of Cardiology</i> , 1998 , 82, 756-61	3	184
18	Increased intensity of contrast material immediately after late angioplasty of infarct-related coronary artery is associated with reduced ventricular volumes at six months. <i>American Journal of Cardiology</i> , 1998 , 82, 1451-6	3	4
17	Short- and long-term effects of early Fosinopril administration in patients with acute anterior myocardial infarction undergoing intravenous thrombolysis: results from the Fosinopril in Acute Myocardial Infarction Study. FAMIS Working Party. <i>American Heart Journal</i> , 1998 , 136, 213-25	4.9	35
16	Post acute myocardial infarction: the Fosinopril in Acute Myocardial Infarction Study (FAMIS). <i>American Journal of Hypertension</i> , 1997 , 10, 247S-254S	2.3	15
15	Opposite effects of the remodeling of infarcted and non-infarcted myocardium on left ventricular function early after infarction in humans. An echocardiographic study in patients examined before and after myocardial infarction. <i>International Journal of Cardiology</i> , 1997 , 60, 81-90	3.2	8
14	Comparison of left ventricular function and volumes during transesophageal atrial pacing combined with two-dimensional echocardiography in patients with syndrome X, atherosclerotic coronary artery disease, and normal subjects. <i>American Journal of Cardiology</i> , 1997 , 80, 1261-5	3	13
13	Does prostaglandin E1 infusion affect the left ventricular filling pattern of end-stage dilated cardiomyopathy? A combined hemodynamic-echo Doppler study. <i>Journal of Cardiovascular Pharmacology</i> , 1997 , 29, 188-95	3.1	6
12	Usefulness of transesophageal atrial pacing combined with two-dimensional echocardiography (echo-pacing) in predicting the presence and site of residual jeopardized myocardium after uncomplicated acute myocardial infarction. <i>American Journal of Cardiology</i> , 1994 , 73, 534-8	3	12
11	Frequency of predischage ventricular arrhythmias in postmyocardial infarction patients depends on residual left ventricular pump performance and is independent of the occurrence of acute reperfusion. The GISSI-2 Investigators. <i>Journal of the American College of Cardiology</i> , 1994 , 23, 290-5	15.1	5
10	The left atrial volume curve can be assessed from pulmonary vein and mitral valve velocity tracings. <i>American Heart Journal</i> , 1994 , 127, 886-98	4.9	18
9	Reperfusion reduces left ventricular dilatation by preventing infarct expansion in the acute and chronic phases of myocardial infarction. <i>American Heart Journal</i> , 1994 , 127, 499-509	4.9	28
8	Mechanical assist device for right ventricular failure after acute aortic dissection. <i>Annals of Thoracic Surgery</i> , 1993 , 56, 363-6	2.7	4
7	Ventricular remodeling and infarct expansion. <i>American Journal of Cardiology</i> , 1993 , 72, 98G-106G	3	26
6	Reperfusion of the infarct-related coronary artery limits left ventricular expansion beyond myocardial salvage. <i>American Heart Journal</i> , 1992 , 123, 1157-65	4.9	27
5	Myocardial infarct expansion: recognition, significance and pathology. <i>American Journal of Cardiology</i> , 1991 , 68, 35D-40D	3	33
4	Echocardiographic contrast imaging of the human right heart: a multicenter study of the efficacy, safety, and reproducibility of intravenous SHU-454. <i>Journal of Clinical Ultrasound</i> , 1991 , 19, 523-30	1	11
3	Early left ventricular filling: an approach to its multifactorial nature using a combined hemodynamic-Doppler technique. <i>American Heart Journal</i> , 1991 , 122, 132-41	4.9	14

- 2 Pressure-volume analysis as a method for quantifying simultaneous drug (amrinone) effects on arterial load and contractile state in vivo. *Journal of the American College of Cardiology*, **1990**, 16, 726-32^{15.1} 40
- 1 Effect of streptokinase on left ventricular modeling and function after myocardial infarction: the GISSI (Gruppo Italiano per lo Studio della Streptochinasi nell'Infarto Miocardico) Trial. *Journal of the American College of Cardiology*, **1989**, 14, 1149-58 15.1 151