Per Lindqvist

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6316057/publications.pdf

Version: 2024-02-01

304602 243529 2,119 66 22 44 h-index citations g-index papers 68 68 68 2276 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Schizophrenia and Crime. British Journal of Psychiatry, 1990, 157, 345-350.	1.7	268
2	Amyloid fibril composition is related to the phenotype of hereditary transthyretin V30M amyloidosis. Journal of Pathology, 2008, 216, 253-261.	2.1	171
3	Echocardiography in the assessment of right heart function. European Journal of Echocardiography, 2007, 9, 225-34.	2.3	135
4	Regional and Global Right Ventricular Function in Healthy Individuals Aged 20-90 Years: A Pulsed Doppler Tissue Imaging Study Ã-¿½UmeÃ¥ General Population Heart Study. Echocardiography, 2005, 22, 305-314.	0.3	111
5	Tissue Doppler analysis of age-dependency in diastolic ventricular behaviour and filling. A cross-sectional study of healthy hearts (the Umeå General Population Heart Study). European Heart Journal, 2002, 23, 162-171.	1.0	106
6	Left Ventricular Deformation and Myocardial Fibrosis in Patients With Advanced Heart Failure Requiring Transplantation. Journal of Cardiac Failure, 2016, 22, 901-907.	0.7	91
7	Positron emission tomography (PET) utilizing Pittsburgh compound B (PIB) for detection of amyloid heart deposits in hereditary transthyretin amyloidosis (ATTR). Journal of Nuclear Cardiology, 2018, 25, 240-248.	1.4	84
8	^{99m} Tc-DPD uptake reflects amyloid fibril composition in hereditary transthyretin amyloidosis. Upsala Journal of Medical Sciences, 2016, 121, 17-24.	0.4	82
9	Disturbed Right Ventricular Diastolic Function in Patients With Systemic Sclerosis. Chest, 2005, 128, 755-763.	0.4	73
10	Heart complications in familial transthyretin amyloidosis: impact of age and gender. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2010, 17, 63-68.	1.4	72
11	Suicide classification—clues and their use. Forensic Science International, 2002, 128, 136-140.	1.3	64
12	Pulsed tissue Doppler and strain imaging discloses early signs of infiltrative cardiac disease: A study on patients with familial amyloidotic polyneuropathy. European Journal of Echocardiography, 2006, 7, 22-30.	2.3	58
13	Amyloid Fibril Composition as a Predictor of Development of Cardiomyopathy After Liver Transplantation for Hereditary Transthyretin Amyloidosis. Transplantation, 2012, 93, 1017-1023.	0.5	52
14	Myocardial hypertrophy and function are related to age at onset in familial amyloidotic polyneuropathy. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2006, 13, 154-159.	1.4	50
15	Reduced left atrial myocardial deformation irrespective of cavity size: a potential cause for atrial arrhythmia in hereditary transthyretin amyloidosis. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis. 2018, 25, 46-53.	1.4	41
16	Disturbed left atrial mechanical function in paroxysmal atrial fibrillation: A speckle tracking study. International Journal of Cardiology, 2012, 155, 437-441.	0.8	40
17	Prevalence of wild type transtyrethin cardiac amyloidosis in a heart failure clinic. ESC Heart Failure, 2021, 8, 745-749.	1.4	36
18	Homicides committed by abusers of alcohol and illicit drugs. Addiction, 1991, 86, 321-326.	1.7	33

#	Article	IF	CITATIONS
19	Amyloid Cardiomyopathy in Hereditary Transthyretin V30M Amyloidosis - Impact of Sex and Amyloid Fibril Composition. PLoS ONE, 2015, 10, e0143456.	1.1	32
20	Right ventricular involvement in transthyretin amyloidosis. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2018, 25, 160-166.	1.4	31
21	Left atrial reservoir strain improves diagnostic accuracy of the 2016 ASE/EACVI diastolic algorithm in patients with preserved left ventricular ejection fraction: insights from the KARUM haemodynamic database. European Heart Journal Cardiovascular Imaging, 2022, 23, 1157-1168.	0.5	29
22	Left atrial strain by speckle tracking predicts atrial fibrosis in patients undergoing heart transplantation. European Heart Journal Cardiovascular Imaging, 2022, 23, 829-835.	0.5	28
23	The use of isovolumic contraction velocity to determine right ventricular state of contractility and filling pressuresA pulsed Doppler tissue imaging study. European Journal of Echocardiography, 2005, 6, 264-270.	2.3	26
24	Ventricular dysfunction in type 1 myotonic dystrophy: Electrical, mechanical, or both?. International Journal of Cardiology, 2010, 143, 378-384.	0.8	25
25	New Aspects of Septal Function by Using 1-Dimensional Strain and Strain Rate Imaging. Journal of the American Society of Echocardiography, 2006, 19, 1345-1349.	1.2	22
26	Association of Right Atrial Mechanics with Hemodynamics and Physical Capacity in Patients with Idiopathic Pulmonary Arterial Hypertension: Insight from a Single enter Cohort in Northern Sweden. Echocardiography, 2016, 33, 46-56.	0.3	20
27	Homicide followed by the offender's suicide in northern Sweden. Nordic Journal of Psychiatry, 1995, 49, 17-24.	0.7	19
28	Compromised left atrial function and increased size predict raised cavity pressure: a systematic review and metaâ€analysis. Clinical Physiology and Functional Imaging, 2019, 39, 297-307.	0.5	18
29	Left Atrial Intrinsic Strain Rate Correcting for Pulmonary Wedge Pressure Is Accurate in Estimating Pulmonary Vascular Resistance in Breathless Patients. Echocardiography, 2016, 33, 1156-1165.	0.3	16
30	Diastolic function assessment by echocardiography: A practical manual for clinical use and future applications. Echocardiography, 2020, 37, 1908-1918.	0.3	15
31	Right and left heart dysfunction predict mortality in pulmonary hypertension. Clinical Physiology and Functional Imaging, 2017, 37, 45-51.	0.5	14
32	Speckle Tracking-Derived Left Atrial Stiffness Predicts Clinical Outcome in Heart Failure Patients with Reduced to Mid-Range Ejection Fraction. Journal of Clinical Medicine, 2020, 9, 1244.	1.0	14
33	Quantification of cardiac amyloid with [¹⁸ F]Flutemetamol in patients with V30M hereditary transthyretin amyloidosis. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2020, 27, 191-199.	1.4	14
34	Successful novice's training in obtaining accurate assessment of carotid IMT using an automated ultrasound system. European Heart Journal Cardiovascular Imaging, 2014, 15, 637-642.	0.5	13
35	Passive leg-lifting in heart failure patients predicts exercise-induced rise in left ventricular filling pressures. Clinical Research in Cardiology, 2020, 109, 498-507.	1.5	13
36	Cardiac mechanisms underlying normal exercise tolerance: gender impact. European Journal of Applied Physiology, 2012, 112, 451-459.	1.2	12

#	Article	IF	Citations
37	Left atrial compliance index predicts exercise capacity in patients with heart failure and preserved ejection fraction irrespective of right ventricular dysfunction. Echocardiography, 2019, 36, 1045-1053.	0.3	12
38	Teenage suicides in northern Sweden: an interview study of investigating police officers. Injury Prevention, 2000, 6, 115-119.	1.2	11
39	The use of <i>E</i> /Em and the time interval difference of isovolumic relaxation (<i>T</i> _{NRTâ^'IVRTm}) in estimating left ventricular filling pressures. European Journal of Heart Failure, 2008, 10, 490-497.	2.9	11
40	Right ventricular myocardial velocities and timing estimate pulmonary artery systolic pressure. International Journal of Cardiology, 2009, 137, 130-136.	0.8	11
41	Can echocardiography and ECG discriminate hereditary transthyretin V30M amyloidosis from hypertrophic cardiomyopathy?. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2015, 22, 163-170.	1.4	11
42	Long mitral valve leaflets determine left ventricular outflow tract obstruction during exercise in hypertrophic cardiomyopathy. International Journal of Cardiology, 2016, 212, 47-53.	0.8	11
43	Left atrial strain rate during atrial contraction predicts raised pulmonary capillary wedge pressure: evidence for left atrio-ventricular interaction. International Journal of Cardiovascular Imaging, 2021, 37, 1529-1538.	0.7	10
44	Cardiac transthyretin amyloidosis 99mTc-DPD SPECT correlates with strain echocardiography and biomarkers. European Journal of Nuclear Medicine and Molecular Imaging, 2021, 48, 1822-1832.	3.3	10
45	Patterns of cardiac dysfunction coinciding with exertional breathlessness in hypertrophic cardiomyopathy. International Journal of Cardiology, 2013, 170, 233-238.	0.8	9
46	Impact of age and sex on normal left heart structure and function. Clinical Physiology and Functional Imaging, 2017, 37, 759-766.	0.5	9
47	Asynchronous normal regional left ventricular function assessed by speckle tracking echocardiography. International Journal of Cardiology, 2009, 134, 195-200.	0.8	8
48	Combining ECG and echocardiography to identify transthyretin cardiac amyloidosis in heart failure. Clinical Physiology and Functional Imaging, 2021, 41, 408-416.	0.5	8
49	Mitral regurgitation severity correlates with symptoms and extent of left atrial dysfunction: Effect of mitral valve repair. Journal of Clinical Ultrasound, 2018, 46, 32-40.	0.4	7
50	Can Doppler echocardiography estimate raised pulmonary capillary wedge pressure provoked by passive leg lifting in suspected heart failure?. Clinical Physiology and Functional Imaging, 2019, 39, 128-134.	0.5	7
51	The Prevalence of Advanced Interatrial Block and Its Relationship to Left Atrial Function in Patients with Transthyretin Cardiac Amyloidosis. Journal of Clinical Medicine, 2021, 10, 2764.	1.0	7
52	Improved Left Atrial Function in CRT Responders: A Systematic Review and Meta-Analysis. Journal of Clinical Medicine, 2020, 9, 298.	1.0	6
53	Biomechanical Properties of Common Carotid Arteries Assessed by Circumferential 2D Strain and \hat{l}^2 Stiffness Index in Patients With Ankylosing Spondylitis. Journal of Rheumatology, 2021, 48, 352-360.	1.0	6
54	Individual reference values for 2 D echocardiographic measurements. The S tockholm – U meå S tudy. Clinical Physiology and Functional Imaging, 2015, 35, 275-282.	0.5	5

#	Article	IF	CITATIONS
55	Biatrial and right ventricular deformation imaging: Implications of the recent EACVI consensus document in the clinics and beyond. Echocardiography, 2019, 36, 1910-1918.	0.3	5
56	Left atrial stiffness predicts cardiac events in patients with heart failure and reduced ejection fraction: The impact of diabetes. Clinical Physiology and Functional Imaging, 2021, 41, 208-216.	0.5	5
57	Echocardiographic diagnosis of cardiac amyloidosis: Does the masquerader require only a "cherry on top"?. Echocardiography, 2020, 37, 1713-1715.	0.3	4
58	Left ventricular global dyssynchrony is exaggerated with age. International Cardiovascular Forum Journal, $2015, 1, 47$.	1.1	4
59	Suppressed left atrial function in PAF. International Journal of Cardiology, 2012, 157, 272.	0.8	3
60	Myocardial Work Does Not Have Additional Diagnostic Value in the Assessment of ATTR Cardiac Amyloidosis. Journal of Clinical Medicine, 2021, 10, 4555.	1.0	3
61	Left atrial contraction strain and controlled preload alterations, a study in healthy individuals. Cardiovascular Ultrasound, 2022, 20, 8.	0.5	3
62	Response: Atrial impairment in transthyretin cardiac amyloidosis: an early marker of cardiac involvement and a prognostic factor. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2018, 25, 136-136.	1.4	2
63	Disease progression in cardiac morphology and function in heart failure: ATTR cardiac amyloidosis versus hypertensive left ventricular hypertrophy. Heart and Vessels, 2022, 37, 1562-1569.	0.5	2
64	RWT/SaVRâ€"A Simple and Highly Accurate Measure Screening for Transthyretin Cardiac Amyloidosis. Journal of Clinical Medicine, 2022, 11, 4120.	1.0	1
65	Can echocardiography differentiate hereditary transthyretin amyloidosis from hypertrophic cardiomyopathy?. European Heart Journal, 2013, 34, P1195-P1195.	1.0	0
66	Long anterior mitral leaflet causing outflow tract obstruction in a symptomatic patient with hypertrophic cardiomyopathy: The role of mitral valve surgical correction. International Journal of Cardiology, 2016, 204, 86-87.	0.8	0