

# Ming-Yen Lin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6316805/publications.pdf>

Version: 2024-02-01

104  
papers

2,378  
citations

218592

26  
h-index

233338

45  
g-index

105  
all docs

105  
docs citations

105  
times ranked

3687  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Kidney Function Change and All-Cause Mortality in Denosumab Users with and without Chronic Kidney Disease. <i>Journal of Personalized Medicine</i> , 2022, 12, 185.   | 1.1 | 2         |
| 2  | Prevalence of chronic kidney disease in Asia: a systematic review and analysis. <i>BMJ Global Health</i> , 2022, 7, e007525.  | 2.0 | 73        |
| 3  | Trends of treated hepatitis B, hepatitis C, and tuberculosis infection in long-term hemodialysis patients in Taiwan: A nationwide survey in 2010â€“2018. <i>Journal of the Formosan Medical Association</i> , 2022, 121, S73-S81. | 0.8 | 8         |
| 4  | Quality Analysis and Colour Decoding of Printed Matters using a Portable 2D Chroma Meter. , 2022, , .   |     | 0         |
| 5  | Multidisciplinary care program in pre-end-stage kidney disease from 2010 to 2018 in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2022, 121, S64-S72.  | 0.8 | 12        |
| 6  | CKD Care Programs and Incident Kidney Failure: A Study of a National Disease Management Program in Taiwan. <i>Kidney Medicine</i> , 2022, 4, 100485.  | 1.0 | 3         |
| 7  | The association of echocardiographic parameters on renal outcomes in chronic kidney disease. <i>Renal Failure</i> , 2021, 43, 433-444.  | 0.8 | 5         |
| 8  | Association of digoxin with mortality in patients with advanced chronic kidney disease: A population-based cohort study. <i>PLoS ONE</i> , 2021, 16, e0245620.  | 1.1 | 8         |
| 9  | Harmonizing Formula Prescription Patterns in Patients With Chronic Kidney Disease: A Population-Based Cross-Sectional Study. <i>Frontiers in Pharmacology</i> , 2021, 12, 573145.   | 1.6 | 2         |
| 10 | Low serum iron is associated with anemia in CKD stage 1â€“4 patients with normal transferrin saturations. <i>Scientific Reports</i> , 2021, 11, 8343.   | 1.6 | 9         |
| 11 | The Relationship between Subtypes of Health Literacy and Self-Care Behavior in Chronic Kidney Disease. <i>Journal of Personalized Medicine</i> , 2021, 11, 447.   | 1.1 | 9         |
| 12 | Association of glomerular filtration rate slope with timely creation of vascular access in incident hemodialysis. <i>Scientific Reports</i> , 2021, 11, 13137.  | 1.6 | 5         |
| 13 | Data Analysis of the Risks of Type 2 Diabetes Mellitus Complications before Death Using a Data-Driven Modelling Approach: Methodologies and Challenges in Prolonged Diseases. <i>Information (Switzerland)</i> , 2021, 12, 326.   | 1.7 | 4         |
| 14 | Mobile Health, Disease Knowledge, and Self-Care Behavior in Chronic Kidney Disease: A Prospective Cohort Study. <i>Journal of Personalized Medicine</i> , 2021, 11, 845.  | 1.1 | 6         |
| 15 | Low dose ultraviolet B irradiation at 308Ånm with light-emitting diode device effectively increases serum levels of 25(OH)D. <i>Scientific Reports</i> , 2021, 11, 2583.  | 1.6 | 4         |
| 16 | Effect of Nephrology Care on Mortality in Incident Dialysis Patients: A Population-Based Cohort Study. <i>Journal of Personalized Medicine</i> , 2021, 11, 1071.  | 1.1 | 2         |
| 17 | Incidence and survival variations of upper tract urothelial cancer in Taiwan (2001â€“2010). <i>International Journal of Urology</i> , 2021, , .   | 0.5 | 8         |
| 18 | Towards Model-informed Precision Dosing with Expert-in-the-loop Machine Learning. , 2021, , .   |     | 1         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | U-Shaped Association between Waist-to-Hip Ratio and All-Cause Mortality in Stage 3–5 Chronic Kidney Disease Patients with Body Mass Index Paradox. <i>Journal of Personalized Medicine</i> , 2021, 11, 1355.            | 1.1 | 8         |
| 20 | The role of postprandial very-low-density lipoprotein in the development of atrial remodeling in metabolic syndrome. <i>Lipids in Health and Disease</i> , 2020, 19, 210.   | 1.2 | 7         |
| 21 | There is a U shaped association between non high density lipoprotein cholesterol with overall and cardiovascular mortality in chronic kidney disease stage 3–5. <i>Scientific Reports</i> , 2020, 10, 12749.            | 1.6 | 8         |
| 22 | Effectiveness of antiresorptive medications in women on long-term dialysis after hip fracture: A population-based cohort study. <i>PLoS ONE</i> , 2020, 15, e0238248.   | 1.1 | 1         |
| 23 | Quantifying the color changes in bruised skin using a color-calibrated imaging system. , 2020, , .  |     | 3         |
| 24 | No Obvious Impact of NSAIDs on Risk of Kidney Failure: Causal or Another Selection Bias?. <i>American Journal of Kidney Diseases</i> , 2020, 76, 742.   | 2.1 | 1         |
| 25 | The applicability of non-invasive methods for assessing liver fibrosis in hemodialysis patients with chronic hepatitis C. <i>PLoS ONE</i> , 2020, 15, e0242601.   | 1.1 | 5         |
| 26 | Title is missing!. , 2020, 15, e0238248.  |     | 0         |
| 27 | Title is missing!. , 2020, 15, e0238248.  |     | 0         |
| 28 | Title is missing!. , 2020, 15, e0238248.  |     | 0         |
| 29 | Title is missing!. , 2020, 15, e0238248.  |     | 0         |
| 30 | Title is missing!. , 2020, 15, e0238248.  |     | 0         |
| 31 | Title is missing!. , 2020, 15, e0238248.  |     | 0         |
| 32 | Long-term outcomes of lateral tunneled transposed brachiobasilic arteriovenous fistulas in elderly hemodialysis patient. <i>Journal of Vascular Access</i> , 2019, 20, 557-562.   | 0.5 | 4         |
| 33 | Depression amongst patients commencing maintenance dialysis is associated with increased risk of death and severe infections: A nationwide cohort study. <i>PLoS ONE</i> , 2019, 14, e0218335.                          | 1.1 | 8         |
| 34 | Predominant global glomerulosclerosis in patients of upper urinary tract urothelial carcinoma with pre-existing renal function impairment is a predictor of poor renal outcomes. <i>BMC Cancer</i> , 2019, 19, 337.     | 1.1 | 2         |
| 35 | Effect of nephrology referrals and multidisciplinary care programs on renal replacement and medical costs on patients with advanced chronic kidney disease. <i>Medicine (United States)</i> , 2019, 98, e16808.         | 0.4 | 9         |
| 36 | Association of hyperglycemia episodes on long-term mortality in type 2 diabetes mellitus with vascular dementia: A population-based cohort study. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 123-127. | 1.2 | 4         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Dialysis Increases the Risk of Bladder Recurrence in Patients with Upper Tract Urothelial Cancer: A Population-Based Study. <i>Annals of Surgical Oncology</i> , 2018, 25, 1086-1093.   | 0.7 | 8         |
| 38 | Effects of physician's specialty on regular chronic kidney disease care in predialysis. <i>Medicine (United States)</i> , 2017, 96, e7323.  | 0.4 | 7         |
| 39 | FP361 EFFECT OF NEPHROLOGIST REFERRAL AND MULTIDISCIPLINARY CARE PROGRAM ON RENAL REPLACEMENT AND MEDICAL COSTS IN PATIENTS WITH ADVANCED CHRONIC KIDNEY DISEASE. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i153-i153. | 0.4 | 0         |
| 40 | ASO Author Reflections: Dialysis and Recurrence in Urothelial Cancer. <i>Annals of Surgical Oncology</i> , 2018, 25, 978-979.   | 0.7 | 0         |
| 41 | Thiazide-associated hyponatremia attenuates the fracture-protective effect of thiazide: A population-based study. <i>PLoS ONE</i> , 2018, 13, e0208712.   | 1.1 | 10        |
| 42 | Factors associated with type 2 diabetes in patients with vascular dementia: a population-based cross-sectional study. <i>BMC Endocrine Disorders</i> , 2018, 18, 45.  | 0.9 | 9         |
| 43 | Effect of national pre-ESRD care program on expenditures and mortality in incident dialysis patients: A population-based study. <i>PLoS ONE</i> , 2018, 13, e0198387.   | 1.1 | 38        |
| 44 | Incidence, Prevalence, and Duration of Chronic Kidney Disease in Taiwan: Results from a Community-Based Screening Program of 106,094 Individuals. <i>Nephron</i> , 2018, 140, 175-184.  | 0.9 | 80        |
| 45 | Low dose of narrow-band ultraviolet B lamp for improving vitamin D synthesis with minimum skin damage. , 2018, , .  |     | 0         |
| 46 | Economic evaluation of a pre-ESRD pay-for-performance programme in advanced chronic kidney disease patients. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, gfw372.   | 0.4 | 28        |
| 47 | Convex border of peripheral non-small cell lung cancer on CT images as a potential indicator of pleural invasion. <i>Medicine (United States)</i> , 2017, 96, e7323.  | 0.4 | 16        |
| 48 | The role of transthoracic ultrasonography in predicting the outcome of community-acquired pneumonia in hospitalized children. <i>PLoS ONE</i> , 2017, 12, e0173343.   | 1.1 | 6         |
| 49 | The interaction between fluid status and angiotensin-2 in adverse renal outcomes of chronic kidney disease. <i>PLoS ONE</i> , 2017, 12, e0173906.   | 1.1 | 11        |
| 50 | Association of physical activity with cardiovascular and renal outcomes and quality of life in chronic kidney disease. <i>PLoS ONE</i> , 2017, 12, e0183642.  | 1.1 | 41        |
| 51 | Association of Brachial Ankle Pulse Wave Velocity With Cardiovascular Events in Atrial Fibrillation. <i>American Journal of Hypertension</i> , 2016, 29, 348-356.   | 1.0 | 16        |
| 52 | Association of Fluid Status and Body Composition with Physical Function in Patients with Chronic Kidney Disease. <i>PLoS ONE</i> , 2016, 11, e0165400.  | 1.1 | 11        |
| 53 | MP283 ASSOCIATED FACTORS OF PHYSICAL FUNCTION IN LATE CHRONIC KIDNEY DISEASE. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i433-i433.   | 0.4 | 0         |
| 54 | MP594 DEPRESSION ASSOCIATED WITH HIGHER ALL-CAUSE MORTALITY AND INFECTION-RELATED ADVERSE OUTCOMES IN PATIENTS UNDERGOING DIALYSIS. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i539-i539.                               | 0.4 | 1         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | The association of Sitagliptin treatment with all-cause mortality and renal outcomes in diabetic patients with chronic kidney disease. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, S205. | 1.1 | 0         |
| 56 | The Authors Reply. <i>Kidney International</i> , 2016, 90, 228-229.  | 2.6 | 0         |
| 57 | Hyponatremia is Associated with Fluid Imbalance and Adverse Renal Outcome in Chronic Kidney Disease Patients Treated with Diuretics. <i>Scientific Reports</i> , 2016, 6, 36817.                         | 1.6 | 26        |
| 58 | A competing risk analysis of sequential complication development in Asian type 2 diabetes mellitus patients. <i>Scientific Reports</i> , 2015, 5, 15687.   | 1.6 | 20        |
| 59 | Nonapnea Sleep Disorders in Patients Younger than 65 Years Are Significantly Associated with CKD: A Nationwide Population-Based Study. <i>PLoS ONE</i> , 2015, 10, e0140401.                             | 1.1 | 7         |
| 60 | Association of prescribed Chinese herbal medicine use with risk of end-stage renal disease in patients with chronic kidney disease. <i>Kidney International</i> , 2015, 88, 1365-1373.                   | 2.6 | 76        |
| 61 | Comparison of dementia risk between end stage renal disease patients with hemodialysis and peritoneal dialysis - a population based study. <i>Scientific Reports</i> , 2015, 5, 8224.                    | 1.6 | 16        |
| 62 | Overlooked Risk for Chronic Kidney Disease after Leptospirosis Infection: A Population-Based Survey and Epidemiological Cohort Evidence. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0004105.    | 1.3 | 61        |
| 63 | Association of Dialysis with the Risks of Cancers. <i>PLoS ONE</i> , 2015, 10, e0122856.   | 1.1 | 52        |
| 64 | A Short-Term Effect of Low-Dose Aspirin on Major Hemorrhagic Risks in Primary Prevention: A Case-Crossover Design. <i>PLoS ONE</i> , 2014, 9, e98326.  | 1.1 | 6         |
| 65 | Hepatitis C Virus Infection Increases Risk of Developing End-Stage Renal Disease Using Competing Risk Analysis. <i>PLoS ONE</i> , 2014, 9, e100790.  | 1.1 | 95        |
| 66 | Variability in Estimated Glomerular Filtration Rate by Area under the Curve Predicts Renal Outcomes in Chronic Kidney Disease. <i>Scientific World Journal</i> , The, 2014, 2014, 1-8.                   | 0.8 | 6         |
| 67 | Dipyridamole treatment is associated with improved renal outcome and patient survival in advanced chronic kidney disease. <i>Kaohsiung Journal of Medical Sciences</i> , 2014, 30, 599-607.              | 0.8 | 10        |
| 68 | Cirrhosis as a Risk Factor for Tuberculosis Infection—A Nationwide Longitudinal Study in Taiwan. <i>American Journal of Epidemiology</i> , 2014, 180, 103-110.   | 1.6 | 30        |
| 69 | Association of Relatives of Hemodialysis Patients with Metabolic Syndrome, Albuminuria and Framingham Risk Score. <i>PLoS ONE</i> , 2014, 9, e96362.   | 1.1 | 6         |
| 70 | Association of Angiotensin-2 with Renal Outcome in Chronic Kidney Disease. <i>PLoS ONE</i> , 2014, 9, e108862.   | 1.1 | 26        |
| 71 | Angioimmunoblastic T-cell lymphoma in Taiwan shows a frequent gain of ITK gene. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 6097-107.                                 | 0.5 | 14        |
| 72 | Association of Metabolic Syndrome and Albuminuria with Cardiovascular Risk in Occupational Drivers. <i>International Journal of Molecular Sciences</i> , 2013, 14, 21997-22010.                          | 1.8 | 9         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Factors Associated with CKD in the Elderly and Nonelderly Population. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 33-40.  | 2.2 | 36        |
| 74 | Areca Nut Chewing and Risk of Atrial Fibrillation in Taiwanese Men: A Nationwide Ecological Study. <i>International Journal of Medical Sciences</i> , 2013, 10, 804-811.  | 1.1 | 21        |
| 75 | Predicting Mortality of Incident Dialysis Patients in Taiwan - A Longitudinal Population-Based Study. <i>PLoS ONE</i> , 2013, 8, e61930.  | 1.1 | 26        |
| 76 | High Cost and Low Survival Rate in High Comorbidity Incident Elderly Hemodialysis Patients. <i>PLoS ONE</i> , 2013, 8, e75318.  | 1.1 | 30        |
| 77 | Association of Increased Arterial Stiffness and P Wave Dispersion with Left Ventricular Diastolic Dysfunction. <i>International Journal of Medical Sciences</i> , 2013, 10, 1437-1444.  | 1.1 | 6         |
| 78 | Echocardiographic parameters are independently associated with increased cardiovascular events in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1064-1070.   | 0.4 | 67        |
| 79 | Melamine Induces Human Renal Proximal Tubular Cell Injury via Transforming Growth Factor- $\beta$ 2 and Oxidative Stress. <i>Toxicological Sciences</i> , 2012, 130, 17-32.   | 1.4 | 56        |
| 80 | Increasing Prevalence of Peripheral Artery Occlusive Disease in Hemodialysis Patients: A 2-Year Follow-Up. <i>American Journal of the Medical Sciences</i> , 2012, 343, 440-445.  | 0.4 | 13        |
| 81 | Prevalence of chronic kidney disease in China. <i>Lancet, The</i> , 2012, 380, 213.   | 6.3 | 7         |
| 82 | Association of Hyperuricemia with Renal Outcomes, Cardiovascular Disease, and Mortality. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 541-548.   | 2.2 | 112       |
| 83 | Prescriptions for angiotensin-converting enzyme inhibitors/angiotensin receptor blockers and monitoring of serum creatinine and potassium in patients with chronic kidney disease. <i>Kaohsiung Journal of Medical Sciences</i> , 2012, 28, 477-483.          | 0.8 | 4         |
| 84 | P Wave Dispersion and Maximum P Wave Duration Are Independently Associated with Rapid Renal Function Decline. <i>PLoS ONE</i> , 2012, 7, e42815.  | 1.1 | 12        |
| 85 | Association of Symptoms of Depression With Progression of CKD. <i>American Journal of Kidney Diseases</i> , 2012, 60, 54-61.  | 2.1 | 139       |
| 86 | Whole Genome Expression in Peripheral-Blood Samples of Workers Professionally Exposed to Polycyclic Aromatic Hydrocarbons. <i>Chemical Research in Toxicology</i> , 2011, 24, 1636-1643.  | 1.7 | 11        |
| 87 | Areca Users in Combination with Tobacco and Alcohol Use Are Associated with Younger Age of Diagnosed Esophageal Cancer in Taiwanese Men. <i>PLoS ONE</i> , 2011, 6, e25347.   | 1.1 | 18        |
| 88 | Quality of life predicts risks of end-stage renal disease and mortality in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 392-392.  | 0.4 | 0         |
| 89 | Echocardiographic Parameters are Independently Associated with Rate of Renal Function Decline and Progression to Dialysis in Patients with Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 2750-2758. | 2.2 | 85        |
| 90 | Brachial-Ankle Pulse Wave Velocity and Rate of Renal Function Decline and Mortality in Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 724-732.   | 2.2 | 96        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | The rs1014290 Polymorphism of the SLC2A9 Gene Is Associated with Type 2 Diabetes Mellitus in Han Chinese. <i>Experimental Diabetes Research</i> , 2011, 2011, 1-6.  | 3.8 | 18        |
| 92  | Significant correlation between ratio of brachial pre-ejection period to ejection time and left ventricular ejection fraction and mass index in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 1895-1902. | 0.4 | 11        |
| 93  | Early Nephrology Referral Is Associated With Prolonged Survival in Hemodialysis Patients Even After Exclusion of Lead-Time Bias. <i>American Journal of the Medical Sciences</i> , 2010, 339, 123-126.  | 0.4 | 26        |
| 94  | Prevalence and Risk Factors for CKD in Spouses and Relatives of Hemodialysis Patients. <i>American Journal of Kidney Diseases</i> , 2010, 55, 856-866.  | 2.1 | 34        |
| 95  | Association of Hepatitis C and B Virus Infection With CKD in an Endemic Area in Taiwan: A Cross-sectional Study. <i>American Journal of Kidney Diseases</i> , 2010, 56, 23-31.  | 2.1 | 97        |
| 96  | Chronic kidney disease care program improves quality of pre-end-stage renal disease care and reduces medical costs. <i>Nephrology</i> , 2010, 15, 108-115.  | 0.7 | 71        |
| 97  | Quality of life predicts risks of end-stage renal disease and mortality in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 1621-1626.  | 0.4 | 92        |
| 98  | Impact of the clinical conditions at dialysis initiation on mortality in incident haemodialysis patients: a national cohort study in Taiwan. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 2616-2624.  | 0.4 | 141       |
| 99  | Impact of late-stage CKD and aging on medical utilization in the elderly population: a closed-cohort study in Taiwan. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 3230-3235.   | 0.4 | 7         |
| 100 | Planned Creation of Vascular Access Saves Medical Expenses for Incident Dialysis Patients. <i>Kaohsiung Journal of Medical Sciences</i> , 2009, 25, 521-529.  | 0.8 | 14        |
| 101 | Slowing renal function decline in chronic kidney disease patients after nephrology referral. <i>Nephrology</i> , 2008, 13, 730-736.   | 0.7 | 28        |
| 102 | Increased risk of mortality in the elderly population with late-stage chronic kidney disease: a cohort study in Taiwan. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 3192-3198.   | 0.4 | 44        |
| 103 | Impact of Renal Failure on the Outcome of Dengue Viral Infection. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008, 3, 1350-1356.  | 2.2 | 68        |
| 104 | Assessing Computational Amino Acid $\beta$ -Turn Propensities with a Phage-Displayed Combinatorial Library and Directed Evolution. <i>Structure</i> , 2006, 14, 1499-1510.  | 1.6 | 24        |