Leandro Bacci

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6318736/publications.pdf

Version: 2024-02-01

76 papers

1,700 citations

304368 22 h-index 37 g-index

76 all docs

76 docs citations

76 times ranked 1669 citing authors

#	Article	IF	CITATIONS
1	Lethal and sublethal effects of an emulsion based on Pogostemon cablin (Lamiaceae) essential oil on the coffee berry borer, Hypothenemus hampei. Environmental Science and Pollution Research, 2022, 29, 45763-45773.	2.7	4
2	Feasible sampling plan for adults of Aleurocanthus woglumi Ashby (Hemiptera: Aleyrodidae) in orange orchards. Crop Protection, 2022, 158, 106002.	1.0	1
3	Illustrious visitors to the world nature heritage: seabird strandings in the Ilha Grande bay, Rio de Janeiro, Brazil Nature and Conservation, 2022, 14, 70-78.	0.0	0
4	Sampling plan of <i>Tetranychus mexicanus</i> on passion fruit vines. International Journal of Pest Management, 2021, 67, 269-278.	0.9	2
5	Mass spectrometry characterization, antioxidant activity, and cytotoxicity of the peel and pulp extracts of Pitomba. Food Chemistry, 2021, 340, 127929.	4.2	6
6	Formicidal activity of essential oils of Myrcia lundiana chemotypes on Acromyrmex balzani. Crop Protection, 2021, 139, 105343.	1.0	3
7	Wet and warm conditions contribute to the occurrence of the neotropical butterfly Ascia monuste orseis Godart (Lepidoptera: Pieridae) on Brassica crops. International Journal of Biometeorology, 2021, 65, 247-256.	1.3	0
8	Potential source of ecofriendly insecticides: Essential oil induces avoidance and cause lower impairment on the activity of a stingless bee than organosynthetic insecticides, in laboratory. Ecotoxicology and Environmental Safety, 2021, 209, 111764.	2.9	11
9	The seasonal dynamic of Tuta absoluta in Solanum lycopersicon cultivation: Contributions of climate, plant phenology, and insecticide spraying. Pest Management Science, 2021, 77, 3187-3197.	1.7	3
10	Development of conventional sampling plans for egg masses and nymphs of citrus blackfly Aleurocanthus woglumi Ashby (Hemiptera: Aleyrodidae). Crop Protection, 2021, 149, 105777.	1.0	1
11	Chemical analyses of the essential oils from <i>Varronia curassavica</i> accessions in two seasons. Journal of Essential Oil Research, 2020, 32, 494-511.	1.3	4
12	Climatic variables limit population abundance of Neoleucinodes elegantalis: Important neotropical tomato pest. Crop Protection, 2020, 138, 105325.	1.0	4
13	Toxicity and behavioral alterations caused by essential oils of Croton tetradenius and their major compounds on Acromyrmex balzani. Crop Protection, 2020, 137, 105259.	1.0	7
14	Synergistic effect of aromatic plant essential oils on the ant Acromyrmex balzani (Hymenoptera:) Tj ETQq0 0 0 rg	gBT /Overlo 2.7	ock 10 Tf 50 2 5
15	Insecticide activity of botanical compounds against Spodoptera frugiperda and selectivity to the predatory bug Podisus nigrispinus. Crop Protection, 2020, 136, 105230.	1.0	17
16	Feasible sampling plan for Tuta absoluta egg densities evaluation in commercial field tomato. Crop Protection, 2020, 136 , 105239 .	1.0	10
17	Physico-chemical characterization of the pulp and peel of Brazilian Pitomba (Talisia esculenta (A.) Tj ETQq1 1 0.78	84314 rgB	T <u>(</u> Overlock 1
18	Toxicity of the essential oil of basil cultivars and hybrids and its repellent effect on stored grain pests. Bioscience Journal, 2020, 36, .	0.4	0

#	Article	IF	CITATIONS
19	Morpho-agronomic characterization of Varronia curassavica germplasm conservated "Ex situ― Bioscience Journal, 2020, 36, .	0.4	О
20	Ant associations in the Neotropical shrub <i>Turnera subulata </i> (Turneraceae): Costs or benefits to the host plant?. Austral Ecology, 2019, 44, 60-69.	0.7	5
21	Natural mortality factors of tomato leafminer <i>Tuta absoluta </i> in openâ€field tomato crops in South America. Pest Management Science, 2019, 75, 736-743.	1.7	13
22	Insecticidal activity of indole derivatives against Plutella xylostella and selectivity to four non-target organisms. Ecotoxicology, 2019, 28, 973-982.	1.1	10
23	Production of extrafloral nectar in the Neotropical shrub Turnera subulata mediated by biotic and abiotic factors. Flora: Morphology, Distribution, Functional Ecology of Plants, 2019, 260, 151483.	0.6	2
24	Chemical Diversity and Insecticidal and Anti-tick Properties of Essential Oils of Plants from Northeast Brazil., 2019,, 235-258.		3
25	Conventional Sampling Plan for Scouting Neoleucinodes elegantalis (Lepidoptera: Crambidae) Eggs on Tomato Fruits. Journal of Economic Entomology, 2019, 112, 2433-2440.	0.8	9
26	Toxicity and behavioral alterations of essential oils of Eplingiella fruticosa genotypes and their major compounds to Acromyrmex balzani. Crop Protection, 2019, 116, 181-187.	1.0	10
27	Seasons of the year affect critical stage and key mortality factors for <i>Neoleucinodes elegantalis</i> in open field tomatoes. Annals of Applied Biology, 2019, 174, 133-141.	1.3	5
28	Essential oils from Varronia curassavica (Cordiaceae) accessions and their compounds (E)-caryophyllene and α-humulene as an alternative to control Dorymyrmex thoracius (Formicidae:) Tj ETQq0 0	0 rg 87 /Ov	erl ock 10 Tf 5
29	Acute Toxicity and Sub-lethal Effects of the Essential Oil of Aristolochia trilobata and Its Major Constituents on Nasutitermes corniger (Termitidae: Nasutitermitinae). Neotropical Entomology, 2019, 48, 515-521.	0.5	3
30	Seasonal variation in natural mortality factors of <i>Tuta absoluta </i> (Lepidoptera: Gelechiidae) in openâ€field tomato cultivation. Journal of Applied Entomology, 2019, 143, 21-33.	0.8	16
31	Formicidal activity of indole derivatives on <i>Atta opaciceps</i> (Borgmeier): Lethal, behavioural and locomotive effects. Journal of Applied Entomology, 2019, 143, 58-68.	0.8	5
32	Resource density regulates the foraging investment in higher termite species. Ecological Entomology, 2018, 43, 371-378.	1.1	11
33	Variation in the composition and activity of ants on defense of host plant Turnera subulata (Turneraceae): strong response to simulated herbivore attacks and to herbivore's baits. Arthropod-Plant Interactions, 2018, 12, 113-121.	0.5	7
34	Alternative control of <scp><i>Aedes aegypti</i></scp> resistant to pyrethroids: lethal and sublethal effects of monoterpene bioinsecticides. Pest Management Science, 2018, 74, 1001-1012.	1.7	29
35	Toxicity of essential oils of Lippia gracilis chemotypes and their major compounds on Diaphania hyalinata and non-target species. Crop Protection, 2018, 104, 47-51.	1.0	29
36	Essential oil of Lippia sidoides and its major compound thymol: Toxicity and walking response of populations of Sitophilus zeamais (Coleoptera: Curculionidae). Crop Protection, 2018, 112, 33-38.	1.0	51

#	Article	IF	CITATIONS
37	Lethal Effect and Behavioral Responses of Leaf-Cutting Ants to Essential Oil of Pogostemon cablin (Lamiaceae) and Its Nanoformulation. Neotropical Entomology, 2018, 47, 769-779.	0.5	22
38	Apis mellifera (Insecta: Hymenoptera) in the target of neonicotinoids: A one-way ticket? Bioinsecticides can be an alternative. Ecotoxicology and Environmental Safety, 2018, 163, 28-36.	2.9	18
39	Assessment of the natural control of <i>Neoleucinodes elegantalis</i> in tomato cultivation using ecological life tables. Biocontrol Science and Technology, 2017, 27, 525-538.	0.5	16
40	Nanoformulation prototype of the essential oil of Lippia sidoides and thymol to population management of Sitophilus zeamais (Coleoptera: Curculionidae). Industrial Crops and Products, 2017, 107, 198-205.	2.5	43
41	Sub-lethal effects of essential oil of Lippia sidoides on drywood termite Cryptotermes brevis (Blattodea: Termitoidea). Ecotoxicology and Environmental Safety, 2017, 145, 436-441.	2.9	25
42	Essential Oil of Aristolochia trilobata: Synthesis, Routes of Exposure, Acute Toxicity, Binary Mixtures and Behavioral Effects on Leaf-Cutting Ants. Molecules, 2017, 22, 335.	1.7	25
43	Essential Oils of Hyptis pectinata Chemotypes: Isolation, Binary Mixtures and Acute Toxicity on Leaf-Cutting Ants. Molecules, 2017, 22, 621.	1.7	21
44	Life table determination of thermal requirements of the tomato borer Tuta absoluta. Journal of Pest Science, 2016, 89, 897-908.	1.9	49
45	Combined foraging strategies and soldier behaviour in Nasutitermes aff. coxipoensis (Blattodea:) Tj ETQq1 1 0.78	4314 rgBT	l <mark>Q</mark> verlock
46	Toxicity, behavior impairment, and repellence of essential oils from pepperâ€rosmarin and patchouli to termites. Entomologia Experimentalis Et Applicata, 2015, 156, 66-76.	0.7	26
47	Physiological selectivity and activity reduction of insecticides by rainfall to predatory wasps of Tuta absoluta. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2015, 50, 45-54.	0.7	11
48	Toxicity and repellency of essential oils of Lippia alba chemotypes and their major monoterpenes against stored grain insects. Industrial Crops and Products, 2015, 71, 31-36.	2.5	66
49	Acaricidal activity of essential oils from Lippia alba genotypes and its major components carvone, limonene, and citral against Rhipicephalus microplus. Veterinary Parasitology, 2015, 210, 118-122.	0.7	72
50	Acaricidal properties of vetiver essential oil from Chrysopogon zizanioides (Poaceae) against the tick species Amblyomma cajennense and Rhipicephalus (Boophilus) microplus (Acari: Ixodidae). Veterinary Parasitology, 2015, 212, 324-330.	0.7	21
51	Water Deficit and Seasonality Study on Essential Oil Constituents of <i>Lippia gracilis </i> Schauer Germplasm. Scientific World Journal, The, 2014, 2014, 1-9.	0.8	22
52	Natural biological control of green scale (Hemiptera: Coccidae): a field life-table study. Biocontrol Science and Technology, 2014, 24, 190-202.	0.5	13
53	Insecticidal and repellence activity of the essential oil of Pogostemon cablin against urban ants species. Acta Tropica, 2013, 127, 181-186.	0.9	47
54	Acaricidal activity of Lippia gracilis essential oil and its major constituents on the tick Rhipicephalus (Boophilus) microplus. Veterinary Parasitology, 2013, 195, 198-202.	0.7	86

#	Article	IF	CITATIONS
55	Biotoxicity of some plant essential oils against the termite Nasutitermes corniger (Isoptera:) Tj ETQq1 1 0.784314	rgBT/Ove	erlock 10 Tf
56	Life tables for the guava psyllid Triozoida limbata in southeastern Brazil. BioControl, 2012, 57, 779-788.	0.9	14
57	Concentration-mortality responses of (i>Myzus persicae (i>and natural enemies to selected insecticides. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2012, 47, 1930-1937.	0.9	7
58	Production and quality of tomato fruits under organic management. Horticultura Brasileira, 2011, 29, 253-257.	0.1	9
59	Control failure likelihood and spatial dependence of insecticide resistance in the tomato pinworm, <i>Tuta absoluta < /i>. Pest Management Science, 2011, 67, 913-920.</i>	1.7	204
60	Seletividade fisiológica de inseticidas aos inimigos naturais de Plutella xylostella (L.) (Lepidoptera:) Tj ETQq0 0 0 0	rgBT /Over	lock 10 Tf 5
61	Conservation of natural enemies in brassica crops: comparative selectivity of insecticides in the management of Brevicoryne brassicae (Hemiptera: Sternorrhyncha: Aphididae). Applied Entomology and Zoology, 2009, 44, 103-113.	0.6	30
62	Sampling plan for Thrips (Thysanoptera: Thripidae) on cucumber. Neotropical Entomology, 2008, 37, 582-590.	0.5	40
63	Natural mortality factors of <i>Leucoptera coffeella </i> (Lepidoptera: Lyonetiidae) on <i>Coffea arabica </i> Biocontrol Science and Technology, 2007, 17, 441-455.	0.5	37
64	Seasonal mortality factors of the coffee leafminer, <i>Leucoptera coffeella </i> . Bulletin of Entomological Research, 2007, 97, 421-432.	0.5	60
65	Toxicity of insecticides to the sweetpotato whitefly (Hemiptera: Aleyrodidae) and its natural enemies. Pest Management Science, 2007, 63, 699-706.	1.7	90
66	Effect of integrated pest management practices on tomato production and conservation of natural enemies. Agricultural and Forest Entomology, 2007, 9, 327-335.	0.7	71
67	Critical yield components and key loss factors of tropical cucumber crops. Crop Protection, 2006, 25, 1117-1125.	1.0	19
68	Sampling Plan for Diaphania spp. (Lepidoptera: Pyralidae) and for Hymenopteran Parasitoids on Cucumber. Journal of Economic Entomology, 2006, 99, 2177-2184.	0.8	20
69	Sampling Plan for <i>Diaphania</i> spp. (Lepidoptera: Pyralidae) and for Hymenopteran Parasitoids on Cucumber. Journal of Economic Entomology, 2006, 99, 2177-2184.	0.8	4
70	Impact of integrated pest management on the population of leafminers, fruit borers, and natural enemies in tomato. Ciencia Rural, 2005, 35, 204-208.	0.3	50
71	Seletividade de oito inseticidas a predadores de lagartas em citros. Pesquisa Agropecuaria Brasileira, 2002, 37, 117-122.	0.9	12
72	Seletividade fisiológica de inseticidas a Vespidae predadores de Ascia monuste orseis. Pesquisa Agropecuaria Brasileira, 2002, 37, 237-242.	0.9	4

#	ARTICLE	IF	CITATIONS
73	Inseticidas seletivos à tesourinha Doru luteipes (Scudder) utilizados no controle do pulgão verde em brássicas. Horticultura Brasileira, 2002, 20, 174-179.	0.1	6
74	Seletividade de inseticidas, utilizados no controle de Grapholita molesta (Busch) (Lepidoptera:) Tj ETQq0 0 0 rgBT	/8verlock	10 Tf 50 70
75	Kidney Function After Improved Metabolic Control in Newly Diagnosed Diabetes and in Diabetic Patients with Nephropathy. Diabetes Care, 1982, 5, 624-629.	4.3	15
76	Observation of scaling deviations in the energy distribution of secondary hadrons in inelastic neutrino-proton interactions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1979, 87, 281-286.	1.5	36