

Hao Zhang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6320060/hao-zhang-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69

papers

4,399

citations

23

h-index

66

g-index

75

ext. papers

5,197

ext. citations

6.9

avg, IF

5.45

L-index

#	Paper	IF	Citations
69	Defect-rich MoS ₂ ultrathin nanosheets with additional active edge sites for enhanced electrocatalytic hydrogen evolution. <i>Advanced Materials</i> , 2013 , 25, 5807-13	24	2285
68	The electronic, optical, and thermodynamic properties of borophene from first-principles calculations. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 3592-3598	7.1	250
67	Thermal conductivity of monolayer MoS ₂ , MoSe ₂ , and WS ₂ : interplay of mass effect, interatomic bonding and anharmonicity. <i>RSC Advances</i> , 2016 , 6, 5767-5773	3.7	202
66	Mechanical and Electrical Anisotropy of Few-Layer Black Phosphorus. <i>ACS Nano</i> , 2015 , 9, 11362-70	16.7	199
65	Low lattice thermal conductivity of stanene. <i>Scientific Reports</i> , 2016 , 6, 20225	4.9	132
64	Phonon transport properties of two-dimensional group-IV materials from ab initio calculations. <i>Physical Review B</i> , 2016 , 94,	3.3	114
63	Stability and strength of atomically thin borophene from first principles calculations. <i>Materials Research Letters</i> , 2017 , 5, 399-407	7.4	109
62	First-principle calculations of optical properties of monolayer arsenene and antimonene allotropes. <i>Annalen Der Physik</i> , 2017 , 529, 1600152	2.6	101
61	The conflicting role of buckled structure in phonon transport of 2D group-IV and group-V materials. <i>Nanoscale</i> , 2017 , 9, 7397-7407	7.7	96
60	First-principles study on the electronic, optical, and transport properties of monolayer HgTe. <i>Physical Review B</i> , 2017 , 96,	3.3	61
59	Chemical intuition for high thermoelectric performance in monolayer black phosphorus, HgTe, and antimonene. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 2018-2033	13	56
58	Towards intrinsic phonon transport in single-layer MoS ₂ . <i>Annalen Der Physik</i> , 2016 , 528, 504-511	2.6	53
57	First-Principles Prediction of Ultralow Lattice Thermal Conductivity of Dumbbell Silicene: A Comparison with Low-Buckled Silicene. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 20977-85	9.5	51
56	Thermoelectric properties of two-dimensional selenene and tellurene from group-VI elements. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 24250-24256	3.6	45
55	1D SbSeI, SbSI, and SbSBr With High Stability and Novel Properties for Microelectronic, Optoelectronic, and Thermoelectric Applications. <i>Advanced Theory and Simulations</i> , 2018 , 1, 1700005	3.5	41
54	Optical properties of thickness-controlled MoS ₂ thin films studied by spectroscopic ellipsometry. <i>Applied Surface Science</i> , 2017 , 421, 884-890	6.7	41
53	A skin-like sensor for intelligent Braille recognition. <i>Nano Energy</i> , 2020 , 68, 104346	17.1	40

52	P-type Γ -Ga ₂ O ₃ metal-semiconductor-metal solar-blind photodetectors with extremely high responsivity and gain-bandwidth product. <i>Materials Today Physics</i> , 2020 , 14, 100226	8	30
51	In-Plane Anisotropic Thermal Conductivity of Few-Layered Transition Metal Dichalcogenide Td-WTe ₂ . <i>Advanced Materials</i> , 2019 , 31, e1804979	24	29
50	The role of Anderson's rule in determining electronic, optical and transport properties of transition metal dichalcogenide heterostructures. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 30351-30364	3.6	28
49	Beyond Perturbation: Role of Vacancy-Induced Localized Phonon States in Thermal Transport of Monolayer MoS ₂ . <i>Journal of Physical Chemistry C</i> , 2016 , 120, 29324-29331	3.8	26
48	Ultrahigh carrier mobilities and high thermoelectric performance at room temperature optimized by strain-engineering to two-dimensional α -antimonene. <i>Nano Energy</i> , 2019 , 63, 103870	17.1	24
47	High thermoelectric performance of Weyl semimetal TaAs. <i>Nano Energy</i> , 2016 , 30, 225-234	17.1	24
46	Ultrahigh-Sensitive Finlike Double-Sided E-Skin for Force Direction Detection. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 14136-14144	9.5	23
45	High thermoelectric efficiency in monolayer PbI ₂ from 300 K to 900 K. <i>Inorganic Chemistry Frontiers</i> , 2019 , 6, 920-928	6.8	19
44	Sub-picosecond photo-induced displacive phase transition in two-dimensional MoTe ₂ . <i>Npj 2D Materials and Applications</i> , 2020 , 4,	8.8	18
43	Room Temperature Bound Excitons and Strain-Tunable Carrier Mobilities in Janus Monolayer Transition-Metal Dichalcogenides. <i>Journal of Physical Chemistry Letters</i> , 2020 , 11, 3116-3128	6.4	18
42	Investigation of the optical and electrical properties of ZnO/Cu/ZnO multilayers grown by atomic layer deposition. <i>Journal of Alloys and Compounds</i> , 2018 , 744, 381-385	5.7	18
41	Novel two-dimensional Γ -GeSe and Γ -SnSe semiconductors: anisotropic high carrier mobility and excellent photocatalytic water splitting. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 19612-19622	13	18
40	Room-Temperature Bound Exciton with Long Lifetime in Monolayer GaN. <i>ACS Photonics</i> , 2018 , 5, 4081-4088	18	18
39	Anisotropic ultrahigh hole mobility in two-dimensional penta-SiC ₂ by strain-engineering: electronic structure and chemical bonding analysis. <i>RSC Advances</i> , 2017 , 7, 45705-45713	3.7	17
38	Tuning Thermal Transport in C ₃ N Monolayers by Adding and Removing Carbon Atoms. <i>Physical Review Applied</i> , 2018 , 10,	4.3	16
37	Dielectric functions and critical points of crystalline WS ₂ ultrathin films with tunable thickness. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 12022-12031	3.6	14
36	Ultrahigh electron mobility induced by strain engineering in direct semiconductor monolayer BiTeSe. <i>Nanoscale</i> , 2019 , 11, 20620-20629	7.7	13
35	Memristive behavior in In ₂ Se ₃ asymmetrical hetero-structures. <i>RSC Advances</i> , 2017 , 7, 46431-46435	3.7	11

34	Tunable nonlinear optical absorption in amorphous and crystalline Sb ₂ Se ₃ thin films. <i>Journal of Alloys and Compounds</i> , 2019 , 791, 753-760	5.7	10
33	A study on optical properties of Sb ₂ Se ₃ thin films and resistive switching behavior in Ag/Sb ₂ Se ₃ /W heterojunctions. <i>Results in Physics</i> , 2019 , 13, 102228	3.7	10
32	Thermoelectric performance of 2D materials: the band-convergence strategy and strong intervalley scatterings. <i>Materials Horizons</i> , 2021 , 8, 1253-1263	14.4	9
31	Predicting Dirac semimetals based on sodium ternary compounds. <i>Npj Computational Materials</i> , 2018 , 4,	10.9	9
30	First-Principles Calculations of Angular and Strain Dependence on Effective Masses of Two-Dimensional Phosphorene Analogues (Monolayer -Phase Group-IV Monochalcogenides). <i>Molecules</i> , 2019 , 24,	4.8	8
29	Effective medium theory for two-dimensional random media composed of core-shell cylinders. <i>Optics Communications</i> , 2013 , 306, 9-16	2	8
28	Discovery of Lead-Free Perovskites for High-Performance Solar Cells via Machine Learning: Ultrabroadband Absorption, Low Radiative Combination, and Enhanced Thermal Conductivities.. <i>Advanced Science</i> , 2021 , e2103648	13.6	8
27	New SbTeSe Monolayers with High Electron Mobilities and Wide Absorption Range. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 37216-37228	9.5	7
26	Probing quantum confinement effects on the excitonic property and electronic band structures of MoS ₂ . <i>Applied Surface Science</i> , 2020 , 519, 146262	6.7	7
25	New group V graphyne: two-dimensional direct semiconductors with remarkable carrier mobilities, thermoelectric performance, and thermal stability. <i>Materials Today Physics</i> , 2020 , 12, 100164	8	7
24	Light transmission properties in inhomogeneously-disordered random media. <i>Annalen Der Physik</i> , 2017 , 529, 1600225	2.6	6
23	Nanostructure and Optical Property Investigations of SrTiO ₃ Films Deposited by Magnetron Sputtering. <i>Materials</i> , 2019 , 12,	3.5	6
22	Ta Doping Effect on Structural and Optical Properties of InTe Thin Films. <i>Nanomaterials</i> , 2020 , 10,	5.4	6
21	Effects of dielectric screening on the excitonic and critical points properties of WS ₂ /MoS ₂ heterostructures. <i>Nanoscale</i> , 2020 , 12, 23732-23739	7.7	6
20	Characterization of interfacial barrier charging as a resistive switching mechanism in Ag/SbTe/Ag heterojunctions. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 18200-18206	3.6	5
19	Structural and Optical Properties of Ti-Doped InTe Thin Films. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 6267-6272	3.8	4
18	Effective medium theory for random media composed of two-layered spheres. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2011 , 28, 2292-7	1.8	4
17	Transport properties of light in a disordered medium composed of two-layered dispersive spheres. <i>Optics Express</i> , 2011 , 19, 2928-40	3.3	4

16	Coexistence of topological edge states and skin effects in the non-Hermitian Su-Schrieffer-Heeger model with long-range nonreciprocal hopping in topoelectric realizations. <i>Physical Review B</i> , 2021 , 103,	3.3	4
15	Monolayer BiSeTe: novel two-dimensional semiconductors with excellent stability and high electron mobility. <i>Physical Chemistry Chemical Physics</i> , 2020 , 22, 9685-9692	3.6	4
14	Effects of interlayer coupling on the excitons and electronic structures of WS ₂ /hBN/MoS ₂ van der Waals heterostructures. <i>Nano Research</i> , 1	10	4
13	Light transport in quasi-one-dimensional disordered waveguides composed of locally two-dimensional random square lattices. <i>Journal of Modern Optics</i> , 2017 , 64, 1215-1221	1.1	3
12	Contrastive investigation on linear optical properties and nonlinear absorption behaviors between Sb ₂ Se ₃ and Sb ₂ Te ₃ thin films. <i>Materials Research Express</i> , 2019 , 6, 086446	1.7	3
11	First-Principles Study of Manipulating the Phonon Transport of Molybdenum Disulfide by Sodium Intercalating. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 2632-2640	3.8	3
10	Monolayer C ₇ N ₆ : Room-temperature excitons with large binding energies and high thermal conductivities. <i>Physical Review Materials</i> , 2020 , 4,	3.2	3
9	Investigation of Band Alignment for Hybrid 2D-MoS/3D-EGaO Heterojunctions with Nitridation. <i>Nanoscale Research Letters</i> , 2019 , 14, 360	5	3
8	Two-Dimensional Direct Semiconductor Boron Monochalcogenide β -Te: Room-Temperature Single-Bound Exciton and Novel Donor Material in Excitonic Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 58349-58359	9.5	2
7	Strong electron-phonon coupling influences carrier transport and thermoelectric performances in group-IV/V elemental monolayers. <i>Npj Computational Materials</i> , 2021 , 7,	10.9	2
6	Renormalized thermoelectric figure of merit in a band-convergent Sb ₂ Te ₂ Se monolayer: full electron-phonon interactions and selection rules. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 16108-16118 ¹³		1
5	Representation and focusing properties of higher-order radially polarized Laguerre-Gaussian beams. <i>Journal of Modern Optics</i> , 2015 , 62, 626-632	1.1	0
4	Towards high-temperature electron-hole condensate phases in monolayer tetrel metal halides: Ultra-long excitonic lifetimes, phase diagram and exciton dynamics. <i>Materials Today Physics</i> , 2022 , 22, 100604	8	0
3	Dichroic Photoelasticity in Black Phosphorus Revealed by Ultrafast Coherent Phonon Dynamics. <i>Journal of Physical Chemistry Letters</i> , 2021 , 12, 5871-5878	6.4	0
2	Transport properties of random media composed of core-shell spheres. <i>Applied Physics A: Materials Science and Processing</i> , 2014 , 114, 1223-1231	2.6	
1	Modelling the optical properties of lossless multilayered spheres. <i>Journal of Optics (United Kingdom)</i> , 2011 , 13, 095704	1.7	