## **Carl P Frick**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6320843/publications.pdf Version: 2024-02-01



CADI D FDICK

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | <scp>Bodyâ€ŧemperature</scp> s <scp>hapeâ€shifting</scp> liquid crystal elastomers. Journal of Applied<br>Polymer Science, 2021, 138, 50136.   | 1.3 | 30        |
| 2  | Bench scale glass-to-glass bonding for microfluidic prototyping. Microsystem Technologies, 2020, 26, 3581-3589.  | 1.2 | 3         |
| 3  | Biocompatible liquid-crystal elastomers mimic the intervertebral disc. Journal of the Mechanical<br>Behavior of Biomedical Materials, 2020, 107, 103757.   | 1.5 | 44        |
| 4  | Influence of Ti3Ni4 precipitates on the indentation-induced two-way shape-memory effect in<br>Nickel-Titanium. Materials Science & Engineering A: Structural Materials: Properties,<br>Microstructure and Processing, 2020, 792, 139373. | 2.6 | 6         |
| 5  | Cell-Laden Particulate-Composite Hydrogels with Tunable Mechanical Properties Constructed with<br>Gradient-Interface Hydrogel Particles. ACS Applied Polymer Materials, 2019, 1, 2571-2576.  | 2.0 | 11        |
| 6  | Extended Cyclic Deformation Recovery of the Indentationâ€Induced Twoâ€Way Shapeâ€Memory Effect in<br>Nickel–Titanium. Advanced Engineering Materials, 2019, 21, 1801020.   | 1.6 | 2         |
| 7  | Mechanical energy dissipation in polydomain nematic liquid crystal elastomers in response to oscillating loading. Polymer, 2019, 166, 148-154.   | 1.8 | 49        |
| 8  | Composite Hydrogels With Controlled Degradation in 3D Printed Scaffolds. IEEE Transactions on Nanobioscience, 2019, 18, 261-264.   | 2.2 | 15        |
| 9  | Cell Printing in Complex Hydrogel Scaffolds. IEEE Transactions on Nanobioscience, 2019, 18, 265-268.   | 2.2 | 3         |
| 10 | Mechanical characterization of polydopamine-assisted silver deposition on thiol-ene polymer substrates. Surface and Coatings Technology, 2019, 358, 136-143.   | 2.2 | 10        |
| 11 | Biological evaluation and finite-element modeling of porous poly(para-phenylene) for orthopaedic<br>implants. Acta Biomaterialia, 2018, 72, 352-361.   | 4.1 | 19        |
| 12 | Stereolithography of SiOC Polymerâ€Derived Ceramics Filled with SiC Micronwhiskers. Advanced Engineering Materials, 2018, 20, 1800593.   | 1.6 | 63        |
| 13 | Evaluation and Prediction of Human Lumbar Vertebrae Endplate Mechanical Properties Using<br>Indentation and Computed Tomography. Journal of Biomechanical Engineering, 2018, 140, .  | 0.6 | 15        |
| 14 | Thermomechanical properties of monodomain nematic main-chain liquid crystal elastomers. Soft<br>Matter, 2018, 14, 6024-6036.   | 1.2 | 53        |
| 15 | Characterization of poly(para-phenylene)-MWCNT solvent-cast composites. AIMS Materials Science, 2018, 5, 301-319.  | 0.7 | 0         |
| 16 | Characterization and mechanical testing of polydopamine-adhered electroless copper films. Surface and Coatings Technology, 2017, 331, 211-220.   | 2.2 | 12        |
| 17 | A predictive parameter for the shape memory behavior of thermoplastic polymers. Journal of Polymer Science, Part B: Polymer Physics, 2016, 54, 1405-1414.  | 2.4 | 31        |
| 18 | Copperâ€Coated Liquidâ€Crystalline Elastomer via Bioinspired Polydopamine Adhesion and Electroless<br>Deposition. Macromolecular Rapid Communications, 2016, 37, 1912-1917.  | 2.0 | 20        |

CARL P FRICK

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | A methodology for fabrication of thermomechanically activated switchable surface wettability.<br>Journal of Applied Polymer Science, 2016, 133, .   | 1.3 | 5         |
| 20 | Effect of indentation temperature on nickel-titanium indentation-induced two-way shape-memory<br>surfaces. Materials Science & Engineering A: Structural Materials: Properties, Microstructure<br>and Processing, 2016, 675, 253-261. | 2.6 | 9         |
| 21 | Shapeâ€memory behavior of highâ€strength amorphous thermoplastic poly( <i>para</i> â€phenylene). Journal of Applied Polymer Science, 2016, 133, .   | 1.3 | 22        |
| 22 | Thermo-mechanical behavior and structure of melt blown shape-memory polyurethane nonwovens.<br>Journal of the Mechanical Behavior of Biomedical Materials, 2016, 62, 545-555.   | 1.5 | 23        |
| 23 | Temperatureâ€Induced Switchable Adhesion using Nickel–Titanium–Polydimethylsiloxane Hybrid<br>Surfaces. Advanced Functional Materials, 2015, 25, 3013-3021.   | 7.8 | 58        |
| 24 | Indentation-induced two-way shape-memory effect in aged Tiâ^'50.9 at.% Ni. MRS Communications, 2015, 5, 77-82.  | 0.8 | 5         |
| 25 | Monotonic and cyclic loading behavior of porous scaffolds made from poly(para-phenylene) for<br>orthopedic applications. Journal of the Mechanical Behavior of Biomedical Materials, 2015, 41, 136-148.                               | 1.5 | 18        |
| 26 | Highâ€strength poly( <i>para</i> â€phenylene) as an orthopedic biomaterial. Journal of Biomedical<br>Materials Research - Part A, 2014, 102, 3122-3129.   | 2.1 | 18        |
| 27 | Vickers Indentation Induced Oneâ€ <scp>W</scp> ay and Twoâ€ <scp>W</scp> ay Shape Memory Effect in<br>Austenitic Ni <scp>T</scp> i. Advanced Engineering Materials, 2014, 16, 72-79.  | 1.6 | 10        |
| 28 | Porous poly(para-phenylene) scaffolds for load-bearing orthopedic applications. Journal of the<br>Mechanical Behavior of Biomedical Materials, 2014, 30, 347-357.   | 1.5 | 20        |
| 29 | Systematic tailoring of water absorption in photopolymerizable (meth)acrylate networks and its effect on mechanical properties. Journal of Applied Polymer Science, 2013, 128, 1913-1921.   | 1.3 | 2         |
| 30 | Effect of viscoelasticity on the spherical and flat adhesion characteristics of photopolymerizable acrylate polymer networks. International Journal of Adhesion and Adhesives, 2013, 44, 184-194.                                     | 1.4 | 23        |
| 31 | Amorphous-to-crystalline transition of Polyetheretherketone–carbon nanotube composites via<br>resistive heating. Composites Science and Technology, 2013, 89, 110-119.  | 3.8 | 15        |
| 32 | Influence of test temperature on the size effect in molybdenum small-scale compression pillars.<br>Philosophical Magazine Letters, 2013, 93, 331-338.   | 0.5 | 43        |
| 33 | Modeling the glass transition of amorphous networks for shape-memory behavior. Journal of the Mechanics and Physics of Solids, 2013, 61, 1612-1635.   | 2.3 | 106       |
| 34 | Influence of bulk pre-straining on the size effect in nickel compression pillars. Materials Science<br>& Engineering A: Structural Materials: Properties, Microstructure and Processing, 2013, 559,<br>147-158.                       | 2.6 | 59        |
| 35 | Detachment Behavior of Mushroom-Shaped Fibrillar Adhesive Surfaces in Peel Testing. Langmuir, 2013, 29, 15394-15404.  | 1.6 | 25        |
|    |   |     |           |

36 Indentation-induced two-way shape-memory effect in NiTi. , 2013, , .

CARL P FRICK

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Adhesion behavior of polymer networks with tailored mechanical properties using spherical and flat contacts. MRS Communications, 2013, 3, 73-77.   | 0.8 | 5         |
| 38 | Active Materials. Handbook Series for Mechanical Engineering, 2013, , 393-432.   | 0.0 | 0         |
| 39 | Thermally switchable adhesion of photopolymerizable acrylate polymer networks - biomed 2013.<br>Biomedical Sciences Instrumentation, 2013, 49, 141-8.  | 0.2 | 1         |
| 40 | Tensile behavior of porous scaffolds made from poly(para phenylene) - biomed 2013. Biomedical<br>Sciences Instrumentation, 2013, 49, 157-64.   | 0.2 | 0         |
| 41 | Unique Recovery Behavior in Amorphous Shapeâ€Memory Polymer Networks. Macromolecular Materials<br>and Engineering, 2012, 297, 1160-1166.   | 1.7 | 30        |
| 42 | Biodegradable thermoset shapeâ€memory polymer developed from poly(βâ€amino ester) networks. Journal<br>of Polymer Science, Part B: Polymer Physics, 2012, 50, 777-789.   | 2.4 | 25        |
| 43 | Partially constrained recovery of (meth)acrylate shapeâ€memory polymer networks. Journal of Applied<br>Polymer Science, 2012, 126, 72-82.  | 1.3 | 45        |
| 44 | Influence of orientation on the size effect in bcc pillars with different critical temperatures.<br>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and<br>Processing, 2011, 528, 1540-1547. | 2.6 | 76        |
| 45 | Thermo-mechanical Behavior of (Meth)Acrylate Shape-Memory Polymer Networks. Materials Research<br>Society Symposia Proceedings, 2011, 1312, 1.   | 0.1 | 1         |
| 46 | On the plasticity of small-scale nickel–titanium shape memory alloys. Scripta Materialia, 2010, 62,<br>492-495.  | 2.6 | 37        |
| 47 | Size Independent Shape Memory Behavior of Nickel–Titanium. Advanced Engineering Materials, 2010, 12,<br>808-815.   | 1.6 | 46        |
| 48 | Strength Effects in Micropillars of a Dispersion Strengthened Superalloy. Advanced Engineering<br>Materials, 2010, 12, 385-388.  | 1.6 | 66        |
| 49 | Effect of pre-straining on the size effect in molybdenum pillars. Philosophical Magazine Letters, 2010,<br>90, 841-849.  | 0.5 | 18        |
| 50 | Correlation between Critical Temperature and Strength of Small-Scale bcc Pillars. Physical Review<br>Letters, 2009, 103, 105501.   | 2.9 | 207       |
| 51 | Effect of orientation and loading rate on compression behavior of small-scale Mo pillars. Materials<br>Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2009,<br>508, 241-246.          | 2.6 | 125       |
| 52 | Size effect on strength and strain hardening of small-scale [111] nickel compression pillars. Materials<br>Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2008,<br>489, 319-329.      | 2.6 | 345       |
| 53 | Orientation-independent pseudoelasticity in small-scale NiTi compression pillars. Scripta Materialia, 2008, 59, 7-10.  | 2.6 | 56        |
| 54 | Loss of pseudoelasticity in nickel–titanium sub-micron compression pillars. Acta Materialia, 2007, 55, 3845-3855.  | 3.8 | 144       |

CARL P FRICK

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Stress-induced martensitic transformations and shape memory at nanometer scales. Acta Materialia, 2006, 54, 2223-2234.  | 3.8 | 123       |
| 56 | Tensile deformation of NiTi wires. Journal of Biomedical Materials Research - Part A, 2005, 75A, 810-823.   | 2.1 | 51        |
| 57 | Cast NiTi Shape-Memory Alloys. Advanced Engineering Materials, 2005, 7, 492-507.  | 1.6 | 32        |
| 58 | Thermal processing of polycrystalline NiTi shape memory alloys. Materials Science & Engineering<br>A: Structural Materials: Properties, Microstructure and Processing, 2005, 405, 34-49.  | 2.6 | 194       |
| 59 | Thermal Processing of Polycrystalline NiTi Shape Memory Alloys. Materials Research Society Symposia<br>Proceedings, 2004, 855, 25.  | 0.1 | 0         |
| 60 | Cast NiTi Shape-Memory Alloys. Materials Research Society Symposia Proceedings, 2004, 855, 19.  | 0.1 | 1         |
| 61 | Multiscale structure and properties of cast and deformation processed polycrystalline NiTi<br>shape-memory alloys. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials<br>Science, 2004, 35, 2013-2025. | 1.1 | 95        |
| 62 | Untersuchung von besonders geformten titan- und schwefelhaltigen Einschlüssen in<br>Roheisenschmelzen mit hohen Kohlenstoffgehalten. Archiv Für Das Eisenhüttenwesen, 1960, 31,<br>419-422.                                       | 0.1 | 7         |