

Janet A Fairley

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6320898/janet-a-fairley-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86
papers

4,170
citations

35
h-index

64
g-index

89
ext. papers

4,937
ext. citations

4.5
avg, IF

4.84
L-index

#	Paper	IF	Citations
86	How do experts treat patients with bullous pemphigoid around the world? An international survey.. <i>JID Innovations</i> , 2022 , 100129		
85	Mixed Individual-Aggregate Data on All-Cause Mortality in Bullous Pemphigoid: A Meta-analysis. <i>JAMA Dermatology</i> , 2021 , 157, 421-430	5.1	2
84	Demographics and Autoantibody Profiles of Pemphigoid Patients with Underlying Neurologic Diseases. <i>Journal of Investigative Dermatology</i> , 2019 , 139, 1860-1866.e1	4.3	11
83	A cross-sectional survey and analysis of Dermatology Foundation Career Development Award recipients. <i>Journal of the American Academy of Dermatology</i> , 2019 , 81, 1093-1098	4.5	4
82	The Intersection of IgE Autoantibodies and Eosinophilia in the Pathogenesis of Bullous Pemphigoid. <i>Frontiers in Immunology</i> , 2019 , 10, 2331	8.4	24
81	Eosinophils Mediate Tissue Injury in the Autoimmune Skin Disease Bullous Pemphigoid. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 1032-1043	4.3	43
80	Medium-vessel vasculitis presenting as multiple leg ulcers after treatment with abatacept. <i>JAAD Case Reports</i> , 2018 , 4, 811-813	1.4	2
79	Transformation from pityriasis rubra pilaris to erythema gyratum repens-like eruption without associated malignancy: A report of 2 cases. <i>JAAD Case Reports</i> , 2018 , 4, 944-946	1.4	9
78	Perspective From the 5th International Pemphigus and Pemphigoid Foundation Scientific Conference. <i>Frontiers in Medicine</i> , 2018 , 5, 306	4.9	15
77	Lower extremity ecchymotic nodules in a patient being treated with ibrutinib for chronic lymphocytic leukemia. <i>JAAD Case Reports</i> , 2017 , 3, 178-179	1.4	8
76	Differential Activation of Human Keratinocytes by Leishmania Species Causing Localized or Disseminated Disease. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 2149-2156	4.3	15
75	Autoantibodies to Collagen XVII Are Present in Parkinson's Disease and Localize to Tyrosine-Hydroxylase Positive Neurons. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 721-723	4.3	25
74	Bullous Pemphigoid 2016 , 57-73		0
73	Eosinophil localization to the basement membrane zone is autoantibody- and complement-dependent in a human cryosection model of bullous pemphigoid. <i>Experimental Dermatology</i> , 2016 , 25, 50-5	4	17
72	Age-dependent variation in cytokines, chemokines, and biologic analytes rinsed from the surface of healthy human skin. <i>Scientific Reports</i> , 2015 , 5, 10472	4.9	27
71	Definitions and outcome measures for mucous membrane pemphigoid: recommendations of an international panel of experts. <i>Journal of the American Academy of Dermatology</i> , 2015 , 72, 168-74	4.5	93
70	Omalizumab therapy for bullous pemphigoid. <i>Journal of the American Academy of Dermatology</i> , 2014 , 71, 468-74	4.5	109

69	Optimization of impedance spectroscopy techniques for measuring cutaneous micropore formation after microneedle treatment in an elderly population. <i>Pharmaceutical Research</i> , 2014 , 31, 3478-86	4.5	8
68	John Steinert Strauss (1926-2014). <i>Journal of Investigative Dermatology</i> , 2014 , 134, 2859-60	4.3	
67	Human eosinophils express the high affinity IgE receptor, Fc ϵ R1, in bullous pemphigoid. <i>PLoS ONE</i> , 2014 , 9, e107725	3.7	55
66	Missing the target: characterization of bullous pemphigoid patients who are negative using the BP180 enzyme-linked immunosorbant assay. <i>Journal of the American Academy of Dermatology</i> , 2013 , 68, 395-403	4.5	28
65	Association of serum B-cell activating factor level and proportion of memory and transitional B cells with clinical response after rituximab treatment of bullous pemphigoid patients. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 2786-2788	4.3	37
64	Definitions and outcome measures for bullous pemphigoid: recommendations by an international panel of experts. <i>Journal of the American Academy of Dermatology</i> , 2012 , 66, 479-85	4.5	203
63	Cryptic esophageal pemphigus vulgaris despite apparent clinical remission. <i>Journal of the American Academy of Dermatology</i> , 2012 , 67, e213-4	4.5	
62	Monoclonal antibody BP180 against bullous pemphigoid antigen-2 type XVII collagen. <i>Hybridoma</i> , 2012 , 31, 146-7		
61	Functional characterization of an IgE-class monoclonal antibody specific for the bullous pemphigoid autoantigen, BP180. <i>Hybridoma</i> , 2012 , 31, 111-7		8
60	Successful treatment of bullous pemphigoid with omalizumab. <i>Archives of Dermatology</i> , 2012 , 148, 1241-3		4.2
59	Numerous skin-colored papules on the face and neck. <i>Archives of Dermatology</i> , 2012 , 148, 849-54		2
58	Erythema migrans: a spectrum of histopathologic changes. <i>American Journal of Dermatopathology</i> , 2012 , 34, 834-7	0.9	15
57	Cutaneous Rosai-Dorfman disease following pneumococcal vaccination. <i>Journal of the American Academy of Dermatology</i> , 2011 , 65, 890-892	4.5	4
56	FcR-independent effects of IgE and IgG autoantibodies in bullous pemphigoid. <i>Journal of Immunology</i> , 2011 , 187, 553-60	5.3	55
55	Pregnant women have increased incidence of IgE autoantibodies reactive with the skin and placental antigen BP180 (type XVII collagen). <i>Journal of Reproductive Immunology</i> , 2010 , 85, 198-204	4.2	16
54	A novel ELISA reveals high frequencies of BP180-specific IgE production in bullous pemphigoid. <i>Journal of Immunological Methods</i> , 2009 , 346, 18-25	2.5	68
53	Pathogenicity of IgE in autoimmunity: successful treatment of bullous pemphigoid with omalizumab. <i>Journal of Allergy and Clinical Immunology</i> , 2009 , 123, 704-5	11.5	102
52	Subepidermal blistering induced by human autoantibodies to BP180 requires innate immune players in a humanized bullous pemphigoid mouse model. <i>Journal of Autoimmunity</i> , 2008 , 31, 331-8	15.5	97

51	Voriconazole-induced blistering in the setting of graft versus host disease: A report of 2 patients. <i>Journal of the American Academy of Dermatology</i> , 2008 , 58, 484-7	4.5	10
50	IgG anti-laminin-332 autoantibodies are present in a subset of patients with mucous membrane, but not bullous, pemphigoid. <i>Journal of the American Academy of Dermatology</i> , 2008 , 58, 951-8	4.5	39
49	Introduction to the Milestones in Autoimmune Bullous Diseases. <i>Journal of Investigative Dermatology</i> , 2008 , 128 Suppl 3, E15	4.3	2
48	Introduction to the milestones in autoimmune bullous diseases. <i>Journal of Investigative Dermatology</i> , 2008 , 128, E15	4.3	2
47	A pathogenic role for IgE in autoimmunity: bullous pemphigoid IgE reproduces the early phase of lesion development in human skin grafted to nu/nu mice. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 2605-11	4.3	118
46	Pemphigus vulgaris presenting in a radiation portal. <i>Journal of the American Academy of Dermatology</i> , 2007 , 56, S82-5	4.5	19
45	Role of intramolecular epitope spreading in pemphigus vulgaris. <i>Clinical Immunology</i> , 2005 , 116, 54-64	9	46
44	Mapping the binding sites of anti-BP180 immunoglobulin E autoantibodies in bullous pemphigoid. <i>Journal of Investigative Dermatology</i> , 2005 , 125, 467-72	4.3	51
43	The detection of monkeypox in humans in the Western Hemisphere. <i>New England Journal of Medicine</i> , 2004 , 350, 342-50	59.2	441
42	Mortality rate of bullous pemphigoid in a US medical center. <i>Journal of Investigative Dermatology</i> , 2004 , 122, 1091-5	4.3	68
41	A patient with both bullous pemphigoid and epidermolysis bullosa acquisita: an example of intermolecular epitope spreading. <i>Journal of the American Academy of Dermatology</i> , 2004 , 51, 118-22	4.5	35
40	Identification of a potential effector function for IgE autoantibodies in the organ-specific autoimmune disease bullous pemphigoid. <i>Journal of Investigative Dermatology</i> , 2003 , 120, 784-8	4.3	99
39	Normal and gene-corrected dystrophic epidermolysis bullosa fibroblasts alone can produce type VII collagen at the basement membrane zone. <i>Journal of Investigative Dermatology</i> , 2003 , 121, 1021-8	4.3	93
38	T cell receptor gene usage in desmoglein-3-specific T lymphocytes from patients with pemphigus vulgaris. <i>Journal of Investigative Dermatology</i> , 2003 , 121, 1365-72	4.3	14
37	Pathogenicity and epitope characteristics of anti-desmoglein-1 from pemphigus foliaceus patients expressing only IgG1 autoantibodies. <i>Journal of Investigative Dermatology</i> , 2003 , 121, 1373-8	4.3	25
36	The epidermolysis bullosa acquisita antigen (type VII collagen) is present in human colon and patients with crohn's disease have autoantibodies to type VII collagen. <i>Journal of Investigative Dermatology</i> , 2002 , 118, 1059-64	4.3	75
35	White papules in a child with Down syndrome. <i>Pediatric Dermatology</i> , 2002 , 19, 271-3	1.9	3
34	Macrophages, but not T and B lymphocytes, are critical for subepidermal blister formation in experimental bullous pemphigoid: macrophage-mediated neutrophil infiltration depends on mast cell activation. <i>Journal of Immunology</i> , 2002 , 169, 3987-92	5.3	82

33	Isotypes and antigenic profiles of pemphigus foliaceus and pemphigus vulgaris autoantibodies. <i>Clinical Immunology</i> , 2002 , 105, 64-74	9	45
32	Autoimmune responses in patients with linear IgA bullous dermatosis: both autoantibodies and T lymphocytes recognize the NC16A domain of the BP180 molecule. <i>Clinical Immunology</i> , 2002 , 102, 310-9 ⁹		31
31	Anticonvulsant-induced pellagra. <i>Journal of the American Academy of Dermatology</i> , 2002 , 46, 597-9	4.5	17
30	IgM-mediated epidermolysis bullosa acquisita. <i>Archives of Dermatology</i> , 2002 , 138, 1385-6		15
29	Incidence of hepatitis C in lichen planus. <i>Journal of the American Academy of Dermatology</i> , 2001 , 44, 311-25	4.5	31
28	A critical role for neutrophil elastase in experimental bullous pemphigoid. <i>Journal of Clinical Investigation</i> , 2000 , 105, 113-23	15.9	132
27	Hedgehog hives. <i>Archives of Dermatology</i> , 1999 , 135, 561-3		30
26	The anti-desmoglein 1 autoantibodies in pemphigus vulgaris sera are pathogenic. <i>Journal of Investigative Dermatology</i> , 1999 , 112, 739-43	4.3	101
25	Epitope spreading: lessons from autoimmune skin diseases. <i>Journal of Investigative Dermatology</i> , 1998 , 110, 103-9	4.3	249
24	The systematic evaluation of the skin in children. <i>Pediatric Clinics of North America</i> , 1998 , 45, 49-63	3.6	2
23	Vulvar basal cell carcinoma. <i>Dermatologic Surgery</i> , 1997 , 23, 207-9	1.7	7
22	AUTOIMMUNE SUBEPITHELIAL BLISTERING DISEASES WITH OCULAR INVOLVEMENT. <i>Immunology and Allergy Clinics of North America</i> , 1997 , 17, 139-159	3.3	3
21	Mucosal and mucocutaneous (generalized) pemphigus vulgaris show distinct autoantibody profiles. <i>Journal of Investigative Dermatology</i> , 1997 , 109, 592-6	4.3	181
20	T lymphocytes from a subset of patients with pemphigus vulgaris respond to both desmoglein-3 and desmoglein-1. <i>Journal of Investigative Dermatology</i> , 1997 , 109, 734-7	4.3	26
19	Mechanisms of acantholysis in pemphigus foliaceus. <i>Clinical Immunology and Immunopathology</i> , 1997 , 85, 83-9		34
18	Mechanisms of acantholysis in pemphigus vulgaris: role of IgG valence. <i>Clinical Immunology and Immunopathology</i> , 1997 , 85, 90-6		57
17	Calciophylaxis. <i>Journal of the American Academy of Dermatology</i> , 1996 , 35, 786-7	4.5	17
16	An active focus of high prevalence of fogo selvagem on an Amerindian reservation in Brazil. Cooperative Group on Fogo Selvagem Research. <i>Journal of Investigative Dermatology</i> , 1996 , 107, 68-75	4.3	61

15	Autoantibodies in Pemphigus Foliaceus 1996 , 754-758		
14	Pemphigus foliaceus and pemphigus vulgaris autoantibodies react with the extracellular domain of desmoglein-1. <i>Journal of Investigative Dermatology</i> , 1995 , 104, 323-8	4.3	96
13	Calcifying disorders of the skin. <i>Journal of the American Academy of Dermatology</i> , 1995 , 33, 693-706; quiz 707-10	4.5	305
12	Development of an ELISA to detect anti-BP180 autoantibodies in bullous pemphigoid and herpes gestationis. <i>Journal of Investigative Dermatology</i> , 1994 , 102, 878-81	4.3	81
11	Effect of ciclosporin A on epidermal keratinocytes in vitro: lack of a direct effect on calmodulin. <i>Skin Pharmacology and Physiology</i> , 1990 , 3, 149-56	3	
10	Intracellular targets of cyclosporine. <i>Journal of the American Academy of Dermatology</i> , 1990 , 23, 1329-32; discussion 1332-4	4.5	12
9	Cutaneous and immunologic reactions to phenytoin. <i>Journal of the American Academy of Dermatology</i> , 1988 , 18, 721-41	4.5	85
8	Calcium and the Skin. <i>Archives of Dermatology</i> , 1988 , 124, 443		4
7	Monoclonal antibody to a 35 kD epidermal protein induces cell detachment. <i>Journal of Investigative Dermatology</i> , 1986 , 86, 634-7	4.3	10
6	Increased prostaglandin synthesis by low calcium-regulated keratinocytes. <i>Journal of Investigative Dermatology</i> , 1986 , 86, 173-6	4.3	8
5	Increased calmodulin levels in psoriasis and low Ca ⁺⁺ regulated mouse epidermal keratinocyte cultures. <i>Journal of Investigative Dermatology</i> , 1985 , 84, 195-8	4.3	43
4	Effect of 1.2 mmol/l calcium, triamcinolone acetonide, and retinoids on low-calcium regulated keratinocyte differentiation. <i>British Journal of Dermatology</i> , 1984 , 111 Suppl 27, 64-72	4	5
3	Dermographism: a review. <i>Journal of the American Academy of Dermatology</i> , 1984 , 11, 643-52	4.5	51
2	Urticaria pigmentosa responsive to nifedipine. <i>Journal of the American Academy of Dermatology</i> , 1984 , 11, 740-3	4.5	20
1	Comparison of stratum corneum thickness in children and adults. <i>Journal of the American Academy of Dermatology</i> , 1983 , 8, 652-4	4.5	42