

Alvaro de Gracia

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6323553/alvaro-de-gracia-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91
papers

5,586
citations

35
h-index

74
g-index

93
ext. papers

6,649
ext. citations

7.5
avg, IF

6.38
L-index

#	Paper	IF	Citations
91	Optimization of Design Variables of a Phase Change Material Storage Tank and Comparison of a 2D Implicit vs. 2D Explicit Model. <i>Energies</i> , 2021 , 14, 2605	3.1	2
90	Comparative study between heat pipe and shell-and-tube thermal energy storage. <i>Applied Thermal Engineering</i> , 2021 , 192, 116974	5.8	5
89	Experimental Study on Two PCM Macro-Encapsulation Designs in a Thermal Energy Storage Tank. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 6171	2.6	4
88	Thermal energy storage systems for cooling in residential buildings 2021 , 595-623		
87	Experimental analysis of a latent thermal energy storage system enhanced with metal foam. <i>Journal of Energy Storage</i> , 2021 , 41, 102860	7.8	5
86	Perspectives on thermal energy storage research. <i>Energy</i> , 2021 , 231, 120943	7.9	13
85	Analysis of thermal energy storage tanks and PV panels combinations in different buildings controlled through model predictive control. <i>Energy</i> , 2021 , 239, 122201	7.9	1
84	Systematic review on model predictive control strategies applied to active thermal energy storage systems. <i>Renewable and Sustainable Energy Reviews</i> , 2021 , 149, 111385	16.2	10
83	Model predictive control applied to a heating system with PV panels and thermal energy storage. <i>Energy</i> , 2020 , 197, 117229	7.9	13
82	Control Solutions for TES Applications 2020 ,		
81	Frost detection method on evaporator in vapour compression systems. <i>International Journal of Refrigeration</i> , 2020 , 110, 75-82	3.8	3
80	Smart control of dynamic phase change material wall system. <i>Applied Energy</i> , 2020 , 279, 115807	10.7	5
79	Improving the energy efficiency of passive PCM system using controlled natural ventilation. <i>Energy and Buildings</i> , 2020 , 228, 110483	7	20
78	Economic evaluation of a hybrid heating system in different climate zones based on model predictive control. <i>Energy Conversion and Management</i> , 2020 , 221, 113205	10.6	4
77	Assessing corrosive behaviour of commercial phase change materials in the 2105 °C temperature range. <i>Journal of Energy Storage</i> , 2020 , 32, 101711	7.8	1
76	Bibliometric analysis of smart control applications in thermal energy storage systems. A model predictive control approach. <i>Journal of Energy Storage</i> , 2020 , 32, 101704	7.8	25
75	Systematic review on the use of heat pipes in latent heat thermal energy storage tanks. <i>Journal of Energy Storage</i> , 2020 , 32, 101733	7.8	18

74	Optimal control of natural ventilation as passive cooling strategy for improving the energy performance of building envelope with PCM integration. <i>Renewable Energy</i> , 2020 , 162, 171-181	8.1	39
73	Simulation analysis of an innovative micro-solar 2kWe Organic Rankine Cycle plant coupled with a multi-apartments building for domestic hot water supply. <i>Energy Procedia</i> , 2019 , 158, 2225-2230	2.3	1
72	Numerical Analysis of Building Envelope with Movable Phase Change Materials for Heating Applications. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 3688	2.6	0
71	Comparative Analysis of Energy Demand and CO2 Emissions on Different Typologies of Residential Buildings in Europe. <i>Energies</i> , 2019 , 12, 2436	3.1	7
70	Cool Roof Impact on Building Energy Need: The Role of Thermal Insulation with Varying Climate Conditions. <i>Energies</i> , 2019 , 12, 3354	3.1	20
69	Influence of the storage period between charge and discharge in a latent heat thermal energy storage system working under partial load operating conditions. <i>Applied Energy</i> , 2019 , 235, 1389-1399	10.7	18
68	Dynamic building envelope with PCM for cooling purposes [Proof of concept]. <i>Applied Energy</i> , 2019 , 235, 1245-1253	10.7	61
67	Use of partial load operating conditions for latent thermal energy storage management. <i>Applied Energy</i> , 2018 , 216, 234-242	10.7	23
66	New formulation and characterization of enhanced bulk-organic phase change materials. <i>Energy and Buildings</i> , 2018 , 167, 38-48	7	14
65	Thermal stress reduction in cool roof membranes using phase change materials (PCM). <i>Energy and Buildings</i> , 2018 , 158, 1097-1105	7	41
64	Experimental set-up for testing active and passive systems for energy savings in buildings [Lessons learnt]. <i>Renewable and Sustainable Energy Reviews</i> , 2018 , 82, 1014-1026	16.2	36
63	Experimental testing of cooling internal loads with a radiant wall. <i>Renewable Energy</i> , 2018 , 116, 1-8	8.1	26
62	Phase Change Material Selection for Thermal Energy Storage at High Temperature Range between 210 °C and 270 °C. <i>Energies</i> , 2018 , 11, 861	3.1	21
61	Static Concept at University of Lleida 2018 , 131-156		
60	Study of the Thermal Properties and the Fire Performance of Flame Retardant-Organic PCM in Bulk Form. <i>Materials</i> , 2018 , 11,	3.5	13
59	Integration of renewable technologies in historical and heritage buildings: A review. <i>Energy and Buildings</i> , 2018 , 177, 96-111	7	59
58	Optimization of deterministic controls for a cooling radiant wall coupled to a PV array. <i>Applied Energy</i> , 2018 , 229, 1103-1110	10.7	6
57	Optimized demand side management (DSM) of peak electricity demand by coupling low temperature thermal energy storage (TES) and solar PV. <i>Applied Energy</i> , 2018 , 211, 604-616	10.7	79

56	Control concepts of a radiant wall working as thermal energy storage for peak load shifting of a heat pump coupled to a PV array. <i>Renewable Energy</i> , 2018 , 118, 489-501	8.1	23
55	Development and experimental validation of a transient 2D numeric model for radiant walls. <i>Renewable Energy</i> , 2018 , 115, 859-870	8.1	10
54	Model predictive control strategy applied to different types of building for space heating. <i>Applied Energy</i> , 2018 , 231, 959-971	10.7	32
53	Control strategies for defrost and evaporator fans operation in walk-in freezers. <i>International Journal of Refrigeration</i> , 2018 , 91, 101-110	3.8	7
52	Experimental evaluation of a heating radiant wall coupled to a ground source heat pump. <i>Renewable Energy</i> , 2017 , 105, 520-529	8.1	27
51	Simulation-based optimization of PCM melting temperature to improve the energy performance in buildings. <i>Applied Energy</i> , 2017 , 202, 420-434	10.7	153
50	Passive cooling of buildings with phase change materials using whole-building energy simulation tools: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2017 , 80, 1239-1255	16.2	128
49	Thermal characterization of different substrates under dried conditions for extensive green roofs. <i>Energy and Buildings</i> , 2017 , 144, 175-180	7	17
48	A novel numerical methodology for modelling simple vapour compression refrigeration system. <i>Applied Thermal Engineering</i> , 2017 , 115, 188-200	5.8	13
47	Experimental validation of the exact analytical solution to the steady periodic heat transfer problem in a PCM layer. <i>Energy</i> , 2017 , 140, 1131-1147	7.9	27
46	Optimization of roof solar reflectance under different climate conditions, occupancy, building configuration and energy systems. <i>Energy and Buildings</i> , 2017 , 151, 81-97	7	24
45	Supercritical CO ₂ as heat transfer fluid: A review. <i>Applied Thermal Engineering</i> , 2017 , 125, 799-810	5.8	119
44	Vertical greenery systems for energy savings in buildings: A comparative study between green walls and green facades. <i>Building and Environment</i> , 2017 , 111, 228-237	6.5	164
43	Numerical simulation of a PCM packed bed system: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2017 , 69, 1055-1063	16.2	100
42	In situ thermal and acoustic performance and environmental impact of the introduction of a shape-stabilized PCM layer for building applications. <i>Renewable Energy</i> , 2016 , 85, 281-286	8.1	35
41	Thermal energy storage in building integrated thermal systems: A review. Part 2. Integration as passive system. <i>Renewable Energy</i> , 2016 , 85, 1334-1356	8.1	155
40	Experimental study of an active slab with PCM coupled to a solar air collector for heating purposes. <i>Energy and Buildings</i> , 2016 , 128, 12-21	7	45
39	Experimental evaluation of a concrete core slab with phase change materials for cooling purposes. <i>Energy and Buildings</i> , 2016 , 116, 411-419	7	23

38	Thermal characterization of buildings from the monitoring of the AC system consumption. <i>Energy and Buildings</i> , 2016 , 116, 59-68	7	5
37	Economic impact of integrating PCM as passive system in buildings using Fanger comfort model. <i>Energy and Buildings</i> , 2016 , 112, 159-172	7	109
36	Thermal energy storage in building integrated thermal systems: A review. Part 1. active storage systems. <i>Renewable Energy</i> , 2016 , 88, 526-547	8.1	178
35	Computational efficiency in numerical modeling of high temperature latent heat storage: Comparison of selected software tools based on experimental data. <i>Applied Energy</i> , 2016 , 161, 337-348	10.7	19
34	Experimental Evaluation of a Paraffin as Phase Change Material for Thermal Energy Storage in Laboratory Equipment and in a Shell-and-Tube Heat Exchanger. <i>Applied Sciences (Switzerland)</i> , 2016 , 6, 112	2.6	33
33	Acoustic insulation capacity of Vertical Greenery Systems for buildings. <i>Applied Acoustics</i> , 2016 , 110, 218-226	3.1	59
32	Adaptation of rammed earth to modern construction systems: Comparative study of thermal behavior under summer conditions. <i>Applied Energy</i> , 2016 , 175, 180-188	10.7	31
31	Simulation and control of thermally activated building systems (TABS). <i>Energy and Buildings</i> , 2016 , 127, 22-42	7	85
30	Control strategies comparison of a ventilated facade with PCM for energy savings, cost reduction and CO2 mitigation. <i>Energy and Buildings</i> , 2016 , 130, 821-828	7	15
29	IEA SHC Task 42 / ECES Annex 29 A Simple Tool for the Economic Evaluation of Thermal Energy Storages. <i>Energy Procedia</i> , 2016 , 91, 197-206	2.3	11
28	Energy savings due to the use of PCM for relocatable lightweight buildings passive heating and cooling in different weather conditions. <i>Energy and Buildings</i> , 2016 , 129, 274-283	7	115
27	Experimental evaluation of a cooling radiant wall coupled to a ground heat exchanger. <i>Energy and Buildings</i> , 2016 , 129, 484-490	7	27
26	Thermal behaviour of insulation and phase change materials in buildings with internal heat loads: experimental study. <i>Energy Efficiency</i> , 2015 , 8, 895-904	3	14
25	Control of a PCM ventilated facade using reinforcement learning techniques. <i>Energy and Buildings</i> , 2015 , 106, 234-242	7	31
24	Phase change materials and thermal energy storage for buildings. <i>Energy and Buildings</i> , 2015 , 103, 414-419	7	361
23	PCM incorporation in a concrete core slab as a thermal storage and supply system: Proof of concept. <i>Energy and Buildings</i> , 2015 , 103, 70-82	7	58
22	CO2 mitigation accounting for Thermal Energy Storage (TES) case studies. <i>Applied Energy</i> , 2015 , 155, 365-377	10.7	41
21	A simple model to predict the thermal performance of a ventilated facade with phase change materials. <i>Energy and Buildings</i> , 2015 , 93, 137-142	7	22

20	Energy performance of a ventilated double skin facade with PCM under different climates. <i>Energy and Buildings</i> , 2015 , 91, 37-42	7	55
19	Life cycle assessment of a ventilated facade with PCM in its air chamber. <i>Solar Energy</i> , 2014 , 104, 115-128	3.8	42
18	Design of a Prefabricated Concrete Slab with PCM Inside the Hollows. <i>Energy Procedia</i> , 2014 , 57, 2324-2332	3.8	13
17	Thermal analysis of a ventilated facade with PCM for cooling applications. <i>Energy and Buildings</i> , 2013 , 65, 508-515	7	81
16	Numerical study on the thermal performance of a ventilated facade with PCM. <i>Applied Thermal Engineering</i> , 2013 , 61, 372-380	5.8	60
15	A correlation of the convective heat transfer coefficient between an air flow and a phase change material plate. <i>Applied Thermal Engineering</i> , 2013 , 51, 1245-1254	5.8	13
14	Active phase change material package for thermal protection of ice cream containers. <i>International Journal of Refrigeration</i> , 2013 , 36, 102-109	3.8	30
13	Life Cycle Assessment of alveolar brick construction system incorporating phase change materials (PCMs). <i>Applied Energy</i> , 2013 , 101, 600-608	10.7	58
12	Comparison of three different devices available in Spain to test thermal properties of building materials including phase change materials. <i>Applied Energy</i> , 2013 , 109, 421-427	10.7	55
11	Numerical modelling of ventilated facades: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2013 , 22, 539-549	16.2	75
10	Experimental study of a ventilated facade with PCM during winter period. <i>Energy and Buildings</i> , 2013 , 58, 324-332	7	100
9	Comparative life cycle assessment of thermal energy storage systems for solar power plants. <i>Renewable Energy</i> , 2012 , 44, 166-173	8.1	112
8	Review on phase change materials (PCMs) for cold thermal energy storage applications. <i>Applied Energy</i> , 2012 , 99, 513-533	10.7	667
7	Solar Absorption in a Ventilated Facade with PCM. Experimental Results. <i>Energy Procedia</i> , 2012 , 30, 986-994	3.8	13
6	New equipment for testing steady and transient thermal performance of multilayered building envelopes with PCM. <i>Energy and Buildings</i> , 2011 , 43, 3704-3709	7	29
5	Thermal analysis of including phase change material in a domestic hot water cylinder. <i>Applied Thermal Engineering</i> , 2011 , 31, 3938-3945	5.8	70
4	Dynamic thermal performance of alveolar brick construction system. <i>Energy Conversion and Management</i> , 2011 , 52, 2495-2500	10.6	33
3	Materials used as PCM in thermal energy storage in buildings: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2011 , 15, 1675-1695	16.2	1068

2	Life Cycle Assessment of the inclusion of phase change materials (PCM) in experimental buildings. <i>Energy and Buildings</i> , 2010 , 42, 1517-1523	7	101
1	Characterisation of commercial phase change materials with potential application in gypsum boards for buildings. <i>International Journal of Energy Research</i> ,	4-5	1