

Åke Wahlin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6325634/publications.pdf>

Version: 2024-02-01

67
papers

2,558
citations

201385

27
h-index

197535

49
g-index

68
all docs

68
docs citations

68
times ranked

3222
citing authors

#	ARTICLE	IF	CITATIONS
1	Associations Between Functional Biological Age and Cognition Among Older Adults in Rural Bangladesh: Comparisons With Chronological Age. <i>Journal of Aging and Health</i> , 2019, 31, 814-836.	0.9	3
2	Sex-specific associations between self-reported sleep duration, depression, anxiety, fatigue and daytime sleepiness in an older community-dwelling population. <i>Scandinavian Journal of Caring Sciences</i> , 2018, 32, 290-298.	1.0	23
3	Genetic and Environmental Influences on Longitudinal Trajectories of Functional Biological Age: Comparisons Across Gender. <i>Behavior Genetics</i> , 2017, 47, 375-382.	1.4	9
4	Cognitive function did not improve after initiation of natalizumab treatment in relapsing-remitting multiple sclerosis. A prospective one-year dual control group study. <i>Multiple Sclerosis and Related Disorders</i> , 2016, 10, 36-43.	0.9	9
5	Different Context but Similar Cognitive Structures: Older Adults in Rural Bangladesh. <i>Journal of Cross-Cultural Gerontology</i> , 2016, 31, 143-156.	0.5	4
6	Prevalence of depressive symptoms and suicidal thoughts among elderly persons in rural Bangladesh. <i>International Psychogeriatrics</i> , 2015, 27, 1999-2008.	0.6	28
7	P300 amplitude and response speed relate to preserved cognitive function in relapsing-remitting multiple sclerosis. <i>Clinical Neurophysiology</i> , 2015, 126, 689-697.	0.7	25
8	Event related potential and response time give evidence for a physiological reserve in cognitive functioning in relapsing-remitting multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2015, 356, 107-112.	0.3	16
9	Prevalence of dementia and factors associated with dementia in rural Bangladesh: data from a cross-sectional, population-based study. <i>International Psychogeriatrics</i> , 2014, 26, 1905-1915.	0.6	21
10	Cognitive Impairment Has a Strong Relation to Nonsomatic Symptoms of Depression in Relapsing-Remitting Multiple Sclerosis. <i>Archives of Clinical Neuropsychology</i> , 2013, 28, 144-155.	0.3	46
11	A principal component model of medical health: Implications for cognitive deficits and decline among adults in a population-based sample. <i>Journal of Health Psychology</i> , 2013, 18, 1268-1287.	1.3	5
12	A cross-cultural perspective on aging and memory: Comparisons between Bangladesh and Sweden. <i>PsyCh Journal</i> , 2012, 1, 69-81.	0.5	3
13	What Is the Role of Apolipoprotein E for Cognitive Functioning Across the Lifespan?. <i>Biological Psychiatry</i> , 2011, 70, 109-110.	0.7	5
14	Post polio syndrome: Fatigued patients a specific subgroup?. <i>Journal of Rehabilitation Medicine</i> , 2011, 43, 39-45.	0.8	16
15	Effects of intensified metabolic control on CNS function in type 2 diabetes. <i>Psychoneuroendocrinology</i> , 2011, 36, 77-86.	1.3	53
16	Hearing Loss Is Negatively Related to Episodic and Semantic Long-Term Memory but Not to Short-Term Memory. <i>Journal of Speech, Language, and Hearing Research</i> , 2011, 54, 705-726.	0.7	109
17	The Metabolic Syndrome: Prevalence, Associated Factors, and Impact on Survival among Older Persons in Rural Bangladesh. <i>PLoS ONE</i> , 2011, 6, e20259.	1.1	46
18	Prevalence and Patterns of Multimorbidity among Elderly People in Rural Bangladesh: A Cross-sectional Study. <i>Journal of Health, Population and Nutrition</i> , 2011, 29, 406-14.	0.7	130

#	ARTICLE	IF	CITATIONS
19	Earning Their Keep: The Productivity of Older Women and Men in Rural Bangladesh. <i>Journal of Cross-Cultural Gerontology</i> , 2010, 25, 87-103.	0.5	4
20	Nutritional Status and Cognitive Function in Community-Living Rural Bangladeshi Older Adults: Data from the Poverty and Health in Ageing Project. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 919-924.	1.3	27
21	Examination of the Common Cause Account in a Population-Based Longitudinal Study with Narrow Age Cohort Design. <i>Gerontology</i> , 2010, 56, 553-563.	1.4	10
22	Diabetes and elevated glycosylated haemoglobin: Episodic memory and utilisation of cognitive support. <i>European Journal of Cognitive Psychology</i> , 2009, 21, 388-405.	1.3	8
23	Association of bone and joint diseases with health-related quality of life among older people: a population-based cross-sectional study in rural Bangladesh. <i>Ageing and Society</i> , 2009, 29, 727-743.	1.2	5
24	The multidimensional background of malnutrition among rural older individuals in Bangladesh – a challenge for the Millennium Development Goal. <i>Public Health Nutrition</i> , 2009, 12, 2270-2278.	1.1	53
25	Nutritional status and self-reported and performance-based evaluation of physical function of elderly persons in rural Bangladesh. <i>Scandinavian Journal of Public Health</i> , 2009, 37, 518-524.	1.2	32
26	Thyroid stimulating hormone and prospective memory functioning in old age. <i>Psychoneuroendocrinology</i> , 2009, 34, 1554-1559.	1.3	8
27	<i>APOE</i> and Lipid Level Synergy Effects on Declarative Memory Functioning in Adulthood. <i>European Psychologist</i> , 2009, 14, 268-278.	1.8	4
28	The International Network on Public Health and Aging (INOPA): Introducing a Life Course Perspective to the Public Health Agenda. <i>Journal of Cross-Cultural Gerontology</i> , 2008, 23, 97-105.	0.5	2
29	Examination of the processing speed account in a population-based longitudinal study with narrow age cohort design. <i>Scandinavian Journal of Psychology</i> , 2008, 49, 419-428.	0.8	17
30	Vitamin B Status and Cognitive Performance in Preclinical and Clinical Alzheimer's Disease: Data from the Kungsholmen Project. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008, 25, 23-31.	0.7	4
31	Impact of health education on health-related quality of life among elderly persons: results from a community-based intervention study in rural Bangladesh. <i>Health Promotion International</i> , 2008, 24, 36-45.	0.9	35
32	Vitality among Swedish patients with post-polio: a physiological phenomenon. <i>Journal of Rehabilitation Medicine</i> , 2008, 40, 709-714.	0.8	24
33	Cholesterol and Triglycerides Moderate the Effect of Apolipoprotein E on Memory Functioning in Older Adults. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2007, 62, P112-P118.	2.4	57
34	How do health and biological age influence chronological age and sex differences in cognitive aging: Moderating, mediating, or both?. <i>Psychology and Aging</i> , 2006, 21, 318-332.	1.4	66
35	Mini Nutritional Assessment of rural elderly people in Bangladesh: the impact of demographic, socio-economic and health factors. <i>Public Health Nutrition</i> , 2006, 9, 968-74.	1.1	43
36	Mini Nutritional Assessment of rural elderly people in Bangladesh: the impact of demographic, socio-economic and health factors. <i>Public Health Nutrition</i> , 2006, 9, 968-974.	1.1	73

#	ARTICLE	IF	CITATIONS
37	Cognitive and social functioning in recovery from depression: Results from a population-based three-year follow-up. <i>Journal of Affective Disorders</i> , 2006, 96, 107-110.	2.0	60
38	The sensory-cognition association in adulthood: Different magnitudes for processing speed, inhibition, episodic memory, and false memory?. <i>Scandinavian Journal of Psychology</i> , 2005, 46, 253-262.	0.8	12
39	Longitudinal evidence of the impact of normal thyroid stimulating hormone variations on cognitive functioning in very old age. <i>Psychoneuroendocrinology</i> , 2005, 30, 625-637.	1.3	53
40	Cognitive functioning in post-polio patients with and without general fatigue. <i>Journal of Rehabilitation Medicine</i> , 2005, 37, 147-151.	0.8	18
41	Apolipoprotein E, B Vitamins, and Cognitive Function in Older Adults. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2005, 60, P41-P48.	2.4	21
42	The Extent of Stability and Change in Episodic and Semantic Memory in Old Age: Demographic Predictors of Level and Change. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2004, 59, P130-P134.	2.4	53
43	Episodic memory change in late adulthood: Generalizability across samples and performance indices. <i>Memory and Cognition</i> , 2004, 32, 768-778.	0.9	89
44	Cognitive Functioning in Aging and Dementia: The Kungsholmen Project. <i>Aging, Neuropsychology, and Cognition</i> , 2004, 11, 212-244.	0.7	44
45	Utilization of Cognitive Support in Episodic Free Recall as a Function of Apolipoprotein E and Vitamin B ₆ , or Folate Among Adults Aged 75 Years and Older.. <i>Neuropsychology</i> , 2004, 18, 362-370.	1.0	29
46	Health, disease, and cognitive functioning in old age. , 2004, , 279-302.		13
47	Interrelations between Subjective Health and Episodic Memory Change in Swedish and Canadian Samples of Older Adults. <i>International Journal of Aging and Human Development</i> , 2003, 57, 21-35.	1.0	13
48	Selective adult age differences in an age-invariant multifactor model of declarative memory.. <i>Psychology and Aging</i> , 2003, 18, 149-160.	1.4	200
49	Reference values for serum levels of vitamin B12 and folic acid in a population-based sample of adults between 35 and 80 years of age. <i>Public Health Nutrition</i> , 2002, 5, 505-511.	1.1	39
50	Influences of preclinical dementia and impending death on the magnitude of age-related cognitive deficits.. <i>Psychology and Aging</i> , 2002, 17, 435-442.	1.4	23
51	Cognitive Functioning in Alzheimer's Disease and Vascular Dementia: Further Evidence for Similar Patterns of Deficits. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2002, 24, 734-744.	0.8	42
52	Negligible Effects of Depression on Verbal and Spatial Performance in Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2002, 13, 1-7.	0.7	17
53	Cognitive functioning in a population-based sample of very old non-demented and non-depressed persons: the impact of diabetes. <i>Archives of Gerontology and Geriatrics</i> , 2002, 35, 95-105.	1.4	18
54	Influences of preclinical dementia and impending death on the magnitude of age-related cognitive deficits. <i>Psychology and Aging</i> , 2002, 17, 435-42.	1.4	10

#	ARTICLE	IF	CITATIONS
55	The influence of serum vitamin B12 and folate status on cognitive functioning in very old age. <i>Biological Psychology</i> , 2001, 56, 247-265.	1.1	51
56	The Relationship Between Signs of Cardiovascular Deficiency and Cognitive Performance in Old Age: A Population-Based Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2000, 55, P259-P265.	2.4	31
57	Age-Related Cognitive Deficits Mediated by Changes in the Striatal Dopamine System. <i>American Journal of Psychiatry</i> , 2000, 157, 635-637.	4.0	383
58	Further evidence on the effects of vitamin B12 and folate levels on episodic memory functioning: a population-based study of healthy very old adults. <i>Biological Psychiatry</i> , 1999, 45, 1472-1480.	0.7	73
59	Depression does not aggravate the episodic memory deficits associated with Alzheimer's disease.. <i>Neuropsychology</i> , 1999, 13, 532-538.	1.0	19
60	Minimal influence of age, education, and gender on episodic memory functioning in very old age: a population-based study of nonagenarians. <i>Archives of Gerontology and Geriatrics</i> , 1998, 27, 75-87.	1.4	18
61	Cognition and Geropsychological Assessment. , 1998, , 25-53.		1
62	Effects of serum vitamin B12, and folate status on episodic memory performance in very old age: A population-based study.. <i>Psychology and Aging</i> , 1996, 11, 487-496.	1.4	74
63	Trail Making Test performance in a community-based sample of healthy very old adults: effects of age on completion time, but not on accuracy. <i>Archives of Gerontology and Geriatrics</i> , 1996, 22, 87-102.	1.4	26
64	Visuospatial Performance in Very Old Demented Persons: An Individual Difference Analysis. <i>Dementia and Geriatric Cognitive Disorders</i> , 1995, 6, 49-54.	0.7	7
65	Free Recall and Recognition of Slowly and Rapidly Presented Words in Very Old Age: A Community-Based Study. <i>Experimental Aging Research</i> , 1995, 21, 251-271.	0.6	52
66	Influences of item organizability and semantic retrieval cues on word recall in very old age. <i>Aging, Neuropsychology, and Cognition</i> , 1995, 2, 312-325.	0.7	27
67	Visuospatial functioning and spatial orientation in a community-based sample of healthy very old persons. <i>Archives of Gerontology and Geriatrics</i> , 1993, 17, 165-177.	1.4	17