

Ferdinando Varbella

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6325893/ferdinando-varbella-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121
papers

3,176
citations

22
h-index

54
g-index

149
ext. papers

3,979
ext. citations

4.8
avg, IF

4.21
L-index

#	Paper	IF	Citations
121	Characteristics and outcomes of elderly patients undergoing carotid stenting: Experience of a high-volume interventional cardiology center.. <i>Catheterization and Cardiovascular Interventions</i> , 2022 , 99, 853-859	2.7	
120	Sex Differences in Outcomes After Percutaneous Coronary Intervention or Coronary Artery Bypass Graft for Left Main Disease: From the DELTA Registries.. <i>Journal of the American Heart Association</i> , 2022 , e022320	6	1
119	Impact of stent thickness on clinical outcomes in small vessel and bifurcation lesions: a RAIN-CARDIOGROUP VII sub-study. <i>Journal of Cardiovascular Medicine</i> , 2021 , 22, 20-25	1.9	0
118	Cardiac Computed Tomography Angiography Follow-Up of Resorbable Magnesium Scaffolds. <i>Cardiovascular Revascularization Medicine</i> , 2021 , 29, 18-21	1.6	1
117	Anatomical and functional healing after resorbable magnesium scaffold implantation in human coronary vessels: A combined optical coherence tomography and quantitative flow ratio analysis. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 98, 1038-1046	2.7	1
116	ImpaCt of an Optimal Implantation Strategy on Absorb Long-Term Outcomes: The CIAO Registry. <i>Cardiovascular Revascularization Medicine</i> , 2021 , 30, 1-8	1.6	0
115	Quantitative flow ratio as a new tool for angiography-based physiological evaluation of coronary artery disease: a review. <i>Future Cardiology</i> , 2021 , 17, 1435-1452	1.3	1
114	Incidence, Management, Immediate and Long-Term Outcome of Guidewire and Device Related Grade III Coronary Perforations (from G3CAP - Cardiogroup VI Registry). <i>American Journal of Cardiology</i> , 2021 , 143, 37-45	3	2
113	Ticagrelor or Clopidogrel After an Acute Coronary Syndrome in the Elderly: A Propensity Score Matching Analysis from 16,653 Patients Treated with PCI Included in Two Large Multinational Registries. <i>Cardiovascular Drugs and Therapy</i> , 2021 , 35, 1171-1182	3.9	5
112	Accuracy of the PARIS score and PCI complexity to predict ischemic events in patients treated with very thin stents in unprotected left main or coronary bifurcations. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 97, E227-E236	2.7	2
111	P2Y12 inhibitors monotherapy after short course of dual antiplatelet therapy in patients undergoing percutaneous coronary intervention: a meta-analysis of randomized clinical trials including 29 089 patients. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 196-205	6.4	10
110	Impact of optical coherence tomography findings on clinical outcomes in ST-segment elevation myocardial infarction patients: a MATRIX (Minimizing Adverse Hemorrhagic Events by Trans-radial Access Site and angioX) OCT sub-study. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 1143-1150	2.5	1
109	Unplanned Percutaneous Coronary Revascularization After TAVR: A Multicenter International Registry. <i>JACC: Cardiovascular Interventions</i> , 2021 , 14, 198-207	5	6
108	Machine learning-based prediction of adverse events following an acute coronary syndrome (PRAISE): a modelling study of pooled datasets. <i>Lancet, The</i> , 2021 , 397, 199-207	40	32
107	Antiplatelet therapy in patients with conservatively managed spontaneous coronary artery dissection from the multicentre DISCO registry. <i>European Heart Journal</i> , 2021 , 42, 3161-3171	9.5	8
106	Ticagrelor versus prasugrel in acute coronary syndrome: sex-specific analysis from the RENAMI Registry. <i>Minerva Cardiology and Angiology</i> , 2021 , 69, 408-416	2.4	1
105	Acute kidney injury in patients with acute coronary syndrome undergoing invasive management treated with bivalirudin vs. unfractionated heparin: insights from the MATRIX trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 ,	4.3	0

104	Comparison of bioresorbable vs durable polymer drug-eluting stents in unprotected left main (from the RAIN-CARDIOGROUP VII Study). <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 225	2.3	0
103	One Year of OCT Follow-Up After Implantation of Three Different BRS in the Same Coronary Artery. <i>Cardiovascular Revascularization Medicine</i> , 2020 , 21, 121-122	1.6	
102	Real-world reasons and outcomes for 1-month versus longer dual antiplatelet therapy strategies with a polymer-free BIOLIMUS A9-coated stent. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, E248-E256	2.7	1
101	WorldwIde SurvEy on Clinical and Anatomical Factors Driving the Choice of Transcatheter Aortic Valve pRostheses. <i>Frontiers in Cardiovascular Medicine</i> , 2020 , 7, 38	5.4	2
100	Angiographic control versus ischaemia-driven management of patients undergoing percutaneous revascularisation of the unprotected left main coronary artery with second-generation drug-eluting stents: rationale and design of the PULSE trial. <i>Open Heart</i> , 2020 , 7,	3	1
99	PK Papyrus coronary stent system: the ultrathin struts polyurethane-covered stent. <i>Future Cardiology</i> , 2020 , 16, 405-411	1.3	1
98	Assessment of residual thrombus burden in patients with ST-segment elevation myocardial infarction undergoing bivalirudin versus unfractionated heparin infusion: The MATRIX (minimizing adverse hemorrhagic events by transradial access site and angioX) OCT study. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, 1156-1171	2.7	0
97	Impact of structural features of very thin stents implanted in unprotected left main or coronary bifurcations on clinical outcomes. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, 1-9	2.7	5
96	Aspirin desensitization procedures in aspirin intolerant patients: a neglected topic in the ESC 2019 Chronic Coronary Syndrome guidelines. <i>European Heart Journal</i> , 2020 , 41, 482	9.5	2
95	Comparative external validation of the PRECISE-DAPT and PARIS risk scores in 4424 acute coronary syndrome patients treated with prasugrel or ticagrelor. <i>International Journal of Cardiology</i> , 2020 , 301, 200-206	3.2	19
94	One-Year OCT Follow-Up Results of Overlapping Resorbable Magnesium Scaffolds: Mind the Gap!. <i>Cardiovascular Revascularization Medicine</i> , 2020 , 21, 126-129	1.6	
93	Lack of implementation of guidelines recommendations for coronary revascularization in stable patients with complex disease is associated with high rates of incomplete revascularization : Analysis from the Apache study. <i>Heart and Vessels</i> , 2020 , 35, 30-37	2.1	2
92	Long versus short dual antiplatelet therapy in acute coronary syndrome patients treated with prasugrel or ticagrelor and coronary revascularization: Insights from the RENAMI registry. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 696-705	3.9	17
91	Prediction of long-term patient outcome after contemporary left main stenting using the SYNTAX and SYNTAX II scores: A comparative analysis from the FAIL-II multicenter registry (failure in left main study with 2nd generation stents-Cardiogroup III study). <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, E17-E26	2.7	1
90	P2Y12 inhibitors in acute coronary syndrome patients with renal dysfunction: an analysis from the RENAMI and BleeMACS projects. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 , 6, 31-42	6.4	15
89	Safety and efficacy of polymer-free biolimus-eluting stents versus ultrathin stents in unprotected left main or coronary bifurcation: A propensity score analysis from the RAIN and CHANCE registries. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 95, 522-529	2.7	3
88	Role of Invasive and Non-invasive Imaging Tools in the Diagnosis and Optimal Treatment of Patients with Spontaneous Coronary Artery Dissection. <i>Current Cardiology Reports</i> , 2019 , 21, 122	4.2	1
87	OCT Appraisal of Residual Thrombus Burden in Patients With STEMI Undergoing Intraprocedural Versus Post-Stenting Prolonged Bivalirudin Infusion: The MATRIX OCT Study. <i>JACC: Cardiovascular Imaging</i> , 2019 , 12, 934-936	8.4	2

86	Sirolimus-Eluting Magnesium Resorbable Scaffold Implantation in Patients with Acute Myocardial Infarction. <i>Cardiology</i> , 2019 , 142, 93-96	1.6	8
85	Two-year clinical outcomes of the "Italian diffuse/multivessel disease absorb prospective registry" (IT-DISAPPEARS). <i>International Journal of Cardiology</i> , 2019 , 290, 21-26	3.2	3
84	Real-World Data of Prasugrel vs. Ticagrelor in Acute Myocardial Infarction: Results from the RENAMI Registry. <i>American Journal of Cardiovascular Drugs</i> , 2019 , 19, 381-391	4	10
83	Daily risk of adverse outcomes in patients undergoing complex lesions revascularization: A subgroup analysis from the RAIN-CARDIOGROUP VII study (veRY thin stents for patients with left mAIn or bifurcatioN in real life). <i>International Journal of Cardiology</i> , 2019 , 290, 64-69	3.2	7
82	Comparison of intra-procedural vs. post-stenting prolonged bivalirudin infusion for residual thrombus burden in patients with ST-segment elevation myocardial infarction undergoing: the MATRIX (Minimizing Adverse Haemorrhagic Events by TRansradial Access Site and angioX) OCT study. <i>European Heart Journal Cardiovascular Imaging</i> , 2019 , 20, 1418-1428	4.1	5
81	Post-Procedural Bivalirudin Infusion at Full or Low Regimen in Patients With Acute Coronary Syndrome. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 758-774	15.1	11
80	Annual Incidence of Confirmed Stent Thrombosis and Clinical Predictors in Patients With ACS Treated With Ticagrelor or Prasugrel. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019 , 72, 298-304	0.7	
79	Magmaris resorbable magnesium scaffold: state-of-art review. <i>Future Cardiology</i> , 2019 , 15, 267-279	1.3	13
78	Management of aspirin intolerance in patients undergoing percutaneous coronary intervention. The role of mono-antiplatelet therapy: a retrospective, multicenter, study. <i>Minerva Cardioangiologica</i> , 2019 , 67, 94-101	1.1	4
77	Utilidad de la puntuaci3n PARIS para evaluar el equilibrio isqu3mico-hemorr3gico con ticagrelor y prasugrel tras un s3ndrome coronario agudo. <i>Revista Espanola De Cardiologia</i> , 2019 , 72, 215-223	1.5	4
76	Impact of Final Kissing Balloon and of Imaging on Patients Treated on Unprotected Left Main Coronary Artery With Thin-Strut Stents (From the RAIN-CARDIOGROUP VII Study). <i>American Journal of Cardiology</i> , 2019 , 123, 1610-1619	3	12
75	Short term outcome following acute phase switch among P2Y inhibitors in patients presenting with acute coronary syndrome treated with PCI: A systematic review and meta-analysis including 22,500 patients from 14 studies. <i>IJC Heart and Vasculature</i> , 2019 , 22, 39-45	2.4	5
74	Spontaneous coronary artery dissection treated with magnesium-made bioresorbable scaffold: 1-Year angiographic and optical coherence tomography follow-up. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 93, E130-E133	2.7	6
73	New-generation drug-eluting stents for left main coronary artery disease according to the EXCEL trial enrollment criteria: Insights from the all-comers, international, multicenter DELTA-2 registry. <i>International Journal of Cardiology</i> , 2019 , 280, 30-37	3.2	2
72	Prasugrel or ticagrelor in patients with acute coronary syndrome and diabetes: a propensity matched substudy of RENAMI. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019 , 8, 536-542	4.3	11
71	Bivalirudin or Heparin in Patients Undergoing Invasive Management of Acute Coronary Syndromes. <i>Journal of the American College of Cardiology</i> , 2018 , 71, 1231-1242	15.1	27
70	Provisional versus elective two-stent strategy for unprotected true left main bifurcation lesions: Insights from a FAILS-2 sub-study. <i>International Journal of Cardiology</i> , 2018 , 250, 80-85	3.2	8
69	Radial versus femoral access and bivalirudin versus unfractionated heparin in invasively managed patients with acute coronary syndrome (MATRIX): final 1-year results of a multicentre, randomised controlled trial. <i>Lancet, The</i> , 2018 , 392, 835-848	40	129

68	Consensus Document ANMCO/ANCE/ARCA/GICR-IACPR/GISE/SICOA: Long-term Antiplatelet Therapy in Patients with Coronary Artery Disease. <i>European Heart Journal Supplements</i> , 2018 , 20, F1-F74 ¹⁻⁵	17
67	Choice of vascular access in primary PCI. <i>Minerva Cardiology and Angiology</i> , 2018 , 66, 400-410	2.4 0
66	Planned angiographic control versus clinical follow-up for patients with unprotected left main stem stenosis treated with second generation drug-eluting stents: A propensity score with matching analysis from the FAILS (failure in left main with second generation stents-Cardiogrroup III Study). <i>Catheterization and Cardiovascular Interventions</i> , 2018 , 92, E271-E277	2.7 6
65	Acute and long-term outcomes after polytetrafluoroethylene or pericardium covered stenting for grade 3 coronary artery perforations: Insights from G3-CAP registry. <i>Catheterization and Cardiovascular Interventions</i> , 2018 , 92, 1247-1255	2.7 10
64	Safety of intermediate left main stenosis revascularization deferral based on fractional flow reserve and intravascular ultrasound: A systematic review and meta-regression including 908 deferred left main stenosis from 12 studies. <i>International Journal of Cardiology</i> , 2018 , 271, 42-48	3.2 6
63	Incidence and predictors of bleeding in ACS patients treated with PCI and prasugrel or ticagrelor: An analysis from the RENAMI registry. <i>International Journal of Cardiology</i> , 2018 , 273, 29-33	3.2 12
62	Importance of Close Surveillance of Patients With Conservatively Managed Spontaneous Coronary Artery Dissection. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, e87-e89	5 5
61	Anemia in patients with acute coronary syndromes treated with prasugrel or ticagrelor: Insights from the RENAMI registry. <i>Thrombosis Research</i> , 2018 , 167, 142-148	8.2 11
60	Unprotected Left Main Coronary Artery Disease: Outcomes of Treatment With Second-Generation Drug-Eluting Stents - Insight From the FAILS-2 Study. <i>Journal of Invasive Cardiology</i> , 2018 , 30, 283-288	0.7 5
59	Spontaneous coronary artery dissection treated with biovascular scaffolds guided by intravascular ultrasounds imaging. <i>Cardiovascular Intervention and Therapeutics</i> , 2017 , 32, 186-189	2.5 4
58	Trends of percutaneous coronary intervention in Italy in the last 10 years. <i>Journal of Cardiovascular Medicine</i> , 2017 , 18, 170-177	1.9 6
57	Current practice of transradial approach for coronary procedures: A survey by the Italian Society of Interventional Cardiology (SICI-GISE) and the Italian Radial Club. <i>Cardiovascular Revascularization Medicine</i> , 2017 , 18, 154-159	1.6 8
56	Incidence and Management of Restenosis After Treatment of Unprotected Left Main Disease With Second-Generation Drug-Eluting Stents (from Failure in Left Main Study With 2nd Generation Stents-Cardiogrroup III Study). <i>American Journal of Cardiology</i> , 2017 , 119, 978-982	3 34
55	A propensity score matched comparative study between paclitaxel-coated balloon and everolimus-eluting stents for the treatment of small coronary vessels. <i>Catheterization and Cardiovascular Interventions</i> , 2017 , 90, 380-386	2.7 18
54	Radial Versus Femoral Access for the Treatment of Left Main Lesion in the Era of Second-Generation Drug-Eluting Stents. <i>American Journal of Cardiology</i> , 2017 , 120, 33-39	3 9
53	Acute Kidney Injury After Radial or Femoral Access for Invasive Acute Coronary Syndrome Management: AKI-MATRIX. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2592-2592	15.1 95
52	Safety and efficacy of drug eluting stents in patients with spontaneous coronary artery dissection. <i>International Journal of Cardiology</i> , 2017 , 238, 105-109	3.2 15
51	Comparison of paclitaxel drug-eluting balloon and paclitaxel-eluting stent in small coronary vessels in diabetic and nondiabetic patients - results from the BELLO (balloon elution and late loss optimization) trial. <i>Cardiovascular Revascularization Medicine</i> , 2017 , 18, 4-9	1.6 8

50	What is the optimal treatment for symptomatic patients with isolated coronary myocardial bridge? A systematic review and pooled analysis. <i>Journal of Cardiovascular Medicine</i> , 2017 , 18, 758-770	1.9	20
49	APpropriAteness of percutaneous Coronary interventions in patients with ischaemic HEart disease in Italy: the APACHE pilot study. <i>BMJ Open</i> , 2017 , 7, e016909	3	11
48	Left Ventricular Free-Wall Rupture. <i>New England Journal of Medicine</i> , 2017 , 377, e13	59.2	1
47	First reported case of magnesium-made bioresorbable scaffold to treat spontaneous left anterior descending coronary artery dissection. <i>Catheterization and Cardiovascular Interventions</i> , 2017 , 90, 768-772	2.7	12
46	Is Aspirin Still the Cornerstone of Antiplatelet Therapy in Patients With Coronary Artery Disease? An Historical and Practical Narrative Review. <i>Hospital Practices and Research</i> , 2017 , 2, 94-101	0.4	5
45	Complete or incomplete coronary revascularisation in patients with myocardial infarction and multivessel disease: a propensity score analysis from the "real-life" BleeMACS (Bleeding complications in a Multicenter registry of patients discharged with diagnosis of Acute Coronary Syndrome) registry. <i>EuroIntervention</i> , 2017 , 13, 407-414	3.1	22
44	Italy: coronary and structural heart interventions from 2010 to 2015. <i>EuroIntervention</i> , 2017 , 13, Z37-Z41	3.1	2
43	Incidence and outcome of switching of oral platelet P2Y12 receptor inhibitors in patients with acute coronary syndromes undergoing percutaneous coronary intervention: the SCOPE registry. <i>EuroIntervention</i> , 2017 , 13, 459-466	3.1	65
42	One-year clinical results of the Italian diffuse/multivessel disease ABSORB prospective registry (IT-DISAPPEARS). <i>EuroIntervention</i> , 2017 , 13, 424-431	3.1	13
41	Sustained safety and clinical performance of a drug-eluting absorbable metal scaffold up to 24 months: pooled outcomes of BIOSOLVE-II and BIOSOLVE-III. <i>EuroIntervention</i> , 2017 , 13, 432-439	3.1	76
40	The DELTA 2 Registry: A Multicenter Registry Evaluating Percutaneous Coronary Intervention With New-Generation Drug-Eluting Stents in Patients With Obstructive Left Main Coronary Artery Disease. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 2401-2410	5	25
39	Biolumus-Eluting StenT For de-novo coRonary artery disease in patiENts with Diabetes mellituS: the BESTFRIENDS multicentre registry. <i>Journal of Cardiovascular Medicine</i> , 2016 , 17, 729-35	1.9	1
38	Efficacy and Safety of Available Protocols for Aspirin Hypersensitivity for Patients Undergoing Percutaneous Coronary Intervention: A Survey and Systematic Review. <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9, e002896	6	22
37	Temporal changes in the current practice of primary angioplasty: a real life experience of a single high-volume center. <i>Cardiovascular Revascularization Medicine</i> , 2016 , 17, 5-9	1.6	2
36	Provisional vs. two-stent technique for unprotected left main coronary artery disease after ten years follow up: A propensity matched analysis. <i>International Journal of Cardiology</i> , 2016 , 211, 37-42	3.2	41
35	Impact of postdilatation on performance of bioresorbable vascular scaffolds in patients with acute coronary syndrome compared with everolimus-eluting stents: A propensity score-matched analysis from a multicenter "real-world" registry. <i>Cardiology Journal</i> , 2016 , 23, 374-83	1.4	20
34	Feasibility of carotid artery stenting with double cerebral embolic protection in high-risk patients. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 87, 432-7	2.7	10
33	Long-Term (10 Years) Safety of Percutaneous Treatment of Unprotected Left Main Stenosis With Drug-Eluting Stents. <i>American Journal of Cardiology</i> , 2016 , 118, 32-9	3	16

32	Incidence, Management, and Immediate- and Long-Term Outcomes After Iatrogenic Aortic Dissection During Diagnostic or Interventional Coronary Procedures. <i>Circulation</i> , 2015 , 131, 2114-9	16.7	69
31	Radial versus femoral access in patients with acute coronary syndromes undergoing invasive management: a randomised multicentre trial. <i>Lancet, The</i> , 2015 , 385, 2465-76	40	790
30	Bivalirudin or Unfractionated Heparin in Acute Coronary Syndromes. <i>New England Journal of Medicine</i> , 2015 , 373, 997-1009	59.2	263
29	Management strategies in patients affected by chronic total occlusions: results from the Italian Registry of Chronic Total Occlusions. <i>European Heart Journal</i> , 2015 , 36, 3189-98	9.5	120
28	3-Year Follow-Up of the Balloon Elution and Late Loss Optimization Study (BELLO). <i>JACC: Cardiovascular Interventions</i> , 2015 , 8, 1132-1134	5	43
27	Intravenous thrombolysis or endovascular therapy for acute ischemic stroke associated with cervical internal carotid artery occlusion: the ICARO-3 study. <i>Journal of Neurology</i> , 2015 , 262, 459-68	5.5	33
26	Setting up a multidisciplinary program of carotid artery stenting in a community hospital: initial experience of 277 patients. <i>International Journal of Cardiology</i> , 2015 , 179, 17-9	3.2	2
25	Effect of Abciximab Therapy in Patients Undergoing Coronary Angioplasty for Acute ST-Elevation Myocardial Infarction Complicated by Cardiogenic Shock. <i>Circulation Journal</i> , 2015 , 79, 1568-74	2.9	4
24	A 2-year follow-up of a randomized multicenter study comparing a paclitaxel drug-eluting balloon with a paclitaxel-eluting stent in small coronary vessels the BELLO study. <i>International Journal of Cardiology</i> , 2015 , 184, 17-21	3.2	41
23	Efficacy and safety of colchicine for treatment of multiple recurrences of pericarditis (CORP-2): a multicentre, double-blind, placebo-controlled, randomised trial. <i>Lancet, The</i> , 2014 , 383, 2232-7	40	220
22	Impact of thrombus aspiration during primary percutaneous coronary intervention in cardiogenic shock complicating ST-segment elevation myocardial infarction. <i>Cardiovascular Revascularization Medicine</i> , 2013 , 14, 307-10	1.6	5
21	Is percutaneous coronary intervention of unprotected left main coronary artery via transradial approach feasible for skilled transfemoral operators? Initial experience in an unselected population. <i>Cardiovascular Revascularization Medicine</i> , 2013 , 14, 193-6	1.6	8
20	Primary percutaneous coronary intervention without on-site cardiac surgery backup in unselected patients with ST-segment-elevation myocardial infarction: the Rivoli ST-segment elevation myocardial infarction (RISTEMI) registry. <i>Cardiovascular Revascularization Medicine</i> , 2013 , 14, 9-13	1.6	7
19	A prospective, randomized trial of intravascular-ultrasound guided compared to angiography guided stent implantation in complex coronary lesions: the AVIO trial. <i>American Heart Journal</i> , 2013 , 165, 65-72	4.9	147
18	Antegrade trapping balloon technique to increase support in percutaneous treatment of uncrossable lesions: another tool for an old problem. <i>Journal of Cardiovascular Medicine</i> , 2013 , 14, 247-8 ¹⁻⁹		
17	Chronic total occlusion treatment as a health insurance: collateral recruitability and bidirectionality. <i>Journal of Cardiovascular Medicine</i> , 2013 , 14, 899-901	1.9	1
16	Clinical outcomes following percutaneous coronary intervention with drug-eluting stents versus bare metal stents in patients on chronic hemodialysis. <i>Journal of Interventional Cardiology</i> , 2013 , 26, 351-8 ¹⁻⁸		12
15	A randomized multicenter study comparing a paclitaxel drug-eluting balloon with a paclitaxel-eluting stent in small coronary vessels: the BELLO (Balloon Elution and Late Loss Optimization) study. <i>Journal of the American College of Cardiology</i> , 2012 , 60, 2473-80	15.1	213

14	Percutaneous left main coronary disease treatment without on-site surgery back-up in patients with acute coronary syndromes: immediate and 2-year outcomes. <i>Catheterization and Cardiovascular Interventions</i> , 2012 , 79, 979-87	2.7	7
13	MGuard versus bare-metal stents plus manual thrombectomy in ST-elevation myocardial infarction patients-(GUARDIAN) trial: study design and rationale. <i>Catheterization and Cardiovascular Interventions</i> , 2012 , 79, 1118-26	2.7	15
12	Long-term outcomes of percutaneous coronary interventions with stent implantation in patients ≥0 years old. <i>American Journal of Cardiology</i> , 2012 , 109, 1717-21	3	20
11	Thrombectomy pretreatment versus standard stenting in ST-elevation myocardial infarction: does the debate still not EXPIRE?. <i>American Journal of Cardiology</i> , 2011 , 107, 1100	3	
10	Cardiogenic shock complicating acute myocardial infarction in the elderly: predictors of long-term survival. <i>Catheterization and Cardiovascular Interventions</i> , 2011 , 78, 505-11	2.7	18
9	Perforation of the sinus of Valsalva by guiding catheter during the percutaneous coronary intervention via the right transradial approach: a very unusual complication. <i>Catheterization and Cardiovascular Interventions</i> , 2011 , 78, 888-91	2.7	4
8	New drug-eluting stent implantation for recalcitrant in-stent restenosis treated with drug-eluting stents. the Stent-in-Stent Cube (SIS ²) registry. <i>Journal of Invasive Cardiology</i> , 2011 , 23, 365-8	0.7	2
7	Multicentre experience with MGuard net protective stent in ST-elevation myocardial infarction: safety, feasibility, and impact on myocardial reperfusion. <i>Catheterization and Cardiovascular Interventions</i> , 2010 , 75, 715-21	2.7	25
6	Unintended stent removal during fractured-guidewire removal in emergency angioplasty. <i>Journal of Cardiovascular Medicine</i> , 2009 , 10, 885-6	1.9	2
5	Severe multivessel coronary spasm after sirolimus-eluting stent implantation. <i>Journal of Cardiovascular Medicine</i> , 2009 , 10, 485-8	1.9	3
4	Comparison of effectiveness and safety of sirolimus-eluting stents versus bare-metal stents in patients with diabetes mellitus (from the Italian Multicenter Randomized DESSERT Study). <i>American Journal of Cardiology</i> , 2008 , 101, 1560-6	3	39
3	Recurrent restenosis after implantation of sirolimus-eluting stents in aorto-ostial lesions: successful treatment with polytetrafluoroethylene-covered stents. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 201-4	1.9	1
2	Immediate and long-term results of treatment of complex lesions of the left anterior descending coronary artery involving a large diagonal branch with drug-eluting stents. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 1088-94	1.9	1
1	Primary angioplasty and routine utilization of thrombus aspiration devices: feasibility and results in a consecutive series of 486 patients. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 258-64	1.9	11