

# Yi-Xiong Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6326862/publications.pdf>

Version: 2024-02-01

21  
papers

471  
citations

623734

14  
h-index

713466

21  
g-index

22  
all docs

22  
docs citations

22  
times ranked

759  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Androgen Receptors Act as a Tumor Suppressor Gene to Suppress Hepatocellular Carcinoma Cells Progression via miR-122-5p/RABL6 Signaling. <i>Frontiers in Oncology</i> , 2021, 11, 756779.  | 2.8  | 5         |
| 2  | Bioinformatics analysis combined with experiments to explore potential prognostic factors for pancreatic cancer. <i>Cancer Cell International</i> , 2020, 20, 382.   | 4.1  | 22        |
| 3  | The miR-92a-2-5p in exosomes from macrophages increases liver cancer cells invasion via altering the AR/PHLPP/p-AKT/ $\beta$ -catenin signaling. <i>Cell Death and Differentiation</i> , 2020, 27, 3258-3272.  | 11.2 | 54        |
| 4  | M2 Macrophages Promote HCC Cells Invasion and Migration via miR-149-5p/MMP9 Signaling. <i>Journal of Cancer</i> , 2020, 11, 1277-1287.   | 2.5  | 38        |
| 5  | Explore prognostic marker of colorectal cancer based on ceRNA network. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 19358-19370.   | 2.6  | 10        |
| 6  | Long noncoding RNA FEZF1-AS1 predicts poor prognosis and modulates pancreatic cancer cell proliferation and invasion through miR-142/HIF-1 $\alpha$ and miR-133a/EGFR upon hypoxia/normoxia. <i>Journal of Cellular Physiology</i> , 2019, 234, 15407-15419. | 4.1  | 31        |
| 7  | HNF1A/CASC2 regulates pancreatic cancer cell proliferation through PTEN/Akt signaling. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 2816-2827.   | 2.6  | 37        |
| 8  | C-reactive protein (CRP) promotes malignant properties in pancreatic neuroendocrine neoplasms. <i>Endocrine Connections</i> , 2019, 8, 1007-1019.  | 1.9  | 18        |
| 9  | Neuropilin-1 (NRP-1) upregulated by IL-6/STAT3 signaling contributes to invasion in pancreatic neuroendocrine neoplasms. <i>Human Pathology</i> , 2018, 81, 192-200.   | 2.0  | 11        |
| 10 | miR-125a-3p is responsible for chemosensitivity in PDAC by inhibiting epithelial-mesenchymal transition via Fyn. <i>Biomedicine and Pharmacotherapy</i> , 2018, 106, 523-531.  | 5.6  | 34        |
| 11 | Open surgical treatment of choledochocoele: A case report and review of literature. <i>World Journal of Clinical Cases</i> , 2018, 6, 842-846.   | 0.8  | 6         |
| 12 | Krüppel-like factor 8 induces epithelial-to-mesenchymal transition and promotes invasion of pancreatic cancer cells through transcriptional activation of four and a half LIM-only protein 2. <i>Oncology Letters</i> , 2017, 14, 4883-4889.                 | 1.8  | 15        |
| 13 | The lncRNA XIST interacts with miR-140/miR-124/iASPP axis to promote pancreatic carcinoma growth. <i>Oncotarget</i> , 2017, 8, 113701-113718.  | 1.8  | 30        |
| 14 | Increased expression of SOX4 is associated with colorectal cancer progression. <i>Tumor Biology</i> , 2016, 37, 9131-9137.   | 1.8  | 30        |
| 15 | MicroRNA-140 regulates cell growth and invasion in pancreatic duct adenocarcinoma by targeting iASPP. <i>Acta Biochimica Et Biophysica Sinica</i> , 2016, 48, 174-181.   | 2.0  | 21        |
| 16 | KLF8 knockdown triggered growth inhibition and induced cell phase arrest in human pancreatic cancer cells. <i>Gene</i> , 2016, 585, 22-27.   | 2.2  | 14        |
| 17 | The clinical utility of CA125/MUC16 in pancreatic cancer: A consensus of diagnostic, prognostic and predictive updates by the Chinese Study Group for Pancreatic Cancer (CSPAC). <i>International Journal of Oncology</i> , 2016, 48, 900-907.               | 3.3  | 17        |
| 18 | Chinese herb derived-Rocaglamide A is a potent inhibitor of pancreatic cancer cells. <i>American Journal of Translational Research (discontinued)</i> , 2016, 8, 1047-54.  | 0.0  | 3         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Simultaneous silencing of XIAP and survivin causes partial mesenchymal-epithelial transition of human pancreatic cancer cells via the PTEN/PI3K/Akt pathway. <i>Molecular Medicine Reports</i> , 2015, 12, 601-608.  | 2.4 | 33        |
| 20 | MicroRNA-145 suppresses cell proliferation, invasion and migration in pancreatic cancer cells by targeting NEDD9. <i>Molecular Medicine Reports</i> , 2015, 11, 4115-4120.   | 2.4 | 33        |
| 21 | Should a standard lymphadenectomy during pancreatoduodenectomy exclude para-aortic lymph nodes for all cases of resectable pancreatic head cancer? A consensus statement by the Chinese Study Group for Pancreatic Cancer (CSPAC). <i>International Journal of Oncology</i> , 2015, 47, 1512-1516. | 3.3 | 9         |