

Thea P M Vliet Vlieland

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/632734/publications.pdf>

Version: 2024-02-01

420
papers

11,625
citations

44444

50
h-index

60403

85
g-index

432
all docs

432
docs citations

432
times ranked

11596
citing authors

#	ARTICLE	IF	CITATIONS
1	What works and why in the implementation of eRehabilitation after stroke – a process evaluation. <i>Disability and Rehabilitation: Assistive Technology</i> , 2024, 19, 345-359.	1.3	2
2	Physical Therapy in Systemic Sclerosis: The Patient Perspective. <i>Arthritis Care and Research</i> , 2023, 75, 145-151.	1.5	2
3	The course of depressive symptoms in the first 12 months post-stroke and its association with unmet needs. <i>Disability and Rehabilitation</i> , 2022, 44, 428-435.	0.9	5
4	Measuring treatment outcome in children with developmental coordination disorder; responsiveness of six outcome measures. <i>Disability and Rehabilitation</i> , 2022, 44, 1023-1034.	0.9	6
5	Referral to and enrolment in cardiac rehabilitation after open-heart surgery in the Netherlands. <i>Netherlands Heart Journal</i> , 2022, 30, 227-236.	0.3	0
6	How does hip osteoarthritis differ from knee osteoarthritis?. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 32-41.	0.6	54
7	Effectiveness and cost-effectiveness of longstanding exercise therapy versus usual care in patients with axial spondyloarthritis or rheumatoid arthritis and severe limitations: The protocols of two parallel randomized controlled trials. <i>Physiotherapy Research International</i> , 2022, 27, e1933.	0.7	7
8	Lessons learned from a pilot implementation of physical activity recommendations in axial spondyloarthritis exercise group therapy. <i>BMC Rheumatology</i> , 2022, 6, 12.	0.6	5
9	Acute pain after total hip and knee arthroplasty does not affect chronic pain during the first postoperative year: observational cohort study of 389 patients. <i>Rheumatology International</i> , 2022, 42, 689-698.	1.5	3
10	Patient activation during the first 6 months after the start of stroke rehabilitation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2022, , .	0.5	2
11	Reflections on a contemporary European tragedy. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 747-748.	0.5	2
12	Differences in characteristics, health status and fulfillment of exercise recommendations between axial spondyloarthritis patients with and without supervised group exercise. <i>Seminars in Arthritis and Rheumatism</i> , 2022, 55, 152035.	1.6	1
13	The impact of the COVID-19 pandemic on different aspects of the delivery of physical therapy after total hip or knee surgery: Perspectives of patients and physical therapists. <i>Musculoskeletal Care</i> , 2022, 20, 964-971.	0.6	0
14	Recovery and the use of postoperative physical therapy after total hip or knee replacement. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, .	0.8	3
15	Cross-cultural adaptation and psychometric testing of the Dutch and German versions of the Evaluation of Daily Activity Questionnaire in people with rheumatoid arthritis. <i>Rheumatology International</i> , 2021, 41, 951-964.	1.5	2
16	Reliability of an adapted core strength endurance test battery in individuals with axial spondylarthritis. <i>Clinical Rheumatology</i> , 2021, 40, 1353-1360.	1.0	5
17	Organisation and content of supervised group exercise for people with axial spondyloarthritis in The Netherlands. <i>Rheumatology International</i> , 2021, 41, 391-401.	1.5	4
18	Healthcare utilization and costs among prolactinoma patients: a cross-sectional study and analysis of determinants. <i>Pituitary</i> , 2021, 24, 79-95.	1.6	5

#	ARTICLE	IF	CITATIONS
19	Participation Restrictions among Children and Young Adults with Acquired Brain Injury in a Pediatric Outpatient Rehabilitation Cohort: The Patientsâ€™ and Parentsâ€™ Perspective. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1625.	1.2	8
20	Parent-reported family impact in children and young adults with acquired brain injury in the outpatient rehabilitation setting. <i>Brain Injury</i> , 2021, 35, 563-573.	0.6	6
21	Are pain, functional limitations and quality of life associated with objectively measured physical activity in patients with end-stage osteoarthritis of the hip or knee?. <i>Knee</i> , 2021, 29, 78-85.	0.8	6
22	OP0071-HPRâ€…PILOT IMPLEMENTATION OF ENHANCEMENTS IN SUPERVISED GROUP EXERCISE FOR PEOPLE WITH AXIAL SPONDYLOARTHRITIS (AXSPA) IN THE NETHERLANDS. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 38.2-38.	0.5	0
23	Clinical Practice Guideline for Physical Therapist Management of People With Rheumatoid Arthritis. <i>Physical Therapy</i> , 2021, 101, .	1.1	15
24	AB0873-HPRâ€…EFFECTIVENESS AND COST-EFFECTIVENESS OF LONGSTANDING EXERCISE THERAPY VERSUS USUAL CARE IN PATIENTS WITH AXIAL SPONDYLOARTHRITIS OR RHEUMATOID ARTHRITIS: THE PROTOCOLS OF TWO PARALLEL RANDOMIZED CONTROLLED TRIALS. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1460-1461.	0.5	0
25	OP0198-HPRâ€…A STRUCTURED MODEL FOR OA CARE IN PRIMARY HEALTHCARE IS A COST-EFFECTIVE ALTERNATIVE COMPARED TO USUAL CARE FOR PEOPLE WITH HIP AND KNEE OA. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 119-120.	0.5	0
26	Improvement of physical activity levels in children and adolescents after surgery for congenital heart disease: preferences and use of physical therapy. <i>Disability and Rehabilitation</i> , 2021, , 1-8.	0.9	3
27	Physical therapy in patients with systemic sclerosis: physical therapistsâ€™ perspectives on current delivery and educational needs. <i>Scandinavian Journal of Rheumatology</i> , 2021, , 1-8.	0.6	2
28	Clinical Practice Guideline for Physical Therapists Regarding Treatment of Patients With Rheumatoid Arthritis. <i>Physical Therapy</i> , 2021, 101, .	1.1	0
29	Comparison of KOOS Scores of Middle-Aged Patients Undergoing Total Knee Arthroplasty to the General Dutch Population Using KOOS Percentile Curves: The LOAS Study. <i>Journal of Arthroplasty</i> , 2021, 36, 2779-2787.e4.	1.5	4
30	Position Statement on Exercise Dosage in Rheumatic and Musculoskeletal Diseases: The Role of the IMPACT-RMD Toolkit. <i>Mediterranean Journal of Rheumatology</i> , 2021, 32, 378.	0.3	10
31	Caregiver burden after stroke: changes over time?. <i>Disability and Rehabilitation</i> , 2020, 42, 360-367.	0.9	21
32	Health-care use and information needs of children with neonatal brachial plexus palsy: A cross-sectional survey among 465 Dutch patients. <i>Journal of Child Health Care</i> , 2020, 24, 46-63.	0.7	4
33	Supervised Group Exercise in Axial Spondyloarthritis: Patients' Satisfaction and Perspective on Evidenceâ€Based Enhancements. <i>Arthritis Care and Research</i> , 2020, 72, 829-837.	1.5	18
34	Quality of life and strain among caregivers of patients with systemic sclerosis. <i>Disability and Rehabilitation</i> , 2020, 42, 1783-1784.	0.9	2
35	Comparison of physical activity among different subsets of patients with knee or hip osteoarthritis and the general population. <i>Rheumatology International</i> , 2020, 40, 383-392.	1.5	8
36	Fatigue, Participation and Quality of Life in Adolescents and Young Adults with Acquired Brain Injury in an Outpatient Rehabilitation Cohort. <i>Developmental Neurorehabilitation</i> , 2020, 23, 328-335.	0.5	21

#	ARTICLE	IF	CITATIONS
37	How to optimize exercise behavior in axial spondyloarthritis? Results of an intervention mapping study. <i>Patient Education and Counseling</i> , 2020, 103, 952-959.	1.0	7
38	The effects of exercise on cardiovascular disease risk factors and cardiovascular physiology in rheumatoid arthritis. <i>Rheumatology International</i> , 2020, 40, 347-357.	1.5	34
39	Feasibility of Collecting Multiple Patient-Reported Outcome Measures Alongside the Dutch Arthroplasty Register. <i>Journal of Patient Experience</i> , 2020, 7, 484-492.	0.4	6
40	SF-12 or SF-36 in pituitary disease? Toward concise and comprehensive patient-reported outcomes measurements. <i>Endocrine</i> , 2020, 70, 123-133.	1.1	10
41	Rationale and design of the PaTIO study: Physiotherapeutic Treat-to-target Intervention after Orthopaedic surgery. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 544.	0.8	0
42	Feasibility, safety, and outcomes of a stratified fast-track care trajectory in pituitary surgery. <i>Endocrine</i> , 2020, 69, 175-187.	1.1	18
43	Preparing for an orthopedic consultation using an eHealth tool: a randomized controlled trial in patients with hip and knee osteoarthritis. <i>BMC Medical Informatics and Decision Making</i> , 2020, 20, 92.	1.5	9
44	A multicomponent intervention to decrease sedentary time during hospitalization: a quasi-experimental pilot study. <i>Clinical Rehabilitation</i> , 2020, 34, 901-915.	1.0	3
45	Counselled Patients with Stroke Still Experience Sexual and Relational Problems 1-5 Years After Stroke Rehabilitation. <i>Sexuality and Disability</i> , 2020, 38, 533-545.	0.4	5
46	2019 EULAR recommendations for the generic core competences of health professionals in rheumatology. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 53-60.	0.5	30
47	Adequately dosed aerobic physical activity in people with axial spondyloarthritis: associations with physical therapy. <i>Rheumatology International</i> , 2020, 40, 1519-1528.	1.5	9
48	Differences in factors influencing the use of eRehabilitation after stroke; a cross-sectional comparison between Brazilian and Dutch healthcare professionals. <i>BMC Health Services Research</i> , 2020, 20, 488.	0.9	3
49	A clinical practice guideline for physical therapy in patients with hip or knee osteoarthritis. <i>Musculoskeletal Care</i> , 2020, 18, 575-595.	0.6	57
50	Association of handgrip strength with patient-reported outcome measures after total hip and knee arthroplasty. <i>Rheumatology International</i> , 2020, 40, 565-571.	1.5	6
51	Evaluation of an educational course for primary care physiotherapists on comorbidity-adapted exercise therapy in knee osteoarthritis: an observational study. <i>Musculoskeletal Care</i> , 2020, 18, 122-133.	0.6	5
52	Low adherence to exercise may have influenced the proportion of OMERACT-OARSI responders in an integrated osteoarthritis care model: secondary analyses from a cluster-randomised stepped-wedge trial. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 236.	0.8	11
53	Effect of a comprehensive eRehabilitation intervention alongside conventional stroke rehabilitation on disability and health-related quality of life: A pre-post comparison. <i>Journal of Rehabilitation Medicine</i> , 2020, 53, jrm00161.	0.8	7
54	FRIO412-... DOES SEVERE ACUTE POSTOPERATIVE PAIN RESULT IN MORE LONG-TERM PAIN AFTER TOTAL HIP OR KNEE ARTHROPLASTY (THA OR TKA) FOR OSTEOARTHRITIS?. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 805.2-805.	0.5	0

#	ARTICLE	IF	CITATIONS
55	SAT0639-HPRâ€¦..HOW DO PEOPLE WITH AXSPA PERCEIVE THE IMPACT OF DISEASE AND PHYSICAL ACTIVITY?. Annals of the Rheumatic Diseases, 2020, 79, 1279.2-1279.	0.5	0
56	THU0653-HPRâ€¦..BARRIERS FOR THE UPTAKE OF EULAR POSTGRADUATE EDUCATION FOR HEALTH PROFESSIONALS IN RHEUMATOLOGY IN EASTERN EUROPEAN COUNTRIES: RESULTS FROM 3 NATIONAL SURVEYS. Annals of the Rheumatic Diseases, 2020, 79, 571-571.	0.5	0
57	Changes in the ability to participate in and satisfaction with social roles and activities in patients in outpatient rehabilitation. Journal of Patient-Reported Outcomes, 2020, 4, 73.	0.9	10
58	Patientsâ€™ outcome expectations and their fulfilment in multidisciplinary stroke rehabilitation. Annals of Physical and Rehabilitation Medicine, 2019, 62, 21-27.	1.1	20
59	Physical activity during hospitalization: Activities and preferences of adults versus older adults. Physiotherapy Theory and Practice, 2019, 35, 975-985.	0.6	19
60	Barriers and Facilitators of Vigorous Cardiorespiratory Training in Axial Spondyloarthritis: Surveys Among Patients, Physiotherapists, and Rheumatologists. Arthritis Care and Research, 2019, 71, 839-851.	1.5	23
61	How to improve eRehabilitation programs in stroke care? A focus group study to identify requirements of end-users. BMC Medical Informatics and Decision Making, 2019, 19, 145.	1.5	28
62	Implementing a structured model for osteoarthritis care in primary healthcare: A stepped-wedge cluster-randomised trial. PLoS Medicine, 2019, 16, e1002949.	3.9	31
63	Health Care Use and Its Associated Factors 5-8 Years after Stroke. Journal of Stroke and Cerebrovascular Diseases, 2019, 28, 104333.	0.7	2
64	Physical activity, fatigue and sleep quality at least 6 months after mild traumatic brain injury in adolescents and young adults: A comparison with orthopedic injury controls. European Journal of Paediatric Neurology, 2019, 23, 707-715.	0.7	4
65	Teachersâ€™ and studentsâ€™ perceptions on barriers and facilitators for eHealth education in the curriculum of functional exercise and physical therapy: a focus groups study. BMC Medical Education, 2019, 19, 343.	1.0	14
66	Factors associated with willingness to use eRehabilitation after stroke: A cross-sectional study among patients, informal caregivers and healthcare professionals. Journal of Rehabilitation Medicine, 2019, 51, 665-674.	0.8	10
67	Systematic review on the comparative effectiveness of foot orthoses in patients with rheumatoid arthritis. Journal of Foot and Ankle Research, 2019, 12, 32.	0.7	17
68	Comparison of the responsiveness of the Utrecht Scale for Evaluation of Rehabilitation (USER) and the Barthel Index in stroke patients. Clinical Rehabilitation, 2019, 33, 1672-1681.	1.0	8
69	Priorities for the effective implementation of osteoarthritis management programs: an OARSI international consensus exercise. Osteoarthritis and Cartilage, 2019, 27, 1270-1279.	0.6	49
70	Implementing international osteoarthritis guidelines in primary care: Results on symptom-related outcomes in secondary analyses from a randomized controlled study. Osteoarthritis and Cartilage, 2019, 27, S26-S27.	0.6	0
71	Healthcare utilization and costs among patients with non-functioning pituitary adenomas. Endocrine, 2019, 64, 330-340.	1.1	9
72	Frailty Questionnaire Is Not a Strong Prognostic Factor for Functional Outcomes in Hip or Knee Arthroplasty Patients. Geriatric Orthopaedic Surgery and Rehabilitation, 2019, 10, 215145931880816.	0.6	6

#	ARTICLE	IF	CITATIONS
73	Development of generic core competences of health professionals in rheumatology: a systematic literature review informing the 2019 EULAR recommendations. <i>RMD Open</i> , 2019, 5, e001028.	1.8	1
74	FRI0376â€¦DIFFERENCES IN PHYSICAL ACTIVITY BETWEEN AXIAL SPONDYLOARTHRITIS PATIENTS WITH AND WITHOUT PHYSICAL THERAPY. , 2019, , .		0
75	OP0274â€¦HPR DEVELOPMENT OF GENERIC CORE COMPETENCES OF HEALTH PROFESSIONALS IN RHEUMATOLOGY: A SYSTEMATIC LITERATURE REVIEW INFORMING THE 2018 EULAR RECOMMENDATIONS. , 2019, , .		0
76	SP0137â€¦CORE COMPETENCIES. , 2019, , .		0
77	THU0430â€¦PREPARING AN ORTHOPAEDIC CONSULTATION USING AN EHEALTH TOOL: A RANDOMIZED CONTROLLED TRIAL IN PATIENTS WITH HIP AND KNEE OSTEOARTHRITIS. , 2019, , .		0
78	AB0789â€¦AN EHEALTH TOOL TO PREPARE A FIRST ORTHOPAEDIC CONSULTATIONS: A USE AND USABILITY STUDY. , 2019, , .		0
79	FRI0393â€¦PATIENTSâ€™ SATISFACTION AND PREFERENCES TOWARDS SUPERVISED GROUP EXERCISE FOR PEOPLE WITH AXIAL SPONDYLOARTHRITIS. , 2019, , .		1
80	AB0798â€¦GENDER DIFFERENCES IN DURATION OF SYMPTOMS AND PREOPERATIVE EXPECTATIONS IN TOTAL KNEE ARTHROPLASTY PATIENTS. , 2019, , .		0
81	FRI0700-HPRâ€¦LESSONS LEARNED FROM PILOT IMPLEMENTATION OF PHYSICAL ACTIVITY RECOMMENDATIONS IN AXSPA EXERCISE GROUP THERAPY â€œ LESS MAY BE MORE. , 2019, , .		1
82	SP0033â€¦RHEUMATOLOGICAL REHABILITATION, WHATâ€™S NEXT. , 2019, , .		0
83	AB1342â€¦TRANSLATION AND ADJUSTING THE PATIENT GUIDE FOR OSTEOARTHRITIS INTO DUTCH. LESSONS LEARNED FROM THE JIGSAW-E PROJECT. , 2019, , .		0
84	The effect and safety of exercise therapy in patients with systemic sclerosis: a systematic review. <i>Rheumatology Advances in Practice</i> , 2019, 3, rkz044.	0.3	32
85	Preoperative Radiographic Osteoarthritis Severity Modifies the Effect of Preoperative Pain on Pain/Function After Total Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 879-887.	1.4	22
86	Physical activity after mild traumatic brain injury: What are the relationships with fatigue and sleep quality?. <i>European Journal of Paediatric Neurology</i> , 2019, 23, 53-60.	0.7	13
87	Illness perceptions of stroke survivors: Predictors and changes over time â€œ A 1â€™ year follow-up study. <i>Journal of Psychosomatic Research</i> , 2019, 116, 54-61.	1.2	12
88	Value-Based Stroke Rehabilitation: Feasibility and Results of Patient-Reported Outcome Measures in the First Year After Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019, 28, 499-512.	0.7	21
89	Toward Value Based Health Care in pituitary surgery: application of a comprehensive outcome set in perioperative care. <i>European Journal of Endocrinology</i> , 2019, 181, 375-387.	1.9	19
90	An Electronic Health Tool to Prepare for the First Orthopedic Consultation: Use and Usability Study. <i>JMIR Formative Research</i> , 2019, 3, e13577.	0.7	6

#	ARTICLE	IF	CITATIONS
91	Implementation of Physical Activity into routine Clinical practice in Rheumatic Musculoskeletal Disease: The IMPACT-RMD study protocol and rationale. <i>Mediterranean Journal of Rheumatology</i> , 2019, 30, 231.	0.3	10
92	Does self-management ability improve after pulmonary rehabilitation for chronic obstructive pulmonary disease?. , 2019, , .		0
93	Poststroke Depression. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2018, 97, 565-571.	0.7	35
94	Adherence of stroke patients with an online brain training program: the role of health professionalsâ€™ support. <i>Topics in Stroke Rehabilitation</i> , 2018, 25, 1-7.	1.0	8
95	Not Physical Activity, but Patient Beliefs and Expectations are Associated With Return to Work After Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2018, 33, 1094-1100.	1.5	28
96	The EULAR points to consider for health professionals undertaking musculoskeletal ultrasound for rheumatic and musculoskeletal diseases. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 311-313.	0.5	9
97	Patientsâ€™ pre-operative general and specific outcome expectations predict postoperative pain and function after total knee and total hip arthroplasties. <i>Scandinavian Journal of Pain</i> , 2018, 18, 457-466.	0.5	36
98	The effectiveness of therapeutic shoes in patients with rheumatoid arthritis: a systematic review and meta-analysis. <i>Rheumatology International</i> , 2018, 38, 749-762.	1.5	11
99	Physical Activity as an Outcome Measure for Patients With Hip or Knee Osteoarthritis: Comment on the Article by Rolfson et al. <i>Arthritis Care and Research</i> , 2018, 70, 954-955.	1.5	0
100	Participation restrictions among adolescents and adults with neonatal brachial plexus palsy: the patient perspective. <i>Disability and Rehabilitation</i> , 2018, 40, 3147-3155.	0.9	15
101	The Longer-term Unmet Needs after Stroke Questionnaire: Cross-Cultural Adaptation, Reliability, and Concurrent Validity in a Dutch Population. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 267-275.	0.7	17
102	Patient reported outcomes of hand function three years after stroke. <i>Topics in Stroke Rehabilitation</i> , 2018, 25, 13-19.	1.0	14
103	Preoperative risk factors for postoperative complications in endoscopic pituitary surgery: a systematic review. <i>Pituitary</i> , 2018, 21, 84-97.	1.6	84
104	Frailty in end-stage hip or knee osteoarthritis: validation of the Groningen Frailty Indicator (GFI) questionnaire. <i>Rheumatology International</i> , 2018, 38, 917-924.	1.5	16
105	Physical activity in patients with systemic sclerosis. <i>Rheumatology International</i> , 2018, 38, 443-453.	1.5	16
106	Short-Term and Long-Term Outcomes of a Vocational Rehabilitation Program for Patients with Acquired Brain Injury in The Netherlands. <i>Journal of Occupational Rehabilitation</i> , 2018, 28, 523-530.	1.2	11
107	The patient perspective on the use of information and communication technologies and e-health in rehabilitation. <i>Disability and Rehabilitation: Assistive Technology</i> , 2018, 13, 620-625.	1.3	10
108	FRI0551â€¦Comparison of physical activity (PA) between patients with different stages of osteoarthritis(OA) and the general population: a cross-sectional study. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
109	Effects of exercise and physical activity promotion: meta-analysis informing the 2018 EULAR recommendations for physical activity in people with rheumatoid arthritis, spondyloarthritis and hip/knee osteoarthritis. <i>RMD Open</i> , 2018, 4, e000713.	1.8	90
110	Work disability and its determinants in patients with pituitary tumor-related disease. <i>Pituitary</i> , 2018, 21, 593-604.	1.6	31
111	What is Important in E-health Interventions for Stroke Rehabilitation? A Survey Study among Patients, Informal Caregivers, and Health Professionals.. <i>International Journal of Telerehabilitation</i> , 2018, 10, 15-28.	0.7	13
112	Attention needed for cognitive problems in patients after out-of-hospital cardiac arrest: an inventory about daily rehabilitation care. <i>Netherlands Heart Journal</i> , 2018, 26, 493-499.	0.3	13
113	Why the uptake of eRehabilitation programs in stroke care is so difficultâ€”a focus group study in the Netherlands. <i>Implementation Science</i> , 2018, 13, 133.	2.5	38
114	Hand-Use-at-Home Questionnaire: validity and reliability in children with neonatal brachial plexus palsy or unilateral cerebral palsy. <i>Clinical Rehabilitation</i> , 2018, 32, 1363-1373.	1.0	8
115	Self-reported knee instability associated with pain, activity limitations, and poorer quality of life before and 1 year after total knee arthroplasty in patients with knee osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2018, 36, 2671-2678.	1.2	11
116	Multidisciplinary recommendations for diagnosis and treatment of foot problems in people with rheumatoid arthritis. <i>Journal of Foot and Ankle Research</i> , 2018, 11, 37.	0.7	20
117	2018 EULAR recommendations for physical activity in people with inflammatory arthritis and osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1251-1260.	0.5	450
118	How to best distribute written patient education materials among patients with rheumatoid arthritis: a randomized comparison of two strategies. <i>BMC Health Services Research</i> , 2018, 18, 211.	0.9	4
119	Knee osteoarthritis and comorbidity: a feasibility study on an interactive exercise therapy course for physiotherapists. <i>Osteoarthritis and Cartilage</i> , 2018, 26, S323-S324.	0.6	0
120	SAT0733-HPRâ€…Dutch recommendations for physical therapy in axial spondyloarthritis (AXSPA). , 2018, , .		1
121	FRI0529â€…Preoperative pain seems to modify the effect of radiographic osteoarthritis severity on postoperative pain and function 1 year after total knee arthroplasty. , 2018, , .		0
122	THU0742-HPRâ€…How to optimise exercise behaviour in axial spondyloarthritis: results of an intervention mapping study. , 2018, , .		0
123	AB0749â€…Donâ€™t forget the caregivers of patients with systemic sclerosis. , 2018, , .		0
124	FRI0733-HPRâ€…An interactive course on exercise therapy for knee osteoarthritis and comorbidity: a feasibility study. , 2018, , .		0
125	OPO346-PAREâ€…A partnership in implementation: adapting an osteoarthritis guidebook across european cultures â€œ with patients, for patients. , 2018, , .		0
126	Long-term Outcomes of Multidisciplinary Rehabilitation for Chronic Musculoskeletal Pain. <i>Musculoskeletal Care</i> , 2017, 15, 59-68.	0.6	24

#	ARTICLE	IF	CITATIONS
127	Factors Associated With Referral to Secondary Care in Patients With Osteoarthritis of the Hip or Knee After Implementation of a Stepped-Care Strategy. <i>Arthritis Care and Research</i> , 2017, 69, 216-225.	1.5	17
128	Out-of-hospital cardiac arrest survivors with cognitive impairments have lower exercise capacity. <i>Resuscitation</i> , 2017, 115, 90-95.	1.3	11
129	No associations between self-reported knee joint instability and radiographic features in knee osteoarthritis patients prior to Total Knee Arthroplasty: A cross-sectional analysis of the Longitudinal Leiden Orthopaedics Outcomes of Osteo-Arthritis study (LOAS) data. <i>Knee</i> , 2017, 24, 816-823.	0.8	14
130	Authors' reply. <i>Scandinavian Journal of Rheumatology</i> , 2017, 46, 169-170.	0.6	0
131	Self-reported Knee Instability Associated with Pain and Activity Limitations Prior and One Year after Total Knee Arthroplasty in Patients with Knee Osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2017, 25, S349-S350.	0.6	2
132	Hospital variation in allogeneic transfusion and extended length of stay in primary elective hip and knee arthroplasty: a cross-sectional study. <i>BMJ Open</i> , 2017, 7, e014143.	0.8	5
133	Joint implementation of guidelines for osteoarthritis in Western Europe: JIGSAW-E in progress in The Netherlands. <i>Osteoarthritis and Cartilage</i> , 2017, 25, S414.	0.6	5
134	SP0192-Principles of non-pharmacological management of rheumatic diseases. , 2017, , .		0
135	THU0750-HPR-The effectiveness of therapeutic footwear in patients with rheumatoid arthritis: a systematic review and meta-analysis. , 2017, , .		0
136	The effectiveness of a de-implementation strategy to reduce low-value blood management techniques in primary hip and knee arthroplasty: a pragmatic cluster-randomized controlled trial. <i>Implementation Science</i> , 2017, 12, 72.	2.5	27
137	Outcomes of Pulmonary Rehabilitation After Treatment for Non-Small Cell Lung Cancer Stages I to IIIa. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2017, 37, 65-71.	1.2	23
138	Patients who underwent total hip or knee arthroplasty are more physically active than the general Dutch population. <i>Rheumatology International</i> , 2017, 37, 219-227.	1.5	15
139	Return to Work 2-5 Years After Stroke: A Cross Sectional Study in a Hospital-Based Population. <i>Journal of Occupational Rehabilitation</i> , 2017, 27, 239-246.	1.2	34
140	THU0748-HPR-Recommendations on physical therapy prescription for axial spondyloarthritis in the netherlands. , 2017, , .		0
141	THU0730-HPR-Content and supervision of group exercise therapy (GET) for axial spondyloarthritis (AXSPA) in the netherlands; a nation wide survey. , 2017, , .		0
142	SP0005-Looking back at 70 years of eular and 30 years of hp involvement: a rehabilitation perspective. , 2017, , .		0
143	AB0817-Improving care for patients with osteoarthritis in five european countries: the jigsaw-e patient panel. , 2017, , .		0
144	SAT0506-Early postoperative identification of patients at risk for unfavourable long-term outcomes. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
145	PARE0022â€¦Organization of group exercise therapy (GET) for patients with axial spondyloarthritis (AXSPA) in the netherlands; a nationwide survey. , 2017, , .		0
146	Cross-Cultural Adaptation, Translation, and Validation of the Toronto Extremity Salvage Score for Extremity Bone and Soft Tissue Tumor Patients in Netherlands. <i>Sarcoma</i> , 2017, 2017, 1-6.	0.7	11
147	SAT0505â€¦Self-reported knee instability associated with pain and activity limitations prior and one year after total knee arthroplasty in patients with knee osteoarthritis. , 2017, , .		0
148	Fatigue and its relationship with physical activity in adolescents and young adults with traumatic brain injury: a cross-sectional study. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2017, 53, 900-909.	1.1	4
149	Three-year trajectories of disability and fatigue in systemic sclerosis: a cohort study. <i>Clinical and Experimental Rheumatology</i> , 2017, 35 Suppl 106, 48-55.	0.4	2
150	Determinants of return to work 12 months after total hip and knee arthroplasty. <i>Annals of the Royal College of Surgeons of England</i> , 2016, 98, 387-395.	0.3	42
151	Practice variation in the structure of stroke rehabilitation in four rehabilitation centres in the Netherlands. <i>Journal of Rehabilitation Medicine</i> , 2016, 48, 287-292.	0.8	11
152	Outcome of secondary shoulder surgery in children with neonatal brachial plexus palsy with and without nerve surgery treatment history: A long-term follow-up study. <i>Journal of Rehabilitation Medicine</i> , 2016, 48, 609-617.	0.8	5
153	SAT0643-HPRâ€¦Points To Consider for Health Professionals Undertaking Musculoskeletal Ultrasound for Rheumatic and Musculoskeletal Diseases: Progress of A Eular Task Force. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1296.1-1296.	0.5	0
154	OP0276â€¦Postgraduate Rheumatology Education for Health Professionals in Rheumatology: Availability, Needs and Barriers. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 162.3-163.	0.5	0
155	THU0651-HPRâ€¦Structure, Process and Outcome of Primary Care Rheumatology Networks for Patients with Rheumatic and Musculoskeletal Diseases in The Netherlands. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1274.2-1275.	0.5	0
156	The provision of preoperative and postoperative physical therapy in elderly people with hip and knee osteoarthritis undergoing primary joint replacement surgery. <i>Current Orthopaedic Practice</i> , 2016, 27, 173-183.	0.1	9
157	Healthcare Quality Indicators for Physiotherapy Management in Hip and Knee Osteoarthritis and Rheumatoid Arthritis: A Delphi Study. <i>Musculoskeletal Care</i> , 2016, 14, 219-232.	0.6	19
158	Problems in Functioning in Patients with Chronic Musculoskeletal Pain Admitted for Multidisciplinary Rehabilitation. <i>Pain Practice</i> , 2016, 16, 737-748.	0.9	6
159	Explaining Physical Activity Maintenance After a Theoryâ€Based Intervention Among Patients With Rheumatoid Arthritis: Process Evaluation of a Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2016, 68, 203-210.	1.5	46
160	Therapeutic and diagnostic outcomes of a standardised, comprehensive care pathway for patients with systemic sclerosis. <i>RMD Open</i> , 2016, 2, e000159.	1.8	40
161	AB1096-HPRâ€¦Use of Physiotherapy and Exercise Preferences in People with Ankylosing Spondylitis in The Netherlands and Switzerland. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1306.3-1306.	0.5	0
162	The effects of an 8-week computer-based brain training programme on cognitive functioning, QoL and self-efficacy after stroke. <i>Neuropsychological Rehabilitation</i> , 2016, 26, 847-865.	1.0	45

#	ARTICLE	IF	CITATIONS
163	Responsiveness of four patient-reported outcome measures to assess physical function in patients with knee osteoarthritis. <i>Scandinavian Journal of Rheumatology</i> , 2016, 45, 518-527.	0.6	20
164	Validity and responsiveness of the Michigan Hand Questionnaire in patients with systemic sclerosis. <i>Rheumatology</i> , 2016, 55, 1386-1393.	0.9	22
165	Unfulfilled Expectations After Total Hip and Knee Arthroplasty Surgery: There Is a Need for Better Preoperative Patient Information and Education. <i>Journal of Arthroplasty</i> , 2016, 31, 2139-2145.	1.5	120
166	Factors related to fatigue after paediatric acquired brain injury (ABI). <i>Brain Injury</i> , 2016, 30, 1533-1541.	0.6	17
167	Erythropoietin to reduce allogeneic red blood cell transfusion in patients undergoing total hip or knee arthroplasty. <i>Vox Sanguinis</i> , 2016, 111, 219-225.	0.7	33
168	Neonatal Brachial Plexus Palsy in Children Aged 0 to 2.5 Years; Parent-Perceived Family Impact, Quality of Life, and Upper Extremity Functioning. <i>Pediatric Neurology</i> , 2016, 62, 34-42.	1.0	5
169	Indication criteria for total hip or knee arthroplasty in osteoarthritis: a state-of-the-science overview. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 463.	0.8	162
170	SAT0441...Prevalence of Self-Reported Knee Joint Instability and Its Association with Radiographic Features in Severe Knee Osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 831.1-831.	0.5	0
171	Educational needs of health professionals working in rheumatology in Europe. <i>RMD Open</i> , 2016, 2, e000337.	1.8	26
172	AB1056...Psychometric Testing of The Dutch Evaluation of Daily Activities Questionnaire in Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1263.1-1263.	0.5	0
173	OPO314-PARE...Group Exercise Therapy in Ankylosing Spondylitis (AS): The Patients' Perspective. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 176.3-177.	0.5	0
174	SAT0231...Physical Activity in Patients with Systemic Sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 752.1-752.	0.5	1
175	Prevalence of self-reported knee joint instability and its association with radiographic features in severe knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2016, 24, S433-S434.	0.6	0
176	Preoperative predictors for outcomes after total hip replacement in patients with osteoarthritis: a systematic review. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 212.	0.8	75
177	Cost-Utility and Cost-Effectiveness Analyses of Face-to-Face Versus Telephone-Based Nonpharmacologic Multidisciplinary Treatments for Patients With Generalized Osteoarthritis. <i>Arthritis Care and Research</i> , 2016, 68, 502-510.	1.5	18
178	Outcome of total hip arthroplasty, but not of total knee arthroplasty, is related to the preoperative radiographic severity of osteoarthritis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 67-71.	1.2	44
179	Validity of the Michigan Hand Outcomes Questionnaire in Patients With Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 238-244.	0.5	8
180	Characterizing the concept of activity pacing as a non-pharmacological intervention in rheumatology care: results of an international Delphi survey. <i>Scandinavian Journal of Rheumatology</i> , 2016, 45, 66-74.	0.6	12

#	ARTICLE	IF	CITATIONS
181	The educational needs of people with systemic sclerosis: a cross-sectional study using the Dutch version of the Educational Needs Assessment Tool (D-ENAT). <i>Rheumatology International</i> , 2016, 36, 289-294.	1.5	14
182	Barriers and Facilitators Associated with Non-Surgical Treatment Use for Osteoarthritis Patients in Orthopaedic Practice. <i>PLoS ONE</i> , 2016, 11, e0147406.	1.1	35
183	Implementation of recommended non-pharmacotherapy in rheumatology practice: need for improvement. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, S15-7.	0.4	0
184	SAT0641-HPRâ€¦Three-Year Trajectories of Disability and Fatigue in Systemic Sclerosis: A Cohort Study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1335.3-1335.	0.5	2
185	Outcome measures used in clinical studies on neonatal brachial plexus palsy: A systematic literature review using the International Classification of Functioning, Disability and Health. <i>Journal of Pediatric Rehabilitation Medicine</i> , 2015, 8, 167-186.	0.3	22
186	Evaluation of shoulder function after secondary surgery in children with Neonatal Brachial Plexus Palsy. <i>Journal of Pediatric Rehabilitation Medicine</i> , 2015, 8, 187-196.	0.3	11
187	AB0844â€¦Determinants of Returning to Work 12 Months After Total Joint Surgery: Differences Between Total Hip Arthroplasty and Total Knee Arthroplasty. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1182.3-1183.	0.5	0
188	Variation in use of non-surgical treatments among osteoarthritis patients in orthopaedic practice in the Netherlands. <i>BMJ Open</i> , 2015, 5, e009117.	0.8	23
189	Implementing international osteoarthritis treatment guidelines in primary health care: study protocol for the SAMBA stepped wedge cluster randomized controlled trial. <i>Implementation Science</i> , 2015, 10, 165.	2.5	14
190	OP0231-HPRâ€¦How do we Perceive Activity Pacing in Rheumatology Care? An International Delphi Survey. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 159.2-159.	0.5	0
191	SP0095â€¦How A Multi-Disciplinary Team Improves Patient Outcomes. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 24.3-24.	0.5	0
192	SAT0645-HPRâ€¦Which Problems in Functioning Are Identified Before and Improve After a Multidisciplinary Rehabilitation Program for Chronic Musculoskeletal Pain?. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1337.1-1337.	0.5	0
193	Translation and adaptation of the Pediatric Outcome Data Collecting Instrument (PODCI) into the Dutch language and preliminary validation in children with Neonatal Brachial Plexus Palsy. <i>Journal of Pediatric Rehabilitation Medicine</i> , 2015, 8, 219-226.	0.3	10
194	PARE0009â€¦Factors Influencing the Use of a Self-Management Care Booklet for Patients with Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1361.1-1361.	0.5	0
195	Effectiveness of Nonpharmacologic Interventions in Systemic Sclerosis: A Systematic Review. <i>Arthritis Care and Research</i> , 2015, 67, 1426-1439.	1.5	53
196	Family Impact of Acquired Brain Injury in Children and Youth. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2015, 36, 342-351.	0.6	33
197	OP0245-PAREâ€¦Helping Patients to Make Informed Decisions. The Pare Guide to Disseminate Eular Recommendations Among Patients. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 164.2-164.	0.5	0
198	Can Optimism, Pessimism, Hope, Treatment Credibility and Treatment Expectancy Be Distinguished in Patients Undergoing Total Hip and Total Knee Arthroplasty?. <i>PLoS ONE</i> , 2015, 10, e0133730.	1.1	28

#	ARTICLE	IF	CITATIONS
199	The clinical burden of generalized osteoarthritis represented by self-reported health-related quality of life and activity limitations: a cross-sectional study. <i>Rheumatology International</i> , 2015, 35, 871-877.	1.5	23
200	Randomized trial of the effectiveness of a non-pharmacological multidisciplinary face-to-face treatment program on daily function compared to a telephone-based treatment program in patients with generalized osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1267-1275.	0.6	36
201	Effectiveness of an interactive postgraduate educational intervention with patient participation on the adherence to a physiotherapy guideline for hip and knee osteoarthritis: a randomised controlled trial. <i>Disability and Rehabilitation</i> , 2015, 37, 274-282.	0.9	17
202	Measurement properties of the Health Assessment Questionnaire Disability Index for generalized osteoarthritis. <i>Rheumatology</i> , 2015, 54, 821-826.	0.9	15
203	Determinants of patient satisfaction after surgery or corticosteroid injection for trapeziometacarpal osteoarthritis: results of a prospective cohort study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2015, 135, 141-147.	1.3	24
204	Healthcare costs and loss of productivity in patients with trapeziometacarpal osteoarthritis. <i>Journal of Hand Surgery: European Volume</i> , 2015, 40, 927-934.	0.5	16
205	The association between comorbidities and pain, physical function and quality of life following hip and knee arthroplasty. <i>Rheumatology International</i> , 2015, 35, 1233-1241.	1.5	69
206	High survival rate of 43% in out-of-hospital cardiac arrest patients in an optimised chain of survival. <i>Netherlands Heart Journal</i> , 2015, 23, 20-25.	0.3	37
207	Mortality in osteoarthritis patients. <i>Scandinavian Journal of Rheumatology</i> , 2015, 44, 70-73.	0.6	27
208	Cell Salvage in Hip and Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2015, 97, 1012-1021.	1.4	47
209	Promotion of health-enhancing physical activity in rheumatoid arthritis: a comparative study on healthcare providers in Italy, The Netherlands and Sweden. <i>Rheumatology International</i> , 2015, 35, 1665-1673.	1.5	5
210	OPO305-HPRâ€¦Quality Indicators for Physiotherapy Management in Hip and Knee Osteoarthritis and Rheumatoid Arthritis; Development and Measurability. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 188.2-188.	0.5	0
211	Cognitive problems in patients in a cardiac rehabilitation program after an out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2015, 93, 63-68.	1.3	25
212	AB0851â€¦Assessment and Comparison of Responsiveness of Four Patient Reported Outcome Measures to Assess Physical Function in Knee OA: Womac-PF Subscale Responds Best. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1185.2-1185.	0.5	0
213	Return to work after total hip and knee arthroplasty: results from a clinical study. <i>Rheumatology International</i> , 2015, 35, 2059-2067.	1.5	26
214	Determinants of participation of youth with acquired brain injury: A systematic review. <i>Brain Injury</i> , 2015, 29, 1135-1145.	0.6	36
215	Psychometric evaluation of the Dutch language version of the Child and Family Follow-up Survey. <i>Developmental Neurorehabilitation</i> , 2015, 18, 357-364.	0.5	15
216	The minimal detectable change of the Constant score in impingement, full-thickness tears, and massive rotator cuff tears. <i>Journal of Shoulder and Elbow Surgery</i> , 2015, 24, 376-381.	1.2	49

#	ARTICLE	IF	CITATIONS
217	Development of patient-centred standards of care for osteoarthritis in Europe: the eumusc.net-project. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1145-1149.	0.5	68
218	Targeting motivation and self-regulation to increase physical activity among patients with rheumatoid arthritis: a randomised controlled trial. <i>Clinical Rheumatology</i> , 2015, 34, 231-238.	1.0	78
219	Content of non-pharmacological care for systemic sclerosis and educational needs of European health professionals: a EUSHNet survey. <i>Clinical and Experimental Rheumatology</i> , 2015, 33, S153-9.	0.4	10
220	Most Important Factors for the Implementation of Shared Decision Making in Sciatica Care: Ranking among Professionals and Patients. <i>PLoS ONE</i> , 2014, 9, e94176.	1.1	33
221	De-implementation of expensive blood saving measures in hip and knee arthroplasties: study protocol for the LISBOA-II cluster randomized trial. <i>Implementation Science</i> , 2014, 9, 48.	2.5	16
222	Which patients improve the most after arthritis rehabilitation? A study of predictors in patients with inflammatory arthritis in Northern Europe, the STAR-ETIC collaboration. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 250-257.	0.8	10
223	Return to work after total hip and knee arthroplasty: a systematic review. <i>Rheumatology</i> , 2014, 53, 512-525.	0.9	86
224	Measurement Properties of the German Michigan Hand Outcomes Questionnaire in Patients With Trapeziometacarpal Osteoarthritis. <i>Arthritis Care and Research</i> , 2014, 66, 245-252.	1.5	42
225	Validation of the educational needs assessment tool as a generic instrument for rheumatic diseases in seven European countries. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 2122-2129.	0.5	37
226	Health Care Use of Patients With Osteoarthritis of the Hip or Knee After Implementation of a Stepped-care Strategy: An Observational Study. <i>Arthritis Care and Research</i> , 2014, 66, 817-827.	1.5	42
227	Perceived barriers among physicians for stopping non-cost-effective blood-saving measures in total hip and total knee arthroplasties. <i>Transfusion</i> , 2014, 54, 2598-2607.	0.8	19
228	Multidisciplinary Rehabilitation for Chronic Widespread Musculoskeletal Pain: Results from Daily Practice. <i>Musculoskeletal Care</i> , 2014, 12, 210-220.	0.6	23
229	Guideline recommendations for post acute postoperative physiotherapy in total hip and knee joint replacement surgery: are they used in daily clinical practice?. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S456.	0.6	0
230	Development of patient-centred standards of care for osteoarthritis in Europe: the eumusc.net-project. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S437-S438.	0.6	0
231	Designing a strategy to implement optimal conservative treatments in patients with knee or hip osteoarthritis in orthopedic practice: a study protocol of the BART-OP study. <i>Implementation Science</i> , 2014, 9, 22.	2.5	9
232	Guideline Recommendations for Post-Acute Postoperative Physiotherapy in Total Hip and Knee Arthroplasty: Are They Used in Daily Clinical Practice?. <i>Musculoskeletal Care</i> , 2014, 12, 125-131.	0.6	41
233	Health care in systemic lupus erythematosus (SLE): the patient's perspective. <i>Clinical Rheumatology</i> , 2014, 33, 1279-1287.	1.0	7
234	Non-surgical care in patients with hip or knee osteoarthritis is modestly consistent with a stepped care strategy after its implementation. <i>International Journal for Quality in Health Care</i> , 2014, 26, 490-498.	0.9	21

#	ARTICLE	IF	CITATIONS
235	Measuring educational needs among patients with systemic lupus erythematosus (SLE) using the Dutch version of the Educational Needs Assessment Tool (D-ENAT). <i>Lupus</i> , 2014, 23, 1370-1376.	0.8	11
236	Development of healthcare quality indicators for rheumatoid arthritis in Europe: the eumusc.net project. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 906-908.	0.5	48
237	Health-care utilization in Dutch systemic sclerosis patients. <i>Clinical Rheumatology</i> , 2014, 33, 825-832.	1.0	12
238	Response to Dr Forestier's eLetter on EULAR recommendations for the non-pharmacological core management of hip and knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, e7-e7.	0.5	23
239	Facilitators to implement standards of care for rheumatoid arthritis and osteoarthritis: the EUMUSC.NET project. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1545-1548.	0.5	9
240	Comorbidity in osteoarthritis patients following hip and knee joint replacement surgery. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S185-S186.	0.6	1
241	Effect of stepped care on health outcomes in patients with osteoarthritis: an observational study in Dutch general practice. <i>British Journal of General Practice</i> , 2014, 64, e538-e544.	0.7	10
242	OP0286-HPR...Effectiveness of Non-Pharmacological Interventions in Systemic Sclerosis: A Systematic Review. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 170.1-170.	0.5	0
243	THU0437...Return to Work after Total Hip and Knee Arthroplasty: Results from A Prospective Cohort Study. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 333.3-334.	0.5	2
244	SAT0104...Comorbidity in Patients with Osteoarthritis Undergoing Hip or Knee Replacement Surgery. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 628.1-628.	0.5	0
245	OP0140-HPR...Preliminary Results of A Randomized Clinical TRIAL Comparing the Effectiveness of A Non-Pharmacological Multidisciplinary Group-Based Treatment Program with A Telephone Monitored Program on Daily Function in Patients with Generalized Osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 113.2-113.	0.5	0
246	OP0301-PARE...Active Involvement of Patients in Health Research: Development and Evaluation of A Care Booklet for Patients with Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 175.3-176.	0.5	0
247	THU0561...Perceived Facilitators and Barriers of Cardiovascular Training. A Survey among People with Ankylosing Spondylitis and Physiotherapists. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 376.2-377.	0.5	1
248	SAT0594-HPR...Measurement Properties of the Health Assessment Questionnaire Disability Index in Patients with Generalized Osteoarthritis (GOA). <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1212.2-1212.	0.5	0
249	Frequency and impact of disease symptoms experienced by patients with systemic sclerosis from five European countries. <i>Clinical and Experimental Rheumatology</i> , 2014, 32, S-88-93.	0.4	14
250	Translation and preliminary validation of the english version of the DUX questionnaire for lower extremity bone tumor patients (Btâ€DUX): A diseaseâ€specific measure for quality of life. <i>Journal of Surgical Oncology</i> , 2013, 107, 353-359.	0.8	6
251	Agreement of general practitioners with the guideline-based stepped-care strategy for patients with osteoarthritis of the hip or knee: a cross-sectional study. <i>BMC Family Practice</i> , 2013, 14, 33.	2.9	21
252	Translation, cross-cultural adaptation, and validation of the Mouth Handicap in Systemic Sclerosis questionnaire (MHISS) into the Dutch language. <i>Clinical Rheumatology</i> , 2013, 32, 1649-1655.	1.0	16

#	ARTICLE	IF	CITATIONS
253	A Pilot Implementation of an Intervention to Promote Sexual Health in Adolescents and Young Adults in Rehabilitation. <i>Sexuality and Disability</i> , 2013, 31, 373-392.	0.4	13
254	An innovative care model coordinated by a physical therapist and nurse practitioner for osteoarthritis of the hip and knee in specialist care: a prospective study. <i>Rheumatology International</i> , 2013, 33, 1821-1828.	1.5	14
255	Health care quality indicators on the management of rheumatoid arthritis and osteoarthritis: a literature review. <i>Rheumatology</i> , 2013, 52, 382-390.	0.9	24
256	Barriers and facilitators to implement shared decision making in multidisciplinary sciatica care: a qualitative study. <i>Implementation Science</i> , 2013, 8, 95.	2.5	44
257	Frequent use of blood-saving measures in elective orthopaedic surgery: a 2012 Dutch blood management survey. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 230.	0.8	16
258	Patient reported barriers and facilitators to using a self-management booklet for hip and knee osteoarthritis in primary care: results of a qualitative interview study. <i>BMC Family Practice</i> , 2013, 14, 181.	2.9	24
259	Quality Indicators for Physiotherapy Care in Hip and Knee Osteoarthritis: Development and Clinimetric Properties. <i>Musculoskeletal Care</i> , 2013, 11, 193-202.	0.6	9
260	Youth with acquired brain injury in The Netherlands: A multi-centre study. <i>Brain Injury</i> , 2013, 27, 843-849.	0.6	47
261	EULAR recommendations for the non-pharmacological core management of hip and knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1125-1135.	0.5	1,033
262	A comparative study on the prevalence of musculoskeletal complaints among musicians and non-musicians. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 9.	0.8	67
263	Musicians' illness perceptions of musculoskeletal complaints. <i>Clinical Rheumatology</i> , 2013, 32, 487-492.	1.0	23
264	Cognitive complaints after out of hospital cardiac arrest: first results of a compact screening. <i>European Heart Journal</i> , 2013, 34, P5120-P5120.	1.0	0
265	Functional disability in patients with rheumatoid arthritis admitted for multidisciplinary rehabilitation from 1992 to 2009. <i>Rheumatology</i> , 2013, 52, 1879-1883.	0.9	13
266	Postgraduate education to increase adherence to a Dutch physiotherapy practice guideline for hip and knee OA: a randomized controlled trial. <i>Rheumatology</i> , 2013, 52, 368-375.	0.9	21
267	Outcome measures and their measurement properties for trapeziometacarpal osteoarthritis: a systematic literature review. <i>Journal of Hand Surgery: European Volume</i> , 2013, 38, 822-838.	0.5	44
268	Concepts of functioning and health important to children with an obstetric brachial plexus injury: a qualitative study using focus groups. <i>Developmental Medicine and Child Neurology</i> , 2013, 55, 1136-1142.	1.1	13
269	Invalid inversion. <i>Significance</i> , 2013, 10, 40-42.	0.3	6
270	OP0081...Concepts important to patients with rheumatoid arthritis in rehabilitation and their coverage by rehabilitation tools. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 80.3-81.	0.5	0

#	ARTICLE	IF	CITATIONS
271	FRI0318â€¦Mortality in osteoarthritis patients consulting health care. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 421.2-421.	0.5	0
272	SAT0441â€¦Health care quality indicators on the management of rheumatoid arthritis and osteoarthritis: A systematic review (in the framework of the eumusc.net project). <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 621.2-621.	0.5	0
273	FRI0438â€¦Psychometric properties of the german michigan hand questionnaire in patients with carpometacarpal osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 462.2-462.	0.5	0
274	SP0180â€¦Health professionals workshop session: â€œIâ€™ve been asked to review a clinical guideline â€œ where do I start?â€. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 44.2-44.	0.5	0
275	SAT0440â€¦Health care quality indicators for rheumatoid arthritis and osteoarthritis: The eumusc.net project. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 621.1-621.	0.5	0
276	The mid-term outcome of total ankle arthroplasty and ankle fusion in rheumatoid arthritis: a systematic review. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 306.	0.8	24
277	Goal-setting in multidisciplinary team care for patients with rheumatoid arthritis: An international multi-center evaluation of the contents using the International Classification of Functioning, Disability and Health as a reference. <i>Journal of Rehabilitation Medicine</i> , 2013, 45, 888-899.	0.8	21
278	Developing core sets for patients with obstetric brachial plexus injury based on the International Classification of Functioning, Disability and Health. <i>Bone and Joint Research</i> , 2013, 2, 116-121.	1.3	7
279	Whatâ€™s in the black box of arthritis rehabilitation? A comparison of rehabilitation practice for patients with inflammatory arthritis in Northern Europe. <i>Journal of Rehabilitation Medicine</i> , 2013, 45, 458-466.	0.8	13
280	Patients with Severe Radiographic Osteoarthritis Have a Better Prognosis in Physical Functioning after Hip and Knee Replacement: A Cohort-Study. <i>PLoS ONE</i> , 2013, 8, e59500.	1.1	89
281	Gaming supports youth with acquired brain injury? A pilot study. <i>Brain Injury</i> , 2012, 26, 1021-1029.	0.6	33
282	A Qualitative Study of Barriers to the Implementation of a Rheumatoid Arthritis Guideline Among Generalist and Specialist Physical Therapists. <i>Physical Therapy</i> , 2012, 92, 1292-1305.	1.1	15
283	Work status and its determinants among patients with systemic sclerosis: a systematic review. <i>Rheumatology</i> , 2012, 51, 1304-1314.	0.9	19
284	The Western Ontario Rotator Cuff Index in Rotator Cuff Disease Patients. <i>American Journal of Sports Medicine</i> , 2012, 40, 1611-1619.	1.9	78
285	Designing an implementation strategy to improve interprofessional shared decision making in sciatica: study protocol of the DISC study. <i>Implementation Science</i> , 2012, 7, 55.	2.5	6
286	Designing a strategy to implement cost-effective blood transfusion management in elective hip and knee arthroplasties: A study protocol. <i>Implementation Science</i> , 2012, 7, 58.	2.5	18
287	Preface. <i>Best Practice and Research in Clinical Rheumatology</i> , 2012, 26, 289-291.	1.4	0
288	Cost of rheumatic disorders in the Netherlands. <i>Best Practice and Research in Clinical Rheumatology</i> , 2012, 26, 721-731.	1.4	16

#	ARTICLE	IF	CITATIONS
289	Development of a framework identifying domains and elements of importance for arthritis rehabilitation. <i>Journal of Rehabilitation Medicine</i> , 2012, 44, 406-413.	0.8	20
290	Physical Therapists' Management of Rheumatoid Arthritis: Results of a Dutch Survey. <i>Musculoskeletal Care</i> , 2012, 10, 142-148.	0.6	11
291	A prospective study on quality of life and functional outcome in children and adolescents after malignant bone tumor surgery. <i>Pediatric Blood and Cancer</i> , 2012, 58, 978-985.	0.8	33
292	Adaptation and crosscultural validation of the foot impact scale for rheumatoid arthritis using Rasch analysis. <i>Arthritis Care and Research</i> , 2012, 64, 986-992.	1.5	7
293	Evaluation of a website providing information on regional health care services for patients with rheumatoid arthritis: an observational study. <i>Clinical Rheumatology</i> , 2012, 31, 637-645.	1.0	12
294	Mortality in osteoarthritis patients consulting health care. <i>Osteoarthritis and Cartilage</i> , 2012, 20, S153-S154.	0.6	0
295	Quality of life, functional ability and physical activity after different surgical interventions for bone cancer of the leg: A systematic review. <i>Surgical Oncology</i> , 2012, 21, e39-e47.	0.8	19
296	Focusing illusion, adaptation and EQâ€5D health state descriptions: the difference between patients and public. <i>Health Expectations</i> , 2012, 15, 367-378.	1.1	18
297	Role of rheumatology clinical nurse specialists in optimizing management of hand osteoarthritis during daily practice in secondary care: an observational study. <i>Journal of Multidisciplinary Healthcare</i> , 2011, 4, 403.	1.1	9
298	Nonpharmacological treatment of rheumatoid arthritis. <i>Current Opinion in Rheumatology</i> , 2011, 23, 259-264.	2.0	47
299	Determinants of Patient Satisfaction After Orthopedic Interventions to the Hand: A Review of the Literature. <i>Journal of Hand Therapy</i> , 2011, 24, 303-312.e10.	0.7	59
300	Unmet information needs about the delivery of rheumatology health care services: A survey among patients with rheumatoid arthritis. <i>Patient Education and Counseling</i> , 2011, 85, 299-303.	1.0	64
301	Needs and preferences regarding health care delivery as perceived by patients with systemic sclerosis. <i>Clinical Rheumatology</i> , 2011, 30, 815-824.	1.0	46
302	â€Beating osteoARthritisâ€: Development of a stepped care strategy to optimize utilization and timing of non-surgical treatment modalities for patients with hip or knee osteoarthritis. <i>Clinical Rheumatology</i> , 2011, 30, 1623-1629.	1.0	102
303	Promoting physical activity in patients with rheumatoid arthritis: rheumatologistsâ€™ and health professionalsâ€™ practice and educational needs. <i>Clinical Rheumatology</i> , 2011, 30, 1603-1609.	1.0	44
304	Cross-cultural validation of the Educational Needs Assessment Tool in RA in 7 European countries. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 110.	0.8	49
305	Functional ability and physical activity in children and young adults after limbâ€salvage or ablative surgery for lower extremity bone tumors. <i>Journal of Surgical Oncology</i> , 2011, 103, 276-282.	0.8	43
306	Recommendations for Economic Evaluations of Nonâ€pharmacological Arthritis Care: Results from the CARE VI Meeting 2010. <i>Musculoskeletal Care</i> , 2011, 9, 120-123.	0.6	4

#	ARTICLE	IF	CITATIONS
307	Randomized comparison of a multidisciplinary team care program with usual care in patients with systemic sclerosis. <i>Arthritis Care and Research</i> , 2011, 63, 909-917.	1.5	52
308	Effect of self-efficacy and physical activity goal achievement on arthritis pain and quality of life in patients with rheumatoid arthritis. <i>Arthritis Care and Research</i> , 2011, 63, 1613-1619.	1.5	67
309	Left ventricular dysfunction assessed by speckle-tracking strain analysis in patients with systemic sclerosis: Relationship to functional capacity and ventricular arrhythmias. <i>Arthritis and Rheumatism</i> , 2011, 63, 3969-3978.	6.7	80
310	Health care usage in Dutch systemic lupus erythematosus patients. <i>Lupus</i> , 2011, 20, 1147-1154.	0.8	4
311	Quality appraisal of clinical practice guidelines on the use of physiotherapy in rheumatoid arthritis: a systematic review. <i>Rheumatology</i> , 2011, 50, 1879-1888.	0.9	54
312	Rasch analysis of Dutch-translated version of the Foot Impact Scale for rheumatoid arthritis. <i>Rheumatology</i> , 2011, 50, 1315-1319.	0.9	10
313	Limitations in daily activities are the major determinant of reduced health-related quality of life in patients with hand osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 334-336.	0.5	77
314	Dynamic exercise therapy for treating rheumatoid arthritis. <i>The Cochrane Library</i> , 2010, 2010, CD000322.	1.5	10
315	Point-of-care glucose measurement systems should be used with great caution in critically ill intensive care unit patients. <i>Critical Care Medicine</i> , 2010, 38, 339-340.	0.4	0
316	Who says bedside glucose measurement is simple (or always accurate)?. <i>Critical Care Medicine</i> , 2010, 38, 1013.	0.4	0
317	Development of a framework for reporting health service models for managing rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2010, 29, 151-165.	1.0	10
318	Motivation as a determinant of physical activity in patients with rheumatoid arthritis. <i>Arthritis Care and Research</i> , 2010, 62, 371-377.	1.5	77
319	Exploring the public health impact of an intensive exercise program for patients with rheumatoid arthritis: A dissemination and implementation study. <i>Arthritis Care and Research</i> , 2010, 62, 865-872.	1.5	15
320	The ParkinsonNet concept: Development, implementation and initial experience. <i>Movement Disorders</i> , 2010, 25, 823-829.	2.2	74
321	Swan neck deformities in rheumatoid arthritis: a qualitative study on the patients' perspectives on hand function problems and finger splints. <i>Musculoskeletal Care</i> , 2010, 8, 179-188.	0.6	14
322	Quality of life in young patients after bone tumor surgery around the knee joint and comparison with healthy controls. <i>Pediatric Blood and Cancer</i> , 2010, 54, 738-745.	0.8	52
323	Continuing Professional Development Is Associated With Increasing Physical Therapists' Roles in Arthritis Management in Canada and the Netherlands. <i>Physical Therapy</i> , 2010, 90, 629-642.	1.1	13
324	New guidelines on nondrug treatment in RA. <i>Nature Reviews Rheumatology</i> , 2010, 6, 250-251.	3.5	1

#	ARTICLE	IF	CITATIONS
325	Maintenance of physical activity after Internet-based physical activity interventions in patients with rheumatoid arthritis. <i>Rheumatology</i> , 2010, 49, 167-172.	0.9	42
326	Validity and responsiveness of the World Health Organization Disability Assessment Schedule II to assess disability in rheumatoid arthritis patients. <i>Rheumatology</i> , 2010, 49, 326-333.	0.9	40
327	Effect of adaptive abilities on utilities, direct or mediated by mental health?. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 130.	1.0	3
328	Quality indicators in rheumatology: valid for whom?. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 1797-1799.	0.5	8
329	Vocational rehabilitation programs for individuals with chronic arthritis. <i>Current Opinion in Rheumatology</i> , 2009, 21, 183-188.	2.0	23
330	Adaptation and cross-cultural validation of the rheumatoid arthritis work instability scale (RA-WIS). <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 1686-1690.	0.5	33
331	Accuracy of AccuChek glucose measurement in intensive care patients*. <i>Critical Care Medicine</i> , 2009, 37, 2691-2696.	0.4	59
332	Non-drug therapies in early rheumatoid arthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2009, 23, 103-116.	1.4	38
333	Impaired sexual function in women with systemic sclerosis: A cross-sectional study. <i>Arthritis and Rheumatism</i> , 2009, 61, 1601-1608.	6.7	50
334	Effectiveness of two finger splints for swan neck deformity in patients with rheumatoid arthritis: A randomized, crossover trial. <i>Arthritis and Rheumatism</i> , 2009, 61, 1025-1031.	6.7	24
335	Assistive devices: usage in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2009, 28, 119-128.	1.0	45
336	Long-term follow-up of a high-intensity exercise program in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2009, 28, 663-671.	1.0	52
337	Measuring educational needs among patients with rheumatoid arthritis using the Dutch version of the Educational Needs Assessment Tool (DENAT). <i>Clinical Rheumatology</i> , 2009, 28, 1073-1077.	1.0	57
338	The Btâ€DUX: Development of a subjective measure of healthâ€related quality of life in patients who underwent surgery for lower extremity malignant bone tumor. <i>Pediatric Blood and Cancer</i> , 2009, 53, 348-355.	0.8	22
339	Dynamic exercise programs (aerobic capacity and/or muscle strength training) in patients with rheumatoid arthritis. <i>The Cochrane Library</i> , 2009, , CD006853.	1.5	182
340	Are static resting wrist splints beneficial in early RA?. <i>Nature Reviews Rheumatology</i> , 2009, 5, 124-125.	3.5	2
341	Rehabilitation in rheumatoid arthritis and ankylosing spondylitis: differences and similarities. <i>Clinical and Experimental Rheumatology</i> , 2009, 27, S171-8.	0.4	9
342	Individual quality of life: adaptive conjoint analysis as an alternative for direct weighting?. <i>Quality of Life Research</i> , 2008, 17, 641-649.	1.5	17

#	ARTICLE	IF	CITATIONS
343	Sick leave and work disability in patients with early arthritis. <i>Clinical Rheumatology</i> , 2008, 27, 11-19.	1.0	40
344	Purpose in life in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2008, 27, 899-908.	1.0	28
345	Implementation of a physical activity intervention for people with rheumatoid arthritis: A case study. <i>Musculoskeletal Care</i> , 2008, 6, 69-85.	0.6	10
346	Responsiveness of the Michigan Hand Outcomes Questionnaireâ€™Dutch Language Version in Patients With Rheumatoid Arthritis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008, 89, 1121-1126.	0.5	45
347	The usage of functional wrist orthoses in patients with rheumatoid arthritis. <i>Disability and Rehabilitation</i> , 2008, 30, 286-295.	0.9	21
348	Validity and responsiveness of the Rehabilitation Activities Profile (RAP) in patients with rheumatoid arthritis. <i>Clinical Rehabilitation</i> , 2008, 22, 788-800.	1.0	1
349	Value of serum cartilage oligomeric matrix protein as a prognostic marker of large-joint damage in rheumatoid arthritis--data from the RAPIT study. <i>Rheumatology</i> , 2008, 47, 868-871.	0.9	23
350	The impact of introducing an ICF-based rehabilitation tool on staff satisfaction with multidisciplinary team care in rheumatology: an exploratory study. <i>Clinical Rehabilitation</i> , 2008, 22, 23-37.	1.0	38
351	Non-drug care for RA is the era of evidence-based practice approaching?. <i>Rheumatology</i> , 2007, 46, 1397-1404.	0.9	31
352	Are Patients With Rheumatoid Arthritis Less Physically Active Than the General Population?. <i>Journal of Clinical Rheumatology</i> , 2007, 13, 181-186.	0.5	63
353	Most people with rheumatoid arthritis undertake leisure-time physical activity and exercise in the Netherlands: an observational study. <i>Australian Journal of Physiotherapy</i> , 2007, 53, 113-118.	0.9	29
354	A Multidisciplinary Hand Clinic for Patients with Rheumatic Diseases: a Pilot Study. <i>Journal of Hand Therapy</i> , 2007, 20, 251-261.	0.7	13
355	Engagement and satisfaction with an Internet-based physical activity intervention in patients with rheumatoid arthritis. <i>Rheumatology</i> , 2007, 46, 545-552.	0.9	49
356	Effectiveness of the introduction of an International Classification of Functioning, Disability and Healthâ€™based rehabilitation tool in multidisciplinary team care in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2007, 57, 240-248.	6.7	26
357	Cost-utility analysis of a multidisciplinary job retention vocational rehabilitation program in patients with chronic arthritis at risk of job loss. <i>Arthritis and Rheumatism</i> , 2007, 57, 778-786.	6.7	11
358	The impact of the implementation of a rehabilitation tool on the contents of the communication during multidisciplinary team conferences in rheumatology. <i>International Journal of Medical Informatics</i> , 2007, 76, 856-863.	1.6	11
359	A comparison of the measurement properties of the Juvenile Arthritis Functional Assessment Scale with the childhood health assessment questionnaire in daily practice. <i>Clinical Rheumatology</i> , 2007, 26, 1903-1907.	1.0	10
360	Internet-Based Physical Activity Interventions: A Systematic Review of the Literature. <i>Journal of Medical Internet Research</i> , 2007, 9, e26.	2.1	320

#	ARTICLE	IF	CITATIONS
361	Comparison of High-Grade and Low-Grade Mobilization Techniques in the Management of Adhesive Capsulitis of the Shoulder: Randomized Controlled Trial. <i>Physical Therapy</i> , 2006, 86, 355-368.	1.1	198
362	Sick leave as a predictor of job loss in patients with chronic arthritis. <i>International Archives of Occupational and Environmental Health</i> , 2006, 80, 160-170.	1.1	33
363	Using internet technology to deliver a home-based physical activity intervention for patients with rheumatoid arthritis: A randomized controlled trial. <i>Arthritis and Rheumatism</i> , 2006, 55, 935-945.	6.7	125
364	Putting caring into research – the CARE conferences. <i>Musculoskeletal Care</i> , 2006, 4, 125-129.	0.6	4
365	Consensus Dutch Health Assessment Questionnaire. <i>Annals of the Rheumatic Diseases</i> , 2006, 66, 132-133.	0.5	54
366	Responsiveness of the shoulder function assessment scale in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2006, 65, 239-241.	0.5	9
367	Re: Touch screen computer systems in the rheumatology clinic offer a reliable and user-friendly means of collecting quality-of-life and outcome data from patients with rheumatoid arthritis. <i>Rheumatology</i> , 2006, 45, 1050-1051.	0.9	1
368	Does everybody need a team?. <i>Journal of Rheumatology</i> , 2006, 33, 1897-9.	1.0	11
369	Current topics on models of care in the management of inflammatory arthritis. <i>Journal of Rheumatology</i> , 2006, 33, 1900-3.	1.0	10
370	Safety of exercise in patients with rheumatoid arthritis. <i>Current Opinion in Rheumatology</i> , 2005, 17, 177-182.	2.0	74
371	Pilot study of the development of a theory-based instrument to evaluate the communication process during multidisciplinary team conferences in rheumatology. <i>International Journal of Medical Informatics</i> , 2005, 74, 783-790.	1.6	10
372	Cost-utility and cost-effectiveness analyses of a long-term, high-intensity exercise program compared with conventional physical therapy in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2005, 53, 39-47.	6.7	62
373	Effect of a high-intensity weight-bearing exercise program on radiologic damage progression of the large joints in subgroups of patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2005, 53, 410-417.	6.7	68
374	Randomized comparison of a multidisciplinary job-retention vocational rehabilitation program with usual outpatient care in patients with chronic arthritis at risk for job loss. <i>Arthritis and Rheumatism</i> , 2005, 53, 682-690.	6.7	60
375	Translation, adaptation and validation of the Shoulder Rating Questionnaire (SRQ) into the Dutch language. <i>Clinical Rehabilitation</i> , 2005, 19, 300-311.	1.0	33
376	Impact of adhesive capsulitis and economic evaluation of high-grade and low-grade mobilisation techniques. <i>Australian Journal of Physiotherapy</i> , 2005, 51, 141-149.	0.9	33
377	A comparison of two portable dynamometers in the assessment of shoulder and elbow strength. <i>Physiotherapy</i> , 2005, 91, 101-112.	0.2	26
378	A multidisciplinary job retention vocational rehabilitation programme for patients with chronic rheumatic diseases: patients' and occupational physicians' satisfaction. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 562-568.	0.5	24

#	ARTICLE	IF	CITATIONS
379	High intensity exercise or conventional exercise for patients with rheumatoid arthritis? Outcome expectations of patients, rheumatologists, and physiotherapists. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 804-808.	0.5	47
380	Long term high intensity exercise and damage of small joints in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 1399-1405.	0.5	108
381	Slowing of bone loss in patients with rheumatoid arthritis by long-term high-intensity exercise: Results of a randomized, controlled trial. <i>Arthritis and Rheumatism</i> , 2004, 50, 1066-1076.	6.7	88
382	Differences between participants and nonparticipants in an exercise trial for adults with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2004, 51, 593-600.	6.7	41
383	Focusing on care research: A challenge and an opportunity. <i>Arthritis and Rheumatism</i> , 2004, 51, 874-876.	6.7	12
384	Exercise therapy after coronary artery bypass graft surgery: a randomized comparison of a high and low frequency exercise therapy program. <i>Annals of Thoracic Surgery</i> , 2004, 77, 1535-1541.	0.7	53
385	Multidisciplinary team care and outcomes in rheumatoid arthritis. <i>Current Opinion in Rheumatology</i> , 2004, 16, 153-156.	2.0	66
386	A system of networks and continuing education for physical therapists in rheumatology: a feasibility study. <i>International Journal of Integrated Care</i> , 2004, 4, e19.	0.1	14
387	Rehabilitation of people with rheumatoid arthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2003, 17, 847-861.	1.4	44
388	Validation of a novel satisfaction questionnaire for patients with rheumatoid arthritis receiving outpatient clinical nurse specialist care, inpatient care, or day patient team care. <i>Arthritis and Rheumatism</i> , 2003, 49, 193-199.	6.7	26
389	Is a long-term high-intensity exercise program effective and safe in patients with rheumatoid arthritis?: Results of a randomized controlled trial. <i>Arthritis and Rheumatism</i> , 2003, 48, 2415-2424.	6.7	268
390	Adherence and satisfaction of rheumatoid arthritis patients with a long-term intensive dynamic exercise program (RAPIT program). <i>Arthritis and Rheumatism</i> , 2003, 49, 665-672.	6.7	49
391	Cost effectiveness and cost utility analysis of multidisciplinary care in patients with rheumatoid arthritis: a randomised comparison of clinical nurse specialist care, inpatient team care, and day patient team care. <i>Annals of the Rheumatic Diseases</i> , 2003, 62, 308-315.	0.5	101
392	Re: Oral Contraceptives and the Risk of Breast Cancer in BRCA1 and BRCA2 Mutation Carriers. <i>Journal of the National Cancer Institute</i> , 2003, 95, 1011-1012.	3.0	5
393	Measurement of three dimensional shoulder movement patterns with an electromagnetic tracking device in patients with a frozen shoulder. <i>Annals of the Rheumatic Diseases</i> , 2002, 61, 115-120.	0.5	104
394	Communication between Dutch rheumatologists and occupational physicians in the occupational rehabilitation of patients with rheumatic diseases. <i>Annals of the Rheumatic Diseases</i> , 2002, 61, 62-65.	0.5	28
395	Vocational rehabilitation in patients with chronic rheumatic diseases: A systematic literature review. <i>Seminars in Arthritis and Rheumatism</i> , 2002, 32, 196-203.	1.6	52
396	Effect of dynamic strength training on functional capacity in rheumatoid arthritis: Comment on the article by Hiirokkinen et al. <i>Arthritis and Rheumatism</i> , 2002, 46, 274-274.	6.7	1

#	ARTICLE	IF	CITATIONS
397	Long-term outcome in rheumatoid arthritis: A simple algorithm of baseline parameters can predict radiographic damage, disability, and disease course at 12-year followup. <i>Arthritis and Rheumatism</i> , 2002, 47, 383-390.	6.7	106
398	A randomized comparison of care provided by a clinical nurse specialist, an inpatient team, and a day patient team in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2002, 47, 525-531.	6.7	95
399	Managing chronic disease: evidence-based medicine or patient centred medicine?. <i>Health Care Analysis</i> , 2002, 10, 289-298.	1.4	20
400	Measuring physical activity in patients after surgery for a malignant tumour in the leg. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2001, 83-B, 1015-1019.	3.4	13
401	The validity of the Rheumatoid Arthritis Quality of Life (RAQoL) questionnaire. <i>Rheumatology</i> , 2001, 40, 1112-1119.	0.9	66
402	Measuring physical activity in patients after surgery for a malignant tumour in the leg. The reliability and validity of a continuous ambulatory activity monitor. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2001, 83, 1015-9.	3.4	24
403	Value of the time trade off method for measuring utilities in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2000, 59, 892-897.	0.5	44
404	Prevalence of BRCA1 in a hospital-based population of Dutch breast cancer patients. <i>British Journal of Cancer</i> , 2000, 83, 719-724.	2.9	33
405	Reliability and sensitivity to change of various measures of hand function in relation to treatment of synovitis of the metacarpophalangeal joint in rheumatoid arthritis. <i>Rheumatology</i> , 2000, 39, 909-913.	0.9	14
406	The assessment of genetic risk of breast cancer: a set of GP guidelines. <i>Family Practice</i> , 1999, 16, 71-77.	0.8	30
407	GPs' management of women seeking help for familial breast cancer. <i>Family Practice</i> , 1999, 16, 463-467.	0.8	11
408	Laboratory Screening for Side Effects of Disease Modifying Antirheumatic Drugs in Daily Rheumatological Practice. <i>Scandinavian Journal of Rheumatology</i> , 1998, 27, 170-179.	0.6	9
409	Patients' Utilities for Cancer Treatments. <i>Medical Decision Making</i> , 1998, 18, 391-399.	1.2	86
410	Dynamic exercise therapy in rheumatoid arthritis: a systematic review. <i>Rheumatology</i> , 1998, 37, 677-687.	0.9	127
411	A comparison of the futuro wrist orthosis with a synthetic thermolyn orthosis: Utility and clinical effectiveness. <i>Arthritis and Rheumatism</i> , 1998, 11, 217-222.	6.7	15
412	Dynamic exercise therapy for treating rheumatoid arthritis. , 1998, , CD000322.		38
413	The two-year follow-up of a randomized comparison of in-patient multidisciplinary team care and routine out-patient care for active rheumatoid arthritis. <i>Rheumatology</i> , 1997, 36, 82-85.	0.9	49
414	Measurement of Morning Stiffness in Rheumatoid Arthritis Clinical Trials. <i>Journal of Clinical Epidemiology</i> , 1997, 50, 757-763.	2.4	37

#	ARTICLE	IF	CITATIONS
415	Efficacy of multidisciplinary team care programs in rheumatoid arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 1997, 27, 110-122.	1.6	59
416	A RANDOMIZED CLINICAL TRIAL OF IN-PATIENT MULTIDISCIPLINARY TREATMENT VERSUS ROUTINE OUT-PATIENT CARE IN ACTIVE RHEUMATOID ARTHRITIS. <i>Rheumatology</i> , 1996, 35, 475-482.	0.9	50
417	IN-PATIENT TREATMENT FOR ACTIVE RHEUMATOID ARTHRITIS: CLINICAL COURSE AND PREDICTORS OF IMPROVEMENT. <i>Rheumatology</i> , 1995, 34, 847-853.	0.9	12
418	Sociodemographic factors and the outcome of rheumatoid arthritis in young women.. <i>Annals of the Rheumatic Diseases</i> , 1994, 53, 803-806.	0.5	56
419	The perspective of people with axial spondyloarthritis regarding physiotherapy: room for the implementation of a more active approach. <i>Rheumatology Advances in Practice</i> , 0, , .	0.3	5
420	Consensus-based recommendations on communication and education regarding primary care physical therapy for patients with systemic sclerosis. <i>Musculoskeletal Care</i> , 0, , .	0.6	0