
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6328413/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Genetics of hyperuricemia and gout: Insights from recent genome-wide association studies and Mendelian randomization studies. Tzu Chi Medical Journal, 2022, 34, 261.	0.4	3
2	Pleiotropic Effects of Common and Rare GCKR Exonic Mutations on Cardiometabolic Traits. Genes, 2022, 13, 491.	1.0	13
3	Differential Genetic and Epigenetic Effects of the KLF14 Gene on Body Shape Indices and Metabolic Traits. International Journal of Molecular Sciences, 2022, 23, 4165.	1.8	7
4	Synergistic Effects of Weighted Genetic Risk Scores and Resistin and sST2 Levels on the Prognostication of Long-Term Outcomes in Patients with Coronary Artery Disease. International Journal of Molecular Sciences, 2022, 23, 4292.	1.8	1
5	Functional Haplotype of LIPC Induces Triglyceride-Mediated Suppression of HDL-C Levels According to Genome-Wide Association Studies. Genes, 2021, 12, 148.	1.0	8
6	Circulating chemerin level is associated with metabolic, biochemical and haematological parameters—A populationâ€based study. Clinical Endocrinology, 2021, 94, 927-939.	1.2	8
7	Circulating chemerin levels are determined through circulating platelet counts in nondiabetic Taiwanese people: A bidirectional Mendelian randomization study. Atherosclerosis, 2021, 320, 61-69.	0.4	9
8	Combined corrected QT interval and growth differentiation factorâ€15 level has synergistic predictive value for longâ€term outcome of angiographically confirmed coronary artery disease. International Journal of Clinical Practice, 2021, 75, e14180.	0.8	0
9	Rescue Coilization for Spontaneous Coronary Artery Rupture. JACC: Cardiovascular Interventions, 2021, 14, e149-e150.	1.1	3
10	Pleiotropic Effects of Functional MUC1 Variants on Cardiometabolic, Renal, and Hematological Traits in the Taiwanese Population. International Journal of Molecular Sciences, 2021, 22, 10641.	1.8	5
11	Genome-Wide Association Study on Adiponectin-Mediated Suppression of HDL-C Levels in Taiwanese Individuals Identifies Functional Haplotypes in CDH13. Genes, 2021, 12, 1582.	1.0	2
12	Genome-wide association study revealed novel candidate gene loci associated with soluble E-selectin levels in a Taiwanese population. Atherosclerosis, 2021, 337, 18-26.	0.4	2
13	Immuohistochemical score of matrix metalloproteinase-1 may indicate the severity of symptomatic cervical and lumbar disc degeneration. Spine Journal, 2020, 20, 124-137.	0.6	15
14	Contemporary cardiovascular outcomes in Taiwanese patients undergoing endovascular therapy for symptomatic lower extremity peripheral arterial disease. Journal of the Formosan Medical Association, 2020, 119, 1052-1060.	0.8	5
15	Modification effect of sex and obesity on the correlation of <i>LEP</i> polymorphisms with leptin levels in Taiwanese obese women. Molecular Genetics & Genomic Medicine, 2020, 8, e1113.	0.6	7
16	Genetic determinants of circulating galectinâ€3 levels in patients with coronary artery disease. Molecular Genetics & Genomic Medicine, 2020, 8, e1370.	0.6	2
17	Association Rule Mining and Prognostic Stratification of 2-Year Longevity in Octogenarians Undergoing Endovascular Therapy for Lower Extremity Arterial Disease: Observational Cohort Study. Journal of Medical Internet Research, 2020, 22, e17487.	2.1	8
18	Osteoprotegerin and osteopontin levels, but not gene polymorphisms, predict mortality in cardiovascular diseases. Biomarkers in Medicine, 2019, 13, 751-760.	0.6	14

#	Article	IF	CITATIONS
19	The Usefulness of Intravascular Ultrasound in Popliteal Artery Entrapment Syndrome. JACC: Cardiovascular Interventions, 2019, 12, 2110-2111.	1.1	2
20	Pleiotropic association of LIPC variants with lipid and urinary 8-hydroxy deoxyguanosine levels in a Taiwanese population. Lipids in Health and Disease, 2019, 18, 111.	1.2	4
21	Circulating Chemerin Levels, but not the RARRES2 Polymorphisms, Predict the Long-Term Outcome of Angiographically Confirmed Coronary Artery Disease. International Journal of Molecular Sciences, 2019, 20, 1174.	1.8	17
22	Risk stratification for low extremity amputation in critical limb ischemia patients who have undergone endovascular revascularization. Medicine (United States), 2019, 98, e16809.	0.4	6
23	Failure mode and bimodal restenosis of drug-coated balloon in femoropopliteal intervention. International Journal of Cardiology, 2018, 259, 170-177.	0.8	5
24	LIPC variants as genetic determinants of adiposity status, visceral adiposity indicators, and triglyceride-glucose (TyG) index-related parameters mediated by serum triglyceride levels. Diabetology and Metabolic Syndrome, 2018, 10, 79.	1.2	11
25	Acute Myocardial Infarction Due to Prolapse of Covered Stent Into CoronaryÂArtery Aneurysm. JACC: Cardiovascular Interventions, 2018, 11, e147-e148.	1.1	4
26	Pleiotropic Associations of <i>RARRES2</i> Gene Variants and Circulating Chemerin Levels: Potential Roles of Chemerin Involved in the Metabolic and Inflammation-Related Diseases. Mediators of Inflammation, 2018, 2018, 1-13.	1.4	25
27	Association of ABCG2 rs2231142-A allele and serum uric acid levels in male and obese individuals in a Han Taiwanese population. Journal of the Formosan Medical Association, 2017, 116, 18-23.	0.8	22
28	IL1RL1 single nucleotide polymorphism predicts sST2 level and mortality in coronary and peripheral artery disease. Atherosclerosis, 2017, 257, 71-77.	0.4	14
29	Growth Differentiation Factor 15 May Predict Mortality of Peripheral and Coronary Artery Diseases and Correlate with Their Risk Factors. Mediators of Inflammation, 2017, 2017, 1-13.	1.4	29
30	Association between NF-κB Pathway Gene Variants and sICAM1 Levels in Taiwanese. PLoS ONE, 2017, 12, e0169516.	1.1	6
31	A GDF15 3′ UTR variant, rs1054564, results in allele-specific translational repression of GDF15 by hsa-miR-1233-3p. PLoS ONE, 2017, 12, e0183187.	1.1	15
32	Immediate results and long-term cardiovascular outcomes of endovascular therapy in octogenarians and nonoctogenarians with peripheral arterial diseases. Clinical Interventions in Aging, 2016, 11, 535.	1.3	11
33	<i>CRP</i> and <i>SAA1</i> Haplotypes Are Associated with Both C-Reactive Protein and Serum Amyloid A Levels: Role of Suppression Effects. Mediators of Inflammation, 2016, 2016, 1-12.	1.4	9
34	Interactive effects of C-reactive protein levels on the association between APOE variants and triglyceride levels in a Taiwanese population. Lipids in Health and Disease, 2016, 15, 94.	1.2	16
35	Outcomes of Endovascular Therapy With the Controlled Antegrade Retrograde Subintimal Tracking (CART) or Reverse CART Technique for Long Infrainguinal Occlusions. Journal of Endovascular Therapy, 2016, 23, 330-338.	0.8	20
36	Effects of obesity on the association between common variations in the TBX5 gene and matrix metalloproteinase 9 levels in Taiwanese. Tzu Chi Medical Journal, 2016, 28, 9-14.	0.4	0

#	Article	IF	CITATIONS
37	Triglyceride Glucose-Body Mass Index Is a Simple and Clinically Useful Surrogate Marker for Insulin Resistance in Nondiabetic Individuals. PLoS ONE, 2016, 11, e0149731.	1.1	197
38	Activin A Predicts Left Ventricular Remodeling and Mortality in Patients with ST-Elevation Myocardial Infarction. Acta Cardiologica Sinica, 2016, 32, 420-7.	0.1	12
39	QT interval Independently Predicts Mortality and Heart Failure in Patients with ST-Elevation Myocardial Infarction. International Journal of Medical Sciences, 2015, 12, 968-973.	1.1	12
40	Association of CDH13 Genotypes/Haplotypes with Circulating Adiponectin Levels, Metabolic Syndrome, and Related Metabolic Phenotypes: The Role of the Suppression Effect. PLoS ONE, 2015, 10, e0122664.	1.1	27
41	Differential Associations between <i>CDH13</i> Genotypes, Adiponectin Levels, and Circulating Levels of Cellular Adhesive Molecules. Mediators of Inflammation, 2015, 2015, 1-8.	1.4	5
42	Associations between TRPV4 genotypes and body mass index in Taiwanese subjects. Molecular Genetics and Genomics, 2015, 290, 1357-1365.	1.0	9
43	Circulating YKL-40 Level, but not CHI3L1 Gene Variants, Is Associated with Atherosclerosis-Related Quantitative Traits and the Risk of Peripheral Artery Disease. International Journal of Molecular Sciences, 2014, 15, 22421-22437.	1.8	24
44	Growth-Differentiation Factor-15 and Major Cardiac Events. American Journal of the Medical Sciences, 2014, 347, 305-311.	0.4	32
45	Leptin-to-Adiponectin Ratio is Related to Low Grade Inflammation and Insulin Resistance Independent of Obesity in Non-Diabetic Taiwanese: A Cross-Sectional Cohort Study. Acta Cardiologica Sinica, 2014, 30, 204-14.	0.1	16
46	Genetic variants associated with circulating MMP1 levels near matrix metalloproteinase genes on chromosome 11q21-22 in Taiwanese: interaction with obesity. BMC Medical Genetics, 2013, 14, 30.	2.1	14
47	Mediation analysis reveals a sex-dependent association between ABO gene variants and TG/HDL-C ratio that is suppressed by sE-selectin level. Atherosclerosis, 2013, 228, 406-412.	0.4	29
48	Association of SELE genotypes/haplotypes with sE-selectin levels in Taiwanese individuals: interactive effect of MMP9 level. BMC Medical Genetics, 2012, 13, 115.	2.1	9
49	Effect of obesity on the association between common variations in the HNF1A gene region and C-reactive protein level in Taiwanese. Clinica Chimica Acta, 2011, 412, 725-729.	0.5	19
50	Effect of obesity on the association between ATF3 gene haplotypes and C-reactive protein level in Taiwanese. Clinica Chimica Acta, 2011, 412, 1026-1031.	0.5	12
51	Data feedback reduces door-to-balloon time in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention. Heart and Vessels, 2011, 26, 25-30.	0.5	12
52	Association of matrix metalloproteinase 9 genotypes and cardiovascular disease risk factors with serum matrix metalloproteinase 9 concentrations in Taiwanese individuals. Clinical Chemistry and Laboratory Medicine, 2010, 48, 543-549.	1.4	16
53	Association between an ASIC3 gene variant and insulin resistance in Taiwanese. Clinica Chimica Acta, 2010, 411, 1132-1136.	0.5	9
54	Association of soluble intercellular adhesion molecule–1 with insulin resistance and metabolic syndrome in Taiwanese. Metabolism: Clinical and Experimental, 2009, 58, 983-988.	1.5	22

#	Article	IF	CITATIONS
55	Association between C-reactive protein gene haplotypes and C-reactive protein levels in Taiwanese: Interaction with obesity. Atherosclerosis, 2009, 204, e64-e69.	0.4	41
56	Apolipoprotein A5 gene â^'1131T/C polymorphism is associated with the risk of metabolic syndrome in ethnic Chinese in Taiwan. Clinical Chemistry and Laboratory Medicine, 2008, 46, 1714-9.	1.4	27
57	Genetic variation in the ASIC3 gene influences blood pressure levels in Taiwanese. Journal of Hypertension, 2008, 26, 2154-2160.	0.3	13
58	Functional polymorphisms of FGA, encoding $\hat{I}\pm$ fibrinogen, are associated with susceptibility to venous thromboembolism in a Taiwanese population. Human Genetics, 2006, 119, 84-91.	1.8	20
59	Denaturing high-performance liquid chromatography screening of the long QT syndrome-related cardiac sodium and potassium channel genes and identification of novel mutations and single nucleotide polymorphisms. Journal of Human Genetics, 2005, 50, 490-496.	1.1	41
60	The interactive effects of hepatic lipase gene promoter polymorphisms with sex and obesity on high-density-lipoprotein cholesterol levels in Taiwanese–Chinese. Atherosclerosis, 2004, 172, 135-142.	0.4	52
61	Association Between a Novel 11–Base Pair Deletion Mutation in the Promoter Region of the Scavenger Receptor Class B Type I Gene and Plasma HDL Cholesterol Levels in Taiwanese Chinese. Arteriosclerosis, Thrombosis, and Vascular Biology, 2003, 23, 1869-1874.	1.1	64
62	Genetic variations in the cholesteryl ester transfer protein gene and high density lipoprotein cholesterol levels in Taiwanese Chinese. Human Genetics, 2002, 110, 57-63.	1.8	56
63	Sinoatrial nodal artery aneurysm with right ventricular outflow tract compression: Report of a case. Catheterization and Cardiovascular Interventions, 2000, 51, 328-331.	0.7	1
64	Gender Differences in the Presentation of Adult Obstructive Hypertrophic Cardiomyopathy With Resting Gradient. Japanese Circulation Journal, 1999, 63, 859-864.	1.0	20