

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6328512/gilles-kayem-publications-by-citations.pdf>
Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74 papers	2,626 citations	25 h-index	50 g-index
84 ext. papers	3,475 ext. citations	3.3 avg, IF	4.64 L-index

#	Paper	IF	Citations
74	Survival and morbidity of preterm children born at 22 through 34 weeksTgestation in France in 2011: results of the EPIPAGE-2 cohort study. <i>JAMA Pediatrics</i> , 2015 , 169, 230-8	8.3	381
73	Maternal outcome after conservative treatment of placenta accreta. <i>Obstetrics and Gynecology</i> , 2010 , 115, 526-534	4.9	296
72	Conservative versus extirpative management in cases of placenta accreta. <i>Obstetrics and Gynecology</i> , 2004 , 104, 531-6	4.9	195
71	Postpartum hemorrhage: guidelines for clinical practice from the French College of Gynaecologists and Obstetricians (CNGOF): in collaboration with the French Society of Anesthesiology and Intensive Care (SFAR). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016 , 198, 12-21	2.4	129
70	FIGO consensus guidelines on placenta accreta spectrum disorders: Conservative management. <i>International Journal of Gynecology and Obstetrics</i> , 2018 , 140, 291-298	4	122
69	Fertility and pregnancy outcomes following conservative treatment for placenta accreta. <i>Human Reproduction</i> , 2010 , 25, 2803-10	5.7	115
68	Evidence-based guidelines for the management of abnormallyinvasive placenta: recommendations from theInternational Society for Abnormally InvasivePlacenta. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 220, 511-526	6.4	111
67	A snapshot of the Covid-19 pandemic among pregnant women in France. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2020 , 49, 101826	1.9	98
66	Delivery for women with a previous cesarean: guidelines for clinical practice from the French College of Gynecologists and Obstetricians (CNGOF). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013 , 170, 25-32	2.4	97
65	Tranexamic Acid for the Prevention of Blood Loss after Vaginal Delivery. <i>New England Journal of Medicine</i> , 2018 , 379, 731-742	59.2	85
64	Prevention of spontaneous preterm birth: Guidelines for clinical practice from the French College of Gynaecologists and Obstetricians (CNGOF). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017 , 210, 217-224	2.4	74
63	Selective use of fetal fibronectin detection after cervical length measurement to predict spontaneous preterm delivery in women with preterm labor. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 138-43	6.4	67
62	Placenta percreta is associated with more frequent severe maternal morbidity than placenta accreta. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 219, 193.e1-193.e9	6.4	61
61	Risk factors for progression from severe maternal morbidity to death: a national cohort study. <i>PLoS ONE</i> , 2011 , 6, e29077	3.7	55
60	Uterine compression sutures for the management of severe postpartum hemorrhage. <i>Obstetrics and Gynecology</i> , 2011 , 117, 14-20	4.9	51
59	Fertility after conservative treatment of placenta accreta. <i>Fertility and Sterility</i> , 2002 , 78, 637-8	4.8	48
58	Leading causes of preterm delivery as risk factors for intraventricular hemorrhage in very preterm infants: results of the EPIPAGE 2 cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 216, 518.e1-518.e12	6.4	39

57	Impact of Latency Duration on the Prognosis of Preterm Infants after Preterm Premature Rupture of Membranes at 24 to 32 WeeksTgestation: A National Population-Based Cohort Study. <i>Journal of Pediatrics</i> , 2017 , 182, 47-52.e2	3.6	37
56	Preterm premature rupture of the membranes: Guidelines for clinical practice from the French College of Gynaecologists and Obstetricians (CNGOF). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019 , 236, 1-6	2.4	34
55	Selective rather than universal screening for gestational diabetes mellitus?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015 , 191, 95-100	2.4	34
54	Maternal markers for detecting early-onset neonatal infection and chorioamnionitis in cases of premature rupture of membranes at or after 34 weeks of gestation: a two-center prospective study. <i>BMC Pregnancy and Childbirth</i> , 2011 , 11, 26	3.2	33
53	Detection of interleukin-6 in vaginal secretions of women with preterm premature rupture of membranes and its association with neonatal infection: a rapid immunochromatographic test. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 140-5	6.4	30
52	PACCRETA: clinical situations at high risk of placenta ACCRETA/percreta: impact of diagnostic methods and management on maternal morbidity. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013 , 92, 476-82	3.8	28
51	Early preterm breech delivery: is a policy of planned vaginal delivery associated with increased risk of neonatal death?. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 289.e1-6	6.4	28
50	Preterm premature rupture of membranes at 22-25 weeksTgestation: perinatal and 2-year outcomes within a national population-based study (EPIPAGE-2). <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 219, 298.e1-298.e14	6.4	27
49	Mortality and morbidity in early preterm breech singletons: impact of a policy of planned vaginal delivery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015 , 192, 61-5	2.4	24
48	Conservative Management of Placenta Accreta Spectrum. <i>Clinical Obstetrics and Gynecology</i> , 2018 , 61, 783-794	1.7	24
47	Histologic Chorioamnionitis and Bronchopulmonary Dysplasia in Preterm Infants: The Epidemiologic Study on Low Gestational Ages 2 Cohort. <i>Journal of Pediatrics</i> , 2017 , 187, 98-104.e3	3.6	21
46	Neonatal outcome of very preterm twins: policy of planned vaginal or cesarean delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 213, 73.e1-73.e7	6.4	21
45	Providing active antenatal care depends on the place of birth for extremely preterm births: the EPIPAGE 2 cohort study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2017 , 102, F476-F482	4.7	17
44	Association between gestational age and severe maternal morbidity and mortality of preterm cesarean delivery: a population-based cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 220, 399.e1-399.e9	6.4	14
43	Neonatal Mortality and Long-Term Outcome of Infants Born between 27 and 32 Weeks of Gestational Age in Breech Presentation: The EPIPAGE Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0145768	3.7	14
42	Tocolysis after preterm premature rupture of membranes and neonatal outcome: a propensity-score analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 217, 212.e1-212.e12	6.4	13
41	Intralipid therapy for unexplained recurrent miscarriage and implantation failure: Case-series and literature review. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020 , 252, 100-104	2.4	13
40	Association of peripartum management and high maternal blood loss at cesarean delivery for placenta accreta spectrum (PAS): A multinational database study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 100 Suppl 1, 29-40	3.8	13

39	Endometriosis with infertility: A comprehensive review on the role of immune deregulation and immunomodulation therapy. <i>American Journal of Reproductive Immunology</i> , 2021 , 85, e13384	3.8	12
38	Prediction of clinical infection in women with preterm labour with intact membranes: a score based on ultrasonographic, clinical and biological markers. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2009 , 145, 36-40	2.4	11
37	Proportion of Cytotoxic Peripheral Blood Natural Killer Cells and T-Cell Large Granular Lymphocytes in Recurrent Miscarriage and Repeated Implantation Failure: Case-Control Study and Meta-analysis. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2019 , 67, 225-236	4	10
36	Planned delivery route of preterm breech singletons, and neonatal and 2-year outcomes: a population-based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 73-82	3.7	10
35	Cause of preterm birth and late-onset sepsis in very preterm infants: the EPIPAGE-2 cohort study. <i>Pediatric Research</i> , 2021 , 90, 584-592	3.2	10
34	Neonatal Outcomes in Extremely Preterm Newborns Admitted to Intensive Care after No Active Antenatal Management: A Population-Based Cohort Study. <i>Journal of Pediatrics</i> , 2018 , 203, 150-155	3.6	10
33	Predictive value of vaginal IL-6 and TNF bedside tests repeated until delivery for the prediction of maternal-fetal infection in cases of premature rupture of membranes. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017 , 211, 8-14	2.4	8
32	Maternal and obstetric factors associated with delayed postpartum eclampsia: a national study population. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011 , 90, 1017-23	3.8	8
31	Conservative Management or Cesarean Hysterectomy for Placenta Accreta Spectrum: the PACCRETA Prospective Study.. <i>American Journal of Obstetrics and Gynecology</i> , 2021 ,	6.4	8
30	Antibiotics for amniotic-fluid colonization by Ureaplasma and/or Mycoplasma spp. to prevent preterm birth: A randomized trial. <i>PLoS ONE</i> , 2018 , 13, e0206290	3.7	7
29	Association of Chorioamnionitis with Cerebral Palsy at Two Years after Spontaneous Very Preterm Birth: The EPIPAGE-2 Cohort Study. <i>Journal of Pediatrics</i> , 2020 , 222, 71-78.e6	3.6	6
28	Active versus expectant management for preterm prelabor rupture of membranes at 34-36 weeks of completed gestation: comparison of maternal and neonatal outcomes. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010 , 89, 776-81	3.8	6
27	Conservative management of a near-term cervico-isthmic pregnancy, followed by a successful subsequent pregnancy: a case report. <i>Fertility and Sterility</i> , 2008 , 89, 1826.e13-5	4.8	6
26	Conservative approach: Intentional retention of the placenta. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2021 , 72, 52-66	4.6	6
25	Incidence and risk factors of caesarean section in preterm breech births: A population-based cohort study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017 , 212, 37-43	2.4	5
24	SARS-COV-2 IgG antibody response in pregnant women at delivery. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021 , 50, 102041	1.9	5
23	The Endometrial Immune Profiling May Positively Affect the Management of Recurrent Pregnancy Loss. <i>Frontiers in Immunology</i> , 2021 , 12, 656701	8.4	4
22	Prevalence and incidence of postpartum depression and environmental factors: The IGEDEPP cohort. <i>Journal of Psychiatric Research</i> , 2021 , 138, 366-374	5.2	4

21	Re: The risks of planned vaginal breech delivery versus planned caesarean section for term breech birth: a meta-analysis including observational studies: Let's avoid simplistic radicalism when reality is complex. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 145-7	3.7	4
20	Evaluation of the usefulness of ultrasound measurement of the lower uterine segment before delivery of women with a prior cesarean delivery: a randomized trial. <i>American Journal of Obstetrics and Gynecology</i> , 2021 ,	6.4	4
19	Description of a late miscarriage case at 16 Weeks of Gestation associated with a SARS-CoV-2 infection. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021 , 50, 102064	1.9	3
18	Preterm Breech Presentation: A Comparison of Intended Vaginal and Intended Cesarean Delivery. <i>Obstetrics and Gynecology</i> , 2016 , 127, 1170	4.9	3
17	Preterm and term prelabour rupture of membranes: A review of timing and methods of labour induction. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2021 , 77, 27-41	4.6	3
16	Outpatient versus inpatient care for preterm premature rupture of membranes before 34 weeks of gestation. <i>Scientific Reports</i> , 2019 , 9, 4280	4.9	2
15	Prolonged latency after preterm premature rupture of membranes: an independent risk factor for neonatal sepsis?. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 216, 84	6.4	2
14	Conservative management or cesarean-hysterectomy for placenta accreta spectrum? Local resources and organization of care matter.. <i>American Journal of Obstetrics and Gynecology</i> , 2022 ,	6.4	2
13	Unexplained recurrent implantation failures: Predictive factors of pregnancy and therapeutic management from a French multicentre study. <i>Journal of Reproductive Immunology</i> , 2021 , 145, 103313	4.2	2
12	Invasive therapies for primary post-partum haemorrhage as missed opportunities for medical prevention. <i>Current Opinion in Obstetrics and Gynecology</i> , 2017 , 29, 66-70	2.4	1
11	Evaluation of the implementation of a protocol for the restrictive use of oxytocin during spontaneous labor. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2020 , 49, 101664	1.9	1
10	Intrahepatic cholestasis of pregnancy associated with azathioprine: A case series. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021 , 50, 102083	1.9	1
9	AuthorsTreple re: Invasive therapies for primary postpartum haemorrhage: a population-based study in France. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 1034	3.7	1
8	Tocolysis in the management of preterm prelabor rupture of membranes at 22-33 weeks of gestation: study protocol for a multicenter, double-blind, randomized controlled trial comparing nifedipine with placebo (TOCOPROM). <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 614	3.2	1
7	Association between extremely preterm caesarean delivery and maternal depressive and anxious symptoms: a national population-based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 594-602	3.7	0
6	Assessing conservative management versus cesarean-hysterectomy for placenta accreta spectrum: the importance of comparing data collected at the same study period.. <i>American Journal of Obstetrics and Gynecology</i> , 2022 ,	6.4	0
5	AuthorsTreple Quantifying haemorrhage is a central difficulty when dealing with primary postpartum haemorrhage. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017 , 124, 526-527	3.7	0
4	Tocolysis after preterm premature rupture of membranes: Time for change?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021 , 259, 223-224	2.4	0

- 3 Number of episodes of reduced fetal movement at term: methodological considerations. *American Journal of Obstetrics and Gynecology*, **2016**, 215, 254-5 6.4
- 2 Endometriosis and autoimmunity. *Exploration of Immunology*, 25-31
- 1 Risk of preterm delivery after medically indicated termination of pregnancy with induced vaginal delivery: a case-control study. *Journal of Obstetrics and Gynaecology*, 1-10 1.3