

# Oscar E PÃ©rez

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6330527/publications.pdf>

Version: 2024-02-01

49  
papers

1,630  
citations

257450

24  
h-index

289244

40  
g-index

49  
all docs

49  
docs citations

49  
times ranked

1779  
citing authors

#	ARTICLE	IF	CITATIONS
1	Pulsed electric fields effects on the molecular structure and gelation of $\beta$ -lactoglobulin concentrate and egg white. <i>Food Research International</i> , 2004, 37, 102-110.	6.2	163
2	Functionality of egg white proteins as affected by high intensity ultrasound. <i>Food Hydrocolloids</i> , 2012, 29, 308-316.	10.7	154
3	<i>Lactobacillus casei</i> BL23 Produces Microvesicles Carrying Proteins That Have Been Associated with Its Probiotic Effect. <i>Frontiers in Microbiology</i> , 2017, 8, 1783.	3.5	73
4	Dynamics of adsorption of hydroxypropyl methylcellulose at the air-water interface. <i>Food Hydrocolloids</i> , 2008, 22, 387-402.	10.7	67
5	Anisotropic Magnetoresistance and Piezoresistivity in Structured $\text{Fe}_3\text{O}_4$ -Silver Particles in PDMS Elastomers at Room Temperature. <i>Langmuir</i> , 2012, 28, 6985-6996.	3.5	66
6	Molecular and functional modification of hydroxypropylmethylcellulose by high-intensity ultrasound. <i>Food Hydrocolloids</i> , 2009, 23, 1089-1095.	10.7	65
7	Hydroxypropylmethylcellulose surface activity at equilibrium and adsorption dynamics at the air-water and oil-water interfaces. <i>Food Hydrocolloids</i> , 2009, 23, 2359-2368.	10.7	64
8	Milk protein-vitamin interactions: Formation of beta-lactoglobulin/folic acid nano-complexes and their impact on <i>in vitro</i> gastro-duodenal proteolysis. <i>Food Hydrocolloids</i> , 2014, 38, 40-47.	10.7	55
9	Magnetic and elastic properties of $\text{CoFe}_2\text{O}_4$ - polydimethylsiloxane magnetically oriented elastomer nanocomposites. <i>Journal of Applied Physics</i> , 2011, 110, 043920.	2.5	53
10	Influence of complexing carboxymethylcellulose on the thermostability and gelation of $\beta$ -lactalbumin and $\beta$ -lactoglobulin. <i>Food Hydrocolloids</i> , 2007, 21, 1344-1354.	10.7	46
11	Gelation and structural characteristics of incompatible whey proteins/hydroxypropylmethylcellulose mixtures. <i>Food Hydrocolloids</i> , 2006, 20, 966-974.	10.7	44
12	Adsorption dynamics and surface activity at equilibrium of whey proteins and hydroxypropylmethylcellulose mixtures at the air-water interface. <i>Food Hydrocolloids</i> , 2007, 21, 794-803.	10.7	42
13	Thermodynamic and Dynamic Characteristics of Hydroxypropylmethylcellulose Adsorbed Films at the Air-Water Interface. <i>Biomacromolecules</i> , 2006, 7, 388-393.	5.4	41
14	Magnetic and elastic anisotropy in magnetorheological elastomers using nickel-based nanoparticles and nanochains. <i>Journal of Applied Physics</i> , 2013, 114, .	2.5	41
15	Chitosan-tripolyphosphate nanoparticles designed to encapsulate polyphenolic compounds for biomedical and pharmaceutical applications - A review. <i>Biomedicine and Pharmacotherapy</i> , 2021, 142, 111970.	5.6	41
16	Thermal transitions of gluten-free doughs as affected by water, egg white and hydroxypropylmethylcellulose. <i>Thermochimica Acta</i> , 2004, 411, 81-89.	2.7	36
17	Kinetics of adsorption of whey proteins and hydroxypropyl-methyl-cellulose mixtures at the air-water interface. <i>Journal of Colloid and Interface Science</i> , 2009, 336, 485-496.	9.4	34
18	Proteins as Nano-Carriers for Bioactive Compounds. The Case of 7S and 11S Soy Globulins and Folic Acid Complexation. <i>Polymers</i> , 2018, 10, 149.	4.5	33

#	ARTICLE	IF	CITATIONS
19	Effect of Steeping Corn with Lactic Acid on Starch Properties. <i>Cereal Chemistry</i> , 2004, 81, 10-14.	2.2	32
20	Resveratrol encapsulation in high molecular weight chitosan-based nanogels for applications in ocular treatments: Impact on human ARPE-19 culture cells. <i>International Journal of Biological Macromolecules</i> , 2020, 165, 804-821.	7.5	31
21	Surface dilatational properties of whey protein and hydroxypropyl-methyl-cellulose mixed systems at the air-water interface. <i>Journal of Food Engineering</i> , 2009, 94, 274-282.	5.2	28
22	Egg albumin-folic acid nanocomplexes: Performance as a functional ingredient and biological activity. <i>Journal of Functional Foods</i> , 2015, 18, 379-386.	3.4	27
23	Superparamagnetic anisotropic elastomer connectors exhibiting reversible magneto-piezoresistivity. <i>Sensors and Actuators A: Physical</i> , 2013, 192, 34-41.	4.1	26
24	Synthesis and characterization of CoFe <sub>2</sub> O <sub>4</sub> magnetic nanotubes, nanorods and nanowires. Formation of magnetic structured elastomers by magnetic field-induced alignment of CoFe <sub>2</sub> O <sub>4</sub> nanorods. <i>Journal of Nanoparticle Research</i> , 2015, 17, 1.	1.9	26
25	Encapsulation of citral in formulations containing sucrose or trehalose: Emulsions properties and stability. <i>Food and Bioprocess Technology</i> , 2014, 92, 266-274.	3.6	25
26	Toxic effects of A2E in human ARPE-19 cells were prevented by resveratrol: a potential nutritional bioactive for age-related macular degeneration treatment. <i>Archives of Toxicology</i> , 2020, 94, 553-572.	4.2	25
27	Power Ultrasound Assisted Design of Egg Albumin Nanoparticles. <i>Food Biophysics</i> , 2015, 10, 439-446.	3.0	24
28	Transcytosis of Bacillus subtilis extracellular vesicles through an in vitro intestinal epithelial cell model. <i>Scientific Reports</i> , 2020, 10, 3120.	3.3	24
29	Betanin loaded nanocarriers based on quinoa seed 11S globulin. Impact on the protein structure and antioxidant activity. <i>Food Hydrocolloids</i> , 2019, 87, 880-890.	10.7	22
30	Impact of phase separation of whey proteins/hydroxypropylmethylcellulose mixtures on gelation dynamics and gels properties. <i>Food Hydrocolloids</i> , 2010, 24, 641-651.	10.7	20
31	Î <sup>2</sup> -Lactoglobulin-carboxymethylcellulose core-shell microparticles: Construction, characterization and isolation. <i>Journal of Food Engineering</i> , 2014, 131, 65-74.	5.2	19
32	Structured elastomeric submillimeter films displaying magneto and piezo resistivity. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2015, 53, 574-586.	2.1	19
33	Structural and magnetic properties of Fe <sub>2</sub> xCoSm <sub>x</sub> O <sub>4</sub> nanoparticles and Fe <sub>2</sub> xCoSm <sub>x</sub> O <sub>4</sub> -PDMS magnetoelastomers as a function of Sm content. <i>Journal of Magnetism and Magnetic Materials</i> , 2013, 327, 11-19.	2.3	18
34	Proposed molecular model for electrostatic interactions between insulin and chitosan. Nano-complexation and activity in cultured cells. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018, 537, 425-434.	4.7	17
35	Probiotics, Their Extracellular Vesicles and Infectious Diseases. <i>Frontiers in Microbiology</i> , 2022, 13, 864720.	3.5	16
36	Impact of hydroxypropylmethylcellulose on whey protein concentrate spread film at the air-water interface: Structural and surface dilatational characteristics. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015, 465, 1-10.	4.7	15

#	ARTICLE	IF	CITATIONS
37	Potential bioactive ingredient from elderberry fruit: Process optimization for a maximum phenolic recovery, physicochemical characterization, and bioaccessibility. <i>Journal of Berry Research</i> , 2021, 11, 51-68.	1.4	15
38	Effect of steeping time on the starch properties from ground whole corn. <i>Journal of Food Engineering</i> , 2003, 60, 281-287.	5.2	14
39	Comparative study of sensory and instrumental characteristics of texture and color of boiled under-exploited Andean tubers. <i>LWT - Food Science and Technology</i> , 2012, 47, 83-90.	5.2	12
40	Combined Experimental and Molecular Simulation Study of Insulin-Chitosan Complexation Driven by Electrostatic Interactions. <i>Journal of Chemical Information and Modeling</i> , 2020, 60, 854-865.	5.4	12
41	Effect of ground corn steeping on starch properties. <i>European Food Research and Technology</i> , 2006, 222, 194-200.	3.3	10
42	Whey proteins-folic acid complexes: Formation, isolation and bioavailability in a <i>Lactobacillus casei</i> model. <i>Food Structure</i> , 2020, 26, 100162.	4.5	9
43	Biological responses induced by high molecular weight chitosan administrated jointly with Platelet-derived Growth Factors in different mammalian cell lines. <i>International Journal of Biological Macromolecules</i> , 2020, 158, 953-967.	7.5	8
44	High molecular weight chitosan based particles for insulin encapsulation obtained via nanospray technology. <i>Drying Technology</i> , 2022, 40, 430-445.	3.1	5
45	Biocompatibility analysis of high molecular weight chitosan obtained from <i>Pleoticus muelleri</i> shrimps. Evaluation in prokaryotic and eukaryotic cells. <i>Biochemistry and Biophysics Reports</i> , 2020, 24, 100842.	1.3	4
46	Quinoa does not contain prolamins. Comments on "Quinoa protein: Composition, structure and functional properties", Dakhili et al. (2019). <i>Food Chemistry</i> , 2020, 325, 126934.	8.2	3
47	Impact of Fat Replacement by Core-shell Microparticles on Set Type Yoghurts: Study of Their Physicochemical, Textural and Microstructural Properties. <i>Current Nutrition and Food Science</i> , 2019, 15, 61-71.	0.6	3
48	Molecular interactions involved in the complexation process between buffalo whey proteins concentrate and folic acid. <i>Food Chemistry</i> , 2022, 396, 133734.	8.2	3
49	Novel chitosan-based strategies for insulin nanoencapsulation. , 2022, , 461-500.		0