

Jens Peter Klussmann

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6330869/jens-peter-klussmann-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67
papers

961
citations

16
h-index

29
g-index

75
ext. papers

1,366
ext. citations

3.9
avg, IF

4.32
L-index

#	Paper	IF	Citations
67	Histopathology of pleomorphic adenoma in the parotid gland: a prospective unselected series of 100 cases. <i>Laryngoscope</i> , 2001 , 111, 2195-200	3.6	115
66	Prognostic Impact of AJCC/UICC 8th Edition New Staging Rules in Oropharyngeal Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 2017 , 7, 129	5.3	63
65	High risk for bilateral Warthin tumor in heavy smokers--review of 185 cases. <i>Acta Oto-Laryngologica</i> , 2006 , 126, 1213-7	1.6	61
64	Complications of suspension laryngoscopy. <i>Annals of Otology, Rhinology and Laryngology</i> , 2002 , 111, 972-6	2.1	55
63	CD56-positive lymphocyte infiltration in relation to human papillomavirus association and prognostic significance in oropharyngeal squamous cell carcinoma. <i>International Journal of Cancer</i> , 2016 , 138, 2263-73	7.5	50
62	Human papillomavirus association is the most important predictor for surgically treated patients with oropharyngeal cancer. <i>British Journal of Cancer</i> , 2017 , 116, 1604-1611	8.7	45
61	Olfactory dysfunction in patients after recovering from COVID-19. <i>Acta Oto-Laryngologica</i> , 2020 , 140, 1032-1035	1.6	42
60	Increasing Incidence rates of Oropharyngeal Squamous Cell Carcinoma in Germany and Significance of Disease Burden Attributed to Human Papillomavirus. <i>Cancer Prevention Research</i> , 2019 , 12, 375-382	3.2	39
59	p16(INK4a) /Ki-67 co-expression specifically identifies transformed cells in the head and neck region. <i>International Journal of Cancer</i> , 2015 , 136, 1589-99	7.5	35
58	Basics of tumor development and importance of human papilloma virus (HPV) for head and neck cancer. <i>GMS Current Topics in Otorhinolaryngology, Head and Neck Surgery</i> , 2012 , 11, Doc09		31
57	Prevalence and risk factors for oral human papillomavirus infection in 129 women screened for cervical HPV infection. <i>Oral Oncology</i> , 2014 , 50, 27-31	4.4	26
56	Development and external validation of nomograms in oropharyngeal cancer patients with known HPV-DNA status: a European Multicentre Study (OroGrams). <i>British Journal of Cancer</i> , 2018 , 118, 1672-1681	8.7	22
55	Risk Factors for Overall Survival Outcome in Surgically Treated Human Papillomavirus-Negative and Positive Patients with Oropharyngeal Cancer. <i>Oncology Research and Treatment</i> , 2017 , 40, 320-327	2.8	21
54	Cone beam computed tomography (CBCT) sialography--an adjunct to salivary gland ultrasonography in the evaluation of recurrent salivary gland swelling. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2015 , 120, 771-5	2	21
53	[HPV - A different view on Head and Neck Cancer]. <i>Laryngo- Rhino- Otologie</i> , 2018 , 97, S48-S113	0.8	19
52	Sensation loss after superficial parotidectomy: A prospective controlled multicenter trial. <i>Head and Neck</i> , 2017 , 39, 520-526	4.2	16
51	Evaluation of p16 expression as a single marker to select patients with HPV-driven oropharyngeal cancers for treatment de-escalation. <i>British Journal of Cancer</i> , 2020 , 123, 1114-1122	8.7	16

50	European white paper: oropharyngeal dysphagia in head and neck cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 577-616	3.5	16
49	The 8th edition AJCC/UICC TNM staging for p16-positive oropharyngeal carcinoma: is there space for improvement?. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018 , 275, 3087-3091	3.5	16
48	A systematic review of the HPV-attributable fraction of oropharyngeal squamous cell carcinomas in Germany. <i>Cancer Medicine</i> , 2019 , 8, 1908-1918	4.8	15
47	Detection of HHV-8 sequences and antigens in a MALT lymphoma associated with Sjögren's syndrome. <i>Journal of Oral Pathology and Medicine</i> , 2003 , 32, 243-5	3.3	15
46	Frey's syndrome after superficial parotidectomy: role of the sternocleidomastoid muscle flap: a prospective nonrandomized controlled trial. <i>American Journal of Surgery</i> , 2016 , 212, 740-747.e1	2.7	15
45	No evidence of oncogenic KRAS mutations in squamous cell carcinomas of the anogenital tract and head and neck region independent of human papillomavirus and p16(INK4a) status. <i>Human Pathology</i> , 2014 , 45, 2347-54	3.7	14
44	The role of high-risk human papillomavirus infections in laryngeal squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017 , 274, 3837-3842	3.5	14
43	Impact on survival of tobacco smoking for cases with oropharyngeal squamous cell carcinoma and known human papillomavirus and p16-status: a multicenter retrospective study. <i>Oncotarget</i> , 2019 , 10, 4655-4663	3.3	14
42	Organ Preservation and Late Functional Outcome in Oropharyngeal Carcinoma: Rationale of EORTC 1420, the "Best of" Trial. <i>Frontiers in Oncology</i> , 2019 , 9, 999	5.3	13
41	Definitive radiochemotherapy of advanced head and neck cancer with carboplatin and paclitaxel : a phase II study. <i>Strahlentherapie Und Onkologie</i> , 2011 , 187, 645-50	4.3	13
40	Impact of extent of parotidectomy on early and long-term complications: A prospective multicenter cohort trial. <i>Head and Neck</i> , 2019 , 41, 1943-1951	4.2	11
39	Deep Learning Predicts HPV Association in Oropharyngeal Squamous Cell Carcinomas and Identifies Patients with a Favorable Prognosis Using Regular H&E Stains. <i>Clinical Cancer Research</i> , 2021 , 27, 1131-1138	12.9	11
38	Lymphocyte activation gene 3 (LAG3) protein expression on tumor-infiltrating lymphocytes in aggressive and TP53-mutated salivary gland carcinomas. <i>Cancer Immunology, Immunotherapy</i> , 2020 , 69, 1363-1373	7.4	9
37	Valosin-containing protein (VCP/p97)-expression correlates with prognosis of HPV- negative oropharyngeal squamous cell carcinoma (OSCC). <i>PLoS ONE</i> , 2014 , 9, e114170	3.7	9
36	Persisting olfactory dysfunction improves in patients 6 months after COVID-19 disease. <i>Acta Oto-Laryngologica</i> , 2021 , 141, 626-629	1.6	9
35	Intraindividual homogeneity of F-FDG PET/CT parameters in HPV-positive OPSCC. <i>Oral Oncology</i> , 2017 , 73, 166-171	4.4	8
34	Genetic alterations in human papillomavirus-associated oropharyngeal squamous cell carcinoma of patients with treatment failure. <i>Oral Oncology</i> , 2019 , 93, 59-65	4.4	8
33	Tumor Staging and HPV-Related Oropharyngeal Cancer. <i>Recent Results in Cancer Research</i> , 2017 , 206, 123-133	1.5	7

32	Step-by-step protocol to perfuse and dissect the mouse parotid gland and isolation of high-quality RNA from murine and human parotid tissue. <i>BioTechniques</i> , 2016 , 60, 200-3	2.5	7
31	Combined human papillomavirus typing and TP53 mutation analysis in distinguishing second primary tumors from lung metastases in patients with head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2018 , 40, 1109-1119	4.2	6
30	Expression Profiling of Extracellular Matrix Genes Reveals Global and Entity-Specific Characteristics in Adenoid Cystic, Mucoepidermoid and Salivary Duct Carcinomas. <i>Cancers</i> , 2020 , 12,	6.6	6
29	Cancer-specific immune evasion and substantial heterogeneity within cancer types provide evidence for personalized immunotherapy. <i>Npj Precision Oncology</i> , 2021 , 5, 52	9.8	6
28	Trophoblast Cell Surface Antigen 2 (Trop-2) Protein is Highly Expressed in Salivary Gland Carcinomas and Represents a Potential Therapeutic Target. <i>Head and Neck Pathology</i> , 2021 , 15, 1147-1155	11.3	5
27	European Laryngological Society position paper on laryngeal dysplasia Part II: diagnosis, treatment, and follow-up. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 1723-1732	3.5	5
26	Viral Integration Analysis Reveals Likely Common Clonal Origin of Bilateral HPV16-Positive, p16-Positive Tonsil Tumors. <i>Archives of Clinical and Medical Case Reports</i> , 2020 , 4, 680-696	1.3	3
25	Oral and laryngeal HPV infection: Incidence, prevalence and risk factors, with special regard to concurrent infection in head, neck and genitals. <i>Vaccine</i> , 2021 , 39, 2344-2350	4.1	3
24	Gravity and Mastoid Effusion. <i>American Journal of Medicine</i> , 2021 , 134, e181-e183	2.4	3
23	Round window accessibility during cochlear implantation. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 363-370	3.5	2
22	Mutation patterns in recurrent and/or metastatic oropharyngeal squamous cell carcinomas in relation to human papillomavirus status. <i>Cancer Medicine</i> , 2021 , 10, 1347-1356	4.8	2
21	Long-term therapy with botulinum toxin in facial synkinesis: Retrospective data analysis of data from 1998 to 2018. <i>Clinical Otolaryngology</i> , 2021 , 46, 758-766	1.8	2
20	Causes and Consequences of HPV Integration in Head and Neck Squamous Cell Carcinomas: State of the Art. <i>Cancers</i> , 2021 , 13,	6.6	2
19	Subjective and Objective Effectiveness of Eustachian Tube Balloon Dilatation for Patients With Eustachian Tube Dysfunction-Evaluation in a Pressure Chamber. <i>Otology and Neurotology</i> , 2020 , 41, 795-801	2.6	1
18	Impact of the Vestibular System on the Formation and Progression to Idiopathic Scoliosis: A Review of Literature. <i>Asian Spine Journal</i> , 2021 , 15, 701-707	2.8	1
17	Oropharynxkarzinome: Wenn humane Papillomviren die Tumorauslöser sind. <i>Deutsches A&#x0308;rztblatt International</i> ,	2.5	1
16	Comparative effectiveness trial of transoral head and neck surgery followed by adjuvant radio(chemo)therapy versus primary radiochemotherapy for oropharyngeal cancer (TopROC). <i>BMC Cancer</i> , 2020 , 20, 701	4.8	1
15	Patients with COVID-19-associated olfactory impairment also show impaired trigeminal function. <i>Auris Nasus Larynx</i> , 2021 ,	2.2	1

14	Humane Papillomaviren und das Oropharynxkarzinom. <i>Onkologe</i> , 2019 , 25, 224-231	0.1	1
13	European Laryngological Society position paper on laryngeal dysplasia Part I: aetiology and pathological classification. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 1717-1722	3.5	1
12	Survival after parotid gland metastases of cutaneous squamous cell carcinoma of the head and neck. <i>Oral and Maxillofacial Surgery</i> , 2021 , 25, 383-388	1.6	1
11	German evidence and consensus-based (S3) guideline: Vaccination recommendations for the prevention of HPV-associated lesions. <i>JDDG - Journal of the German Society of Dermatology</i> , 2021 , 19, 479-494	1.2	1
10	Mutually Exclusive Expression of COL11A1 by CAFs and Tumour Cells in a Large panCancer and a Salivary Gland Carcinoma Cohort. <i>Head and Neck Pathology</i> , 2021 , 1	3.3	1
9	ATP synthase modulation leads to an increase of spare respiratory capacity in HPV associated cancers. <i>Scientific Reports</i> , 2020 , 10, 17339	4.9	0
8	Prospective study on the Eustachian tube function during Frenzel maneuver in a hypobaric/hyperbaric pressure chamber. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 1	3.5	0
7	Analysis of nocturnal, hypoxia-induced miRNAs in sleep apnea patients.. <i>PLoS ONE</i> , 2022 , 17, e0263747	3.7	0
6	Impact of COVID-19-Mediated Olfactory Loss on Quality of Life.. <i>Orl</i> , 2022 , 1-6	2	0
5	Expression of podoplanin correlates with prognosis in nasopharyngeal carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020 , 277, 1185-1190	3.5	
4	Reply to Comment on "Human papillomavirus association is the most important predictor for surgically treated patients with oropharyngeal cancer". <i>British Journal of Cancer</i> , 2018 , 118, e6	8.7	
3	Risikofaktor HPV. <i>HNO-Nachrichten</i> , 2017 , 47, 35-38	0.1	
2	Kopf-Hals-Tumoren Biologie und Rolle der HPV. <i>Tumor Diagnostik Und Therapie</i> , 2020 , 41, 513-516	0.1	
1	Reanimation of the Smile with Neuro-Vascular Anastomosed Gracilis Muscle: A Case Series. <i>Diagnostics</i> , 2022 , 12, 1282	3.8	