

Jens Peter Klussmann

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6330869/jens-peter-klussmann-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67

papers

961

citations

16

h-index

29

g-index

75

ext. papers

1,366

ext. citations

3.9

avg, IF

4.32

L-index

#	Paper	IF	Citations
67	Analysis of nocturnal, hypoxia-induced miRNAs in sleep apnea patients.. <i>PLoS ONE</i> , 2022 , 17, e0263747	3.7	0
66	Impact of COVID-19-Mediated Olfactory Loss on Quality of Life.. <i>Orl</i> , 2022 , 1-6	2	0
65	Reanimation of the Smile with Neuro-Vascular Anastomosed Gracilis Muscle: A Case Series. <i>Diagnostics</i> , 2022 , 12, 1282	3.8	
64	Impact of the Vestibular System on the Formation and Progression to Idiopathic Scoliosis: A Review of Literature. <i>Asian Spine Journal</i> , 2021 , 15, 701-707	2.8	1
63	Trophoblast Cell Surface Antigen 2 (Trop-2) Protein is Highly Expressed in Salivary Gland Carcinomas and Represents a Potential Therapeutic Target. <i>Head and Neck Pathology</i> , 2021 , 15, 1147-1155	3.3	5
62	Persisting olfactory dysfunction improves in patients 6 months after COVID-19 disease. <i>Acta Oto-Laryngologica</i> , 2021 , 141, 626-629	1.6	9
61	Oral and laryngeal HPV infection: Incidence, prevalence and risk factors, with special regard to concurrent infection in head, neck and genitals. <i>Vaccine</i> , 2021 , 39, 2344-2350	4.1	3
60	Prospective study on the Eustachian tube function during Frenzel maneuver in a hypobaric/hyperbaric pressure chamber. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 1	3.5	0
59	Cancer-specific immune evasion and substantial heterogeneity within cancer types provide evidence for personalized immunotherapy. <i>Npj Precision Oncology</i> , 2021 , 5, 52	9.8	6
58	Patients with COVID-19-associated olfactory impairment also show impaired trigeminal function. <i>Auris Nasus Larynx</i> , 2021 ,	2.2	1
57	Round window accessibility during cochlear implantation. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 363-370	3.5	2
56	European Laryngological Society position paper on laryngeal dysplasia Part II: diagnosis, treatment, and follow-up. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 1723-1732	3.5	5
55	European Laryngological Society position paper on laryngeal dysplasia Part I: aetiology and pathological classification. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 1717-1722	3.5	1
54	Gravity and Mastoid Effusion. <i>American Journal of Medicine</i> , 2021 , 134, e181-e183	2.4	3
53	Deep Learning Predicts HPV Association in Oropharyngeal Squamous Cell Carcinomas and Identifies Patients with a Favorable Prognosis Using Regular H&E Stains. <i>Clinical Cancer Research</i> , 2021 , 27, 1131-1138	12.9	11
52	European white paper: oropharyngeal dysphagia in head and neck cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 577-616	3.5	16
51	Survival after parotid gland metastases of cutaneous squamous cell carcinoma of the head and neck. <i>Oral and Maxillofacial Surgery</i> , 2021 , 25, 383-388	1.6	1

50	Mutation patterns in recurrent and/or metastatic oropharyngeal squamous cell carcinomas in relation to human papillomavirus status. <i>Cancer Medicine</i> , 2021 , 10, 1347-1356	4.8	2
49	Long-term therapy with botulinum toxin in facial synkinesis: Retrospective data analysis of data from 1998 to 2018. <i>Clinical Otolaryngology</i> , 2021 , 46, 758-766	1.8	2
48	German evidence and consensus-based (S3) guideline: Vaccination recommendations for the prevention of HPV-associated lesions. <i>JDDG - Journal of the German Society of Dermatology</i> , 2021 , 19, 479-494	1.2	1
47	Causes and Consequences of HPV Integration in Head and Neck Squamous Cell Carcinomas: State of the Art. <i>Cancers</i> , 2021 , 13,	6.6	2
46	Mutually Exclusive Expression of COL11A1 by CAFs and Tumour Cells in a Large panCancer and a Salivary Gland Carcinoma Cohort. <i>Head and Neck Pathology</i> , 2021 , 1	3.3	1
45	Lymphocyte activation gene 3 (LAG3) protein expression on tumor-infiltrating lymphocytes in aggressive and TP53-mutated salivary gland carcinomas. <i>Cancer Immunology, Immunotherapy</i> , 2020 , 69, 1363-1373	7.4	9
44	Subjective and Objective Effectiveness of Eustachian Tube Balloon Dilatation for Patients With Eustachian Tube Dysfunction-Evaluation in a Pressure Chamber. <i>Otology and Neurotology</i> , 2020 , 41, 795-801	2.6	1
43	Evaluation of p16 expression as a single marker to select patients with HPV-driven oropharyngeal cancers for treatment de-escalation. <i>British Journal of Cancer</i> , 2020 , 123, 1114-1122	8.7	16
42	Expression of podoplanin correlates with prognosis in nasopharyngeal carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020 , 277, 1185-1190	3.5	
41	Kopf-Hals-Tumoren Biologie und Rolle der HPV. <i>Tumor Diagnostik Und Therapie</i> , 2020 , 41, 513-516	0.1	
40	Viral Integration Analysis Reveals Likely Common Clonal Origin of Bilateral HPV16-Positive, p16-Positive Tonsil Tumors. <i>Archives of Clinical and Medical Case Reports</i> , 2020 , 4, 680-696	1.3	3
39	ATP synthase modulation leads to an increase of spare respiratory capacity in HPV associated cancers. <i>Scientific Reports</i> , 2020 , 10, 17339	4.9	0
38	Comparative effectiveness trial of transoral head and neck surgery followed by adjuvant radio(chemo)therapy versus primary radiochemotherapy for oropharyngeal cancer (TopROC). <i>BMC Cancer</i> , 2020 , 20, 701	4.8	1
37	Expression Profiling of Extracellular Matrix Genes Reveals Global and Entity-Specific Characteristics in Adenoid Cystic, Mucoepidermoid and Salivary Duct Carcinomas. <i>Cancers</i> , 2020 , 12,	6.6	6
36	Olfactory dysfunction in patients after recovering from COVID-19. <i>Acta Oto-Laryngologica</i> , 2020 , 140, 1032-1035	1.6	42
35	Genetic alterations in human papillomavirus-associated oropharyngeal squamous cell carcinoma of patients with treatment failure. <i>Oral Oncology</i> , 2019 , 93, 59-65	4.4	8
34	Increasing Incidence rates of Oropharyngeal Squamous Cell Carcinoma in Germany and Significance of Disease Burden Attributed to Human Papillomavirus. <i>Cancer Prevention Research</i> , 2019 , 12, 375-382	3.2	39
33	A systematic review of the HPV-attributable fraction of oropharyngeal squamous cell carcinomas in Germany. <i>Cancer Medicine</i> , 2019 , 8, 1908-1918	4.8	15

32	Organ Preservation and Late Functional Outcome in Oropharyngeal Carcinoma: Rationale of EORTC 1420, the "Best of" Trial. <i>Frontiers in Oncology</i> , 2019 , 9, 999	5.3	13
31	Impact on survival of tobacco smoking for cases with oropharyngeal squamous cell carcinoma and known human papillomavirus and p16-status: a multicenter retrospective study. <i>Oncotarget</i> , 2019 , 10, 4655-4663	3.3	14
30	Humane Papillomaviren und das Oropharynxkarzinom. <i>Onkologe</i> , 2019 , 25, 224-231	0.1	1
29	Impact of extent of parotidectomy on early and long-term complications: A prospective multicenter cohort trial. <i>Head and Neck</i> , 2019 , 41, 1943-1951	4.2	11
28	Combined human papillomavirus typing and TP53 mutation analysis in distinguishing second primary tumors from lung metastases in patients with head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2018 , 40, 1109-1119	4.2	6
27	Reply to Comment on "Human papillomavirus association is the most important predictor for surgically treated patients with oropharyngeal cancer". <i>British Journal of Cancer</i> , 2018 , 118, e6	8.7	
26	The 8th edition AJCC/UICC TNM staging for p16-positive oropharyngeal carcinoma: is there space for improvement?. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018 , 275, 3087-3091	3.5	16
25	Development and external validation of nomograms in oropharyngeal cancer patients with known HPV-DNA status: a European Multicentre Study (OroGrams). <i>British Journal of Cancer</i> , 2018 , 118, 1672-1681	8.7	22
24	[HPV - A different view on Head and Neck Cancer]. <i>Laryngo- Rhino- Otologie</i> , 2018 , 97, S48-S113	0.8	19
23	Sensation loss after superficial parotidectomy: A prospective controlled multicenter trial. <i>Head and Neck</i> , 2017 , 39, 520-526	4.2	16
22	Human papillomavirus association is the most important predictor for surgically treated patients with oropharyngeal cancer. <i>British Journal of Cancer</i> , 2017 , 116, 1604-1611	8.7	45
21	Risk Factors for Overall Survival Outcome in Surgically Treated Human Papillomavirus-Negative and Positive Patients with Oropharyngeal Cancer. <i>Oncology Research and Treatment</i> , 2017 , 40, 320-327	2.8	21
20	Intraindividual homogeneity of F-FDG PET/CT parameters in HPV-positive OPSCC. <i>Oral Oncology</i> , 2017 , 73, 166-171	4.4	8
19	The role of high-risk human papillomavirus infections in laryngeal squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017 , 274, 3837-3842	3.5	14
18	Risikofaktor HPV. <i>HNO-Nachrichten</i> , 2017 , 47, 35-38	0.1	
17	Tumor Staging and HPV-Related Oropharyngeal Cancer. <i>Recent Results in Cancer Research</i> , 2017 , 206, 123-133	1.5	7
16	Prognostic Impact of AJCC/UICC 8th Edition New Staging Rules in Oropharyngeal Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 2017 , 7, 129	5.3	63
15	Step-by-step protocol to perfuse and dissect the mouse parotid gland and isolation of high-quality RNA from murine and human parotid tissue. <i>BioTechniques</i> , 2016 , 60, 200-3	2.5	7

14	CD56-positive lymphocyte infiltration in relation to human papillomavirus association and prognostic significance in oropharyngeal squamous cell carcinoma. <i>International Journal of Cancer</i> , 2016 , 138, 2263-73	7.5	50
13	Frey's syndrome after superficial parotidectomy: role of the sternocleidomastoid muscle flap: a prospective nonrandomized controlled trial. <i>American Journal of Surgery</i> , 2016 , 212, 740-747.e1	2.7	15
12	Cone beam computed tomography (CBCT) sialography--an adjunct to salivary gland ultrasonography in the evaluation of recurrent salivary gland swelling. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2015 , 120, 771-5	2	21
11	p16(INK4a) /Ki-67 co-expression specifically identifies transformed cells in the head and neck region. <i>International Journal of Cancer</i> , 2015 , 136, 1589-99	7.5	35
10	Prevalence and risk factors for oral human papillomavirus infection in 129 women screened for cervical HPV infection. <i>Oral Oncology</i> , 2014 , 50, 27-31	4.4	26
9	No evidence of oncogenic KRAS mutations in squamous cell carcinomas of the anogenital tract and head and neck region independent of human papillomavirus and p16(INK4a) status. <i>Human Pathology</i> , 2014 , 45, 2347-54	3.7	14
8	Valosin-containing protein (VCP/p97)-expression correlates with prognosis of HPV- negative oropharyngeal squamous cell carcinoma (OSCC). <i>PLoS ONE</i> , 2014 , 9, e114170	3.7	9
7	Basics of tumor development and importance of human papilloma virus (HPV) for head and neck cancer. <i>GMS Current Topics in Otorhinolaryngology, Head and Neck Surgery</i> , 2012 , 11, Doc09		31
6	Definitive radiochemotherapy of advanced head and neck cancer with carboplatin and paclitaxel : a phase II study. <i>Strahlentherapie Und Onkologie</i> , 2011 , 187, 645-50	4.3	13
5	High risk for bilateral Warthin tumor in heavy smokers--review of 185 cases. <i>Acta Oto-Laryngologica</i> , 2006 , 126, 1213-7	1.6	61
4	Detection of HHV-8 sequences and antigens in a MALT lymphoma associated with Sjögren's syndrome. <i>Journal of Oral Pathology and Medicine</i> , 2003 , 32, 243-5	3.3	15
3	Complications of suspension laryngoscopy. <i>Annals of Otology, Rhinology and Laryngology</i> , 2002 , 111, 972-6	2.1	55
2	Histopathology of pleomorphic adenoma in the parotid gland: a prospective unselected series of 100 cases. <i>Laryngoscope</i> , 2001 , 111, 2195-200	3.6	115
1	Oropharynxkarzinome: Wenn humane Papillomviren die Tumorauslöser sind. <i>Deutsches A&#x0308;rzteblatt International</i> ,	2.5	1