## Alessio Benedetti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6330939/publications.pdf

Version: 2024-02-01

687363 610901 27 860 13 24 citations h-index g-index papers 28 28 28 1198 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Microwave synthesis of Bessel, Bessel–Gauss, and Gaussian beams: a fully vectorial electromagnetic approach. International Journal of Microwave and Wireless Technologies, 2021, 13, 509-516.	1.9	2
2	Spiral antennas for the generation of bessel beams with tunable nondiffractive range. Journal Physics D: Applied Physics, 2021, 54, 305102.	2.8	1
3	Bessel-Gauss Beams Through Leaky Waves: Focusing and Diffractive Properties. Physical Review Applied, 2020, 13, .	3.8	14
4	Multilayer optical routing by means of vertical directional coupler with long range surface plasmons. AIP Conference Proceedings, 2019, , .	0.4	3
5	Planar chiral plasmonic 2D metamaterial: Design and fabrication. AIP Conference Proceedings, 2019, , .	0.4	2
6	Efficient light focusing through tunable spiralized Fresnel zone plate. Journal of the Optical Society of America B: Optical Physics, 2019, 36, 1008.	2.1	2
7	Dynamic phase control by rigid spiralized Fresnel zone plates. Journal of the Optical Society of America B: Optical Physics, 2019, 36, 2785.	2.1	1
8	High circular dichroism and robust performance in planar plasmonic metamaterial made of nano-comma-shaped resonators. Journal of the Optical Society of America B: Optical Physics, 2019, 36, 3079.	2.1	8
9	Precise detection of circular dichroism in a cluster of nano-helices by photoacoustic measurements. Scientific Reports, 2017, 7, 5257.	3.3	27
10	Analysis on vertical directional couplers with long range surface plasmons for multilayer optical routing. Journal of Applied Physics, 2016, 120, 083106.	2.5	13
11	Programmable Extreme Chirality in the Visible by Helix-Shaped Metamaterial Platform. Nano Letters, 2016, 16, 5823-5828.	9.1	71
12	Symmetry breaking in the second harmonic field of self-assembled metallic nanostructures. , 2015, , .		1
13	Triple-helical nanowires by tomographic rotatory growth for chiral photonics. Nature Communications, 2015, 6, 6484.	12.8	145
14	Tailoring chiro-optical effects by helical nanowire arrangement. Nanoscale, 2015, 7, 18081-18088.	5.6	43
15	Second harmonic circular dichroism by self-assembled metasurfaces [Invited]. Journal of the Optical Society of America B: Optical Physics, 2015, 32, 1287.	2.1	27
16	Nanoscale 3D Chiral Plasmonic Helices with Circular Dichroism at Visible Frequencies. ACS Photonics, 2015, 2, 105-114.	6.6	211
17	Second Harmonic Generation: Second Harmonic Generation Circular Dichroism from Self-Ordered Hybrid Plasmonic-Photonic Nanosurfaces (Advanced Optical Materials 3/2014). Advanced Optical Materials, 2014, 2, 207-207.	<b>7.</b> 3	2
18	Chirality: Three Dimensional Chiral Metamaterial Nanospirals in the Visible Range by Vertically Compensated Focused Ion Beam Induced-Deposition (Advanced Optical Materials 2/2014). Advanced Optical Materials, 2014, 2, 198-198.	7.3	3

#	Article	IF	CITATION
19	Numerical tailoring of linear response from plasmonic nano-resonators grown on a layer of polystyrene spheres. Journal of Applied Physics, 2014, 116, .	2.5	12
20	Second Harmonic Generation Circular Dichroism from Selfâ€Ordered Hybrid Plasmonic–Photonic Nanosurfaces. Advanced Optical Materials, 2014, 2, 208-213.	7.3	46
21	Three Dimensional Chiral Metamaterial Nanospirals in the Visible Range by Vertically Compensated Focused Ion Beam Inducedâ€Deposition. Advanced Optical Materials, 2014, 2, 154-161.	7.3	110
22	Measurement of the circular dichroism in the second harmonic optical signal produced by Au covered self ordered dielectric nanospheres. , $2013,  \ldots$		4
23	Coupled 2D Ag nano-resonator chains for enhanced and spatially tailored second harmonic generation. Optics Express, 2011, 19, 8218.	3.4	19
24	Second harmonic generation from 3D nanoantennas: on the surface and bulk contributions by far-field pattern analysis. Optics Express, 2011, 19, 26752.	3.4	43
25	Engineering the second harmonic generation pattern from coupled gold nanowires. Journal of the Optical Society of America B: Optical Physics, 2010, 27, 408.	2.1	47
26	Application of ray-path geometry modification to the design of a collimating structure for LEDs. Optics Communications, 2008, 281, 5674-5682.	2.1	1
27	Wide band negative magnetic permeability materials (NMPM) with composite metalsemiconductor structures based on the Drude model, and applications to negative-refractive index (NIM). Optics Express, 2007, 15, 6534.	3.4	2