

# William W Nagy

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6330993/william-w-nagy-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

17  
papers

151  
citations

7  
h-index

12  
g-index

17  
ext. papers

211  
ext. citations

3.6  
avg, IF

3.3  
L-index

#	Paper	IF	Citations
17	Fracture resistance of compromised endodontically treated teeth restored with bonded post and cores: An in vitro study. <i>Journal of Prosthetic Dentistry</i> , <b>2015</b> , 114, 390-7	4	28
16	Complete mouth rehabilitation and gastroesophageal reflux disease: Conventional and contemporary treatment approaches. <i>Journal of Prosthetic Dentistry</i> , <b>2017</b> , 117, 1-7	4	23
15	Flexural strength of denture base acrylic resins processed by conventional and CAD-CAM methods. <i>Journal of Prosthetic Dentistry</i> , <b>2020</b> , 123, 641-646	4	22
14	The Post-endodontic Adhesive Interface: Theoretical Perspectives and Potential Flaws. <i>Journal of Endodontics</i> , <b>2018</b> , 44, 363-371	4.7	18
13	Accuracy of three digital workflows for implant abutment and crown fabrication using a digital measuring technique. <i>Journal of Prosthetic Dentistry</i> , <b>2019</b> , 121, 276-284	4	15
12	Fracture resistance of lithium disilicate restorations after endodontic access preparation: An in vitro study. <i>Journal of Prosthetic Dentistry</i> , <b>2015</b> , 114, 580-6	4	11
11	Accuracy of a predetermined transverse horizontal mandibular axis point. <i>Journal of Prosthetic Dentistry</i> , <b>2002</b> , 87, 387-94	4	9
10	Facebook Use in Clinical Prosthodontic Practice. <i>Journal of Prosthodontics</i> , <b>2019</b> , 28, 772-774	3.9	6
9	An alternative digital workflow for fabricating a mandibular implant-supported complete fixed dental prosthesis with limited restorative space: A clinical report. <i>Journal of Prosthetic Dentistry</i> , <b>2018</b> , 120, 1-4	4	5
8	Prosthetic rehabilitation following lateral resection of the mandible with a long cantilever implant-supported fixed prosthesis: A 3-year clinical report. <i>Journal of Prosthetic Dentistry</i> , <b>2017</b> , 118, 678-685	4	4
7	Customized occlusal reduction guide made from a thermoplastic sheet. <i>Journal of Prosthetic Dentistry</i> , <b>2015</b> , 114, 307-8	4	3
6	Labial reduction guide for laminate veneer preparation. <i>Journal of Prosthetic Dentistry</i> , <b>2015</b> , 114, 490-2.4		3
5	Using a thermoplastic sheet to add palatal rugae to a complete removable dental prosthesis. <i>Journal of Prosthetic Dentistry</i> , <b>2015</b> , 114, 464-5	4	1
4	Effect of firing and fabrication technique on the marginal fit of heat-pressed lithium disilicate veneers. <i>Journal of Prosthetic Dentistry</i> , <b>2020</b> ,	4	1
3	Custom total occlusal convergence angle sticker fabrication. <i>Journal of Prosthetic Dentistry</i> , <b>2015</b> , 114, 335-8	4	1
2	Morphologic custom shade guide fabricated with feldspathic ceramic. <i>Journal of Prosthetic Dentistry</i> , <b>2015</b> , 113, 660-1	4	1
1	The Effect of Artificial Aging on The Bond Strength of Heat-activated Acrylic Resin to Surface-treated Nickel-chromium-beryllium Alloy. <i>Open Dentistry Journal</i> , <b>2016</b> , 10, 124-30	0.8	0

