

Donal J O gorman

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6332942/donal-j-ogorman-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

3,276
citations

26
h-index

56
g-index

72
ext. papers

3,785
ext. citations

5.3
avg, IF

4.73
L-index

#	Paper	IF	Citations
72	Endurance exercise training-responsive miR-19b-3p improves skeletal muscle glucose metabolism. <i>Nature Communications</i> , 2021 , 12, 5948	17.4	2
71	Associations of Total Legume, Pulse, and Soy Consumption with Incident Type 2 Diabetes: Federated Meta-Analysis of 27 Studies from Diverse World Regions. <i>Journal of Nutrition</i> , 2021 , 151, 1231-1240	4.1	6
70	DietSee: An on-hand, portable, strip-type biosensor for lipolysis monitoring via real-time amperometric determination of glycerol in blood. <i>Analytica Chimica Acta</i> , 2021 , 1155, 338358	6.6	1
69	Heterogeneity of Associations between Total and Types of Fish Intake and the Incidence of Type 2 Diabetes: Federated Meta-Analysis of 28 Prospective Studies Including 956,122 Participants. <i>Nutrients</i> , 2021 , 13,	6.7	2
68	Growth hormone replacement may influence the biological action of thyroid hormone on liver and bone tissue. <i>Growth Hormone and IGF Research</i> , 2021 , 57-58, 101393	2	2
67	Fetuin-A as a Potential Biomarker of Metabolic Variability Following 60 Days of Bed Rest. <i>Frontiers in Physiology</i> , 2020 , 11, 573581	4.6	3
66	Effectiveness of Resistive Vibration Exercise and Whey Protein Supplementation Plus Alkaline Salt on the Skeletal Muscle Proteome Following 21 Days of Bed Rest in Healthy Males. <i>Journal of Proteome Research</i> , 2020 , 19, 3438-3451	5.6	7
65	Growth and differentiation factor 15 is secreted by skeletal muscle during exercise and promotes lipolysis in humans. <i>JCI Insight</i> , 2020 , 5,	9.9	37
64	Phenotypic Responses to a Lifestyle Intervention Do Not Account for Inter-Individual Variability in Glucose Tolerance for Individuals at High Risk of Type 2 Diabetes. <i>Frontiers in Physiology</i> , 2019 , 10, 317	4.6	9
63	Zinc supplementation increases protein titer of recombinant CHO cells. <i>Cytotechnology</i> , 2019 , 71, 915-924	2.4	6
62	Novel Surface Modified Polymer Microneedle based Biosensors for Interstitial Fluid Glucose Detection 2019 ,		2
61	Associations between maternal physical activity in early and late pregnancy and offspring birth size: remote federated individual level meta-analysis from eight cohort studies. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 459-470	3.7	28
60	A nutrient cocktail prevents lipid metabolism alterations induced by 20 days of daily steps reduction and fructose overfeeding: result from a randomized study. <i>Journal of Applied Physiology</i> , 2019 , 126, 88-101	3.7	14
59	Metabolic Inflexibility Is an Early Marker of Bed-Rest-Induced Glucose Intolerance Even When Fat Mass Is Stable. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 1910-1920	5.6	18
58	Muscular contraction frequency does not affect plasma homocysteine concentration in response to energy expenditure- and intensity-matched acute exercise in sedentary males. <i>Applied Physiology, Nutrition and Metabolism</i> , 2018 , 43, 107-112	3	2
57	ALTERATIONS IN THYROID HORMONE LEVELS FOLLOWING GROWTH HORMONE REPLACEMENT EXERT COMPLEX BIOLOGICAL EFFECTS. <i>Endocrine Practice</i> , 2018 , 24, 342-350	3.2	8
56	Data on Determinants Are Needed to Curb the Sedentary Epidemic in Europe. Lessons Learnt from the DEDIPAC European Knowledge Hub. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	5

55	Altered miR-29 Expression in Type 2 Diabetes Influences Glucose and Lipid Metabolism in Skeletal Muscle. <i>Diabetes</i> , 2017 , 66, 1807-1818	0.9	105
54	Bed rest and resistive vibration exercise unveil novel links between skeletal muscle mitochondrial function and insulin resistance. <i>Diabetologia</i> , 2017 , 60, 1491-1501	10.3	24
53	Proteome-wide Adaptations of Mouse Skeletal Muscles during a Full Month in Space. <i>Journal of Proteome Research</i> , 2017 , 16, 2623-2638	5.6	21
52	Early-onset and classical forms of type 2 diabetes show impaired expression of genes involved in muscle branched-chain amino acids metabolism. <i>Scientific Reports</i> , 2017 , 7, 13850	4.9	28
51	Energy expenditure and affect responses to different types of active video game and exercise. <i>PLoS ONE</i> , 2017 , 12, e0176213	3.7	12
50	Determinants of diet and physical activity (DEDIPAC): a summary of findings. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 150	8.4	41
49	Socio-cultural determinants of physical activity across the life course: a Determinants of Diet and Physical Activity (DEDIPAC) umbrella systematic literature review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 173	8.4	41
48	The effect of growth hormone replacement on the thyroid axis in patients with hypopituitarism: in vivo and ex vivo studies. <i>Clinical Endocrinology</i> , 2017 , 86, 747-754	3.4	17
47	Elevated 12-hydroxyeicosatetraenoic acid (12-HETE) levels in serum of individuals with newly diagnosed Type 1 diabetes. <i>Diabetic Medicine</i> , 2017 , 34, 292-294	3.5	12
46	Identifying and sharing data for secondary data analysis of physical activity, sedentary behaviour and their determinants across the life course in Europe: general principles and an example from DEDIPAC. <i>BMJ Open</i> , 2017 , 7, e017489	3	8
45	Towards human exploration of space: The THESEUS review series on nutrition and metabolism research priorities. <i>Npj Microgravity</i> , 2016 , 2, 16029	5.3	28
44	A systematic review of correlates of sedentary behaviour in adults aged 18-65 years: a socio-ecological approach. <i>BMC Public Health</i> , 2016 , 16, 163	4.1	266
43	Higher rate of fat oxidation during rowing compared with cycling ergometer exercise across a range of exercise intensities. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2016 , 26, 630-7	4.6	7
42	An evaluation of the DEXLIFE self-selected lifestyle intervention aimed at improving insulin sensitivity in people at risk of developing type 2 diabetes: study protocol for a randomised controlled trial. <i>Trials</i> , 2015 , 16, 529	2.8	2
41	Re-programming CHO cell metabolism using miR-23 tips the balance towards a highly productive phenotype. <i>Biotechnology Journal</i> , 2015 , 10, 1029-40	5.6	37
40	The Effects of Atorvastatin on Arterial Stiffness in Male Patients with Type 2 Diabetes. <i>Journal of Diabetes Research</i> , 2015 , 2015, 846807	3.9	17
39	Wearable chemical sensors: Characterization of heart rate electrodes using electrochemical impedance spectroscopy 2015 ,		2
38	Interactive video game cycling leads to higher energy expenditure and is more enjoyable than conventional exercise in adults. <i>PLoS ONE</i> , 2015 , 10, e0118470	3.7	28

37	Modified Active Videogame Play Results in Moderate-Intensity Exercise. <i>Games for Health Journal</i> , 2014 , 3, 234-40	4.2	11
36	The DEXLIFE study methods: identifying novel candidate biomarkers that predict progression to type 2 diabetes in high risk individuals. <i>Diabetes Research and Clinical Practice</i> , 2014 , 106, 383-9	7.4	10
35	Towards the integration and development of a cross-European research network and infrastructure: the DEterminants of DIet and Physical ACTivity (DEDIPAC) Knowledge Hub. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 143	8.4	60
34	A comparison of osteoprotegerin with adiponectin and high-sensitivity C-reactive protein (hsCRP) as a marker for insulin resistance. <i>Metabolism: Clinical and Experimental</i> , 2013 , 62, 34-8	12.7	16
33	Time course analysis reveals gene-specific transcript and protein kinetics of adaptation to short-term aerobic exercise training in human skeletal muscle. <i>PLoS ONE</i> , 2013 , 8, e74098	3.7	80
32	The effect of exercise on osteoprotegerin and TNF-related apoptosis-inducing ligand in obese patients. <i>European Journal of Clinical Investigation</i> , 2012 , 42, 1173-9	4.6	10
31	Acute exercise remodels promoter methylation in human skeletal muscle. <i>Cell Metabolism</i> , 2012 , 15, 405-11	24.6	586
30	Lipoprotein particle distribution and skeletal muscle lipoprotein lipase activity after acute exercise. <i>Lipids in Health and Disease</i> , 2012 , 11, 64	4.4	18
29	Transient increase in homocysteine but not hyperhomocysteinemia during acute exercise at different intensities in sedentary individuals. <i>PLoS ONE</i> , 2012 , 7, e51185	3.7	9
28	Is exercise physiology a real science?. <i>Medical Writing</i> , 2012 , 21, 284-287		
27	Exercise and the treatment of diabetes and obesity. <i>Medical Clinics of North America</i> , 2011 , 95, 953-69	7	27
26	Identifying coronary artery disease in men with type 2 diabetes: osteoprotegerin, pulse wave velocity, and other biomarkers of cardiovascular risk. <i>Journal of Hypertension</i> , 2011 , 29, 2469-75	1.9	9
25	Similar to adiponectin, serum levels of osteoprotegerin are associated with obesity in healthy subjects. <i>Metabolism: Clinical and Experimental</i> , 2011 , 60, 994-1000	12.7	44
24	2-D DIGE analysis of the mitochondrial proteome from human skeletal muscle reveals time course-dependent remodelling in response to 14 consecutive days of endurance exercise training. <i>Proteomics</i> , 2011 , 11, 1413-28	4.8	56
23	Exercise intensity-dependent regulation of peroxisome proliferator-activated receptor coactivator-1 mRNA abundance is associated with differential activation of upstream signalling kinases in human skeletal muscle. <i>Journal of Physiology</i> , 2010 , 588, 1779-90	3.9	253
22	Osteoprotegerin is higher in peripheral arterial disease regardless of glycaemic status. <i>Thrombosis Research</i> , 2010 , 126, e423-7	8.2	16
21	Haplotype association of calpain 10 gene variants with type 2 diabetes mellitus in an Irish sample. <i>Irish Journal of Medical Science</i> , 2010 , 179, 269-72	1.9	5
20	BIOTEX--biosensing textiles for personalised healthcare management. <i>IEEE Transactions on Information Technology in Biomedicine</i> , 2010 , 14, 364-70		238

19	Effects of preoperative neuromuscular electrical stimulation on quadriceps strength and functional recovery in total knee arthroplasty. A pilot study. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 119	2.8	70
18	Osteoprotegerin and biomarkers of vascular inflammation in type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2010 , 26, 496-502	7.5	22
17	Influence of acute exercise with and without carbohydrate replacement on postprandial lipid metabolism. <i>Journal of Applied Physiology</i> , 2009 , 106, 943-9	3.7	57
16	The endothelial microparticle response to a high fat meal is not attenuated by prior exercise. <i>European Journal of Applied Physiology</i> , 2009 , 106, 555-62	3.4	31
15	Effect of prior exercise on postprandial lipemia and markers of inflammation and endothelial activation in normal weight and overweight adolescent boys. <i>European Journal of Applied Physiology</i> , 2009 , 106, 721-9	3.4	54
14	A Sensing Platform for Physiological and Contextual Feedback to Tennis Athletes 2009 ,		13
13	The Take PART study (Physical Activity Research for Teenagers): rationale and methods. <i>Journal of Physical Activity and Health</i> , 2009 , 6, 170-7	2.5	16
12	Active commuting to school: how far is too far?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2008 , 5, 1	8.4	242
11	Exercise and the treatment of diabetes and obesity. <i>Endocrinology and Metabolism Clinics of North America</i> , 2008 , 37, 887-903	5.5	26
10	In vivo and in vitro studies of GAD-antibody positive subjects with Type 2 diabetes: A distinct sub-phenotype. <i>Diabetes Research and Clinical Practice</i> , 2008 , 80, 365-70	7.4	3
9	Influence Of Acute Exercise With And Without Glycogen Repletion On Postprandial Metabolism. <i>Medicine and Science in Sports and Exercise</i> , 2008 , 40, S56	1.2	
8	Feasibility and relevance of global expression profiling of gene transcripts in serum from breast cancer patients using whole genome microarrays and quantitative RT-PCR. <i>Cancer Genomics and Proteomics</i> , 2008 , 5, 94-104	3.3	16
7	Exercise training increases insulin-stimulated glucose disposal and GLUT4 (SLC2A4) protein content in patients with type 2 diabetes. <i>Diabetologia</i> , 2006 , 49, 2983-92	10.3	164
6	Early-onset insulin-resistant diabetes in obese Caucasians has features of typical type 2 diabetes, but 3 decades earlier. <i>Diabetes Care</i> , 2005 , 28, 1216-8	14.6	21
5	Effects of a moderate glycemic meal on exercise duration and substrate utilization. <i>Medicine and Science in Sports and Exercise</i> , 2001 , 33, 1517-23	1.2	22
4	Insulin and exercise differentially regulate PI3-kinase and glycogen synthase in human skeletal muscle. <i>Journal of Applied Physiology</i> , 2000 , 89, 1412-9	3.7	24
3	Regular exercise enhances insulin activation of IRS-1-associated PI3-kinase in human skeletal muscle. <i>Journal of Applied Physiology</i> , 2000 , 88, 797-803	3.7	112
2	Validity of Field Tests for Evaluating Endurance Capacity in Competitive and International-Level Sports Participants. <i>Journal of Strength and Conditioning Research</i> , 2000 , 14, 62	3.2	9

- 1 A moderate glycemic meal before endurance exercise can enhance performance. *Journal of Applied Physiology*, **1998**, 84, 53-9 3.7 78