
## Ryota Asahina

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6333885/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | A review of the roles of keratinocyteâ€derived cytokines and chemokines in the pathogenesis of atopic dermatitis in humans and dogs. Veterinary Dermatology, 2017, 28, 16.  | 0.4 | 42        |
| 2  | Transcription of thymic stromal lymphopoietin via Tollâ€like receptor 2 in canine keratinocytes: a<br>possible association of <i>Staphylococcus</i> spp. in the deterioration of allergic inflammation in<br>canine atopic dermatitis. Veterinary Dermatology, 2016, 27, 184. | 0.4 | 16        |
| 3  | Gene transcription of proâ€inflammatory cytokines and chemokines induced by <scp>IL</scp> â€17A in canine keratinocytes. Veterinary Dermatology, 2015, 26, 426.   | 0.4 | 10        |
| 4  | Expression of <scp>IL</scp> â€33 in chronic lesional skin of canine atopic dermatitis. Veterinary<br>Dermatology, 2018, 29, 246.  | 0.4 | 10        |
| 5  | Serum canine thymus and activationâ€ <b>r</b> egulated chemokine (TARC/CCL17) concentrations correlate with disease severity and therapeutic responses in dogs with atopic dermatitis. Veterinary Dermatology, 2020, 31, 446-455.   | 0.4 | 9         |
| 6  | Expression of ZOâ€1 and claudinâ€1 in a 3D epidermal equivalent using canine progenitor epidermal keratinocytes. Veterinary Dermatology, 2018, 29, 288.   | 0.4 | 6         |
| 7  | Characterization of a novel canine T-cell line established from a dog with cutaneous T-cell lymphoma.<br>Journal of Dermatological Science, 2017, 88, 254-256.  | 1.0 | 2         |
| 8  | Transcriptional analysis of the <scp>IL</scp> â€33 receptor suppression of tumourigenicity 2 and its effects on canine Type 2 T helper cells: a preliminary study. Veterinary Dermatology, 2018, 29, 112.   | 0.4 | 2         |
| 9  | Th17 cells increase during maturation in peripheral blood of healthy dogs. Veterinary Immunology and<br>Immunopathology, 2019, 209, 17-21.  | 0.5 | 2         |
| 10 | Phenotypic analysis of mice xenografted with canine epitheliotropic cutaneous T ell lymphoma cells.<br>Veterinary Dermatology, 2018, 29, 517.   | 0.4 | 1         |
| 11 | Cutaneous Liver X Receptor Activation Prevents the Formation of Imiquimod-Induced Psoriatic Dermatitis. Journal of Investigative Dermatology, 2022, 142, 1233-1237.e1.  | 0.3 | 1         |
| 12 | Narrowâ€band ultraviolet B therapy attenuates cutaneous Tâ€cell responses in haptenâ€induced,<br>experimental contact dermatitis in beagles. Veterinary Dermatology, 2021, 32, 605.   | 0.4 | 0         |
| 13 | In-vivo Imaging of CD8+ T cell-mediated Keratinocyte Apoptosis in Graft-Versus Host Disease-like<br>Dermatitis in Involucrin-mOVA Mice. Journal of Investigative Dermatology, 2022, , .   | 0.3 | 0         |