

Sascha David

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6334289/sascha-david-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98
papers

2,603
citations

30
h-index

49
g-index

111
ext. papers

3,316
ext. citations

6.7
avg, IF

5.01
L-index

#	Paper	IF	Citations
98	Intracranial Hemorrhages on Extracorporeal Membrane Oxygenation: Differences Between COVID-19 and Other Viral Acute Respiratory Distress Syndrome.. <i>Critical Care Medicine</i> , 2022 ,	1.4	4
97	Neurological management and work-up of neurotoxicity associated with CAR T cell therapy.. <i>Neurological Research and Practice</i> , 2022 , 4, 1	3.2	2
96	It takes two to bleed: anticoagulation intensity and the host's vascular susceptibility.. <i>Intensive Care Medicine</i> , 2022 , 1	14.5	1
95	Extrakorporale Behandlungsstrategien der Sepsis. <i>Transfusionsmedizin & Immunhämatologie Hämotherapie Transplantationsimmunologie Zelltherapie</i> , 2022 , 12, 16-25	0.1	
94	The importance of intravenous immunoglobulin treatment in critically ill patients with necrotizing soft tissue infection: a retrospective cohort study.. <i>BMC Infectious Diseases</i> , 2022 , 22, 168	4	0
93	Predictors of response to intra-arterial vasodilatory therapy of non-occlusive mesenteric ischemia in patients with severe shock: results from a prospective observational study.. <i>Critical Care</i> , 2022 , 26, 92	10.8	0
92	Where is the imperceptible difference?. <i>Intensive Care Medicine</i> , 2022 , 1	14.5	1
91	Clinical and biochemical endpoints and predictors of response to plasma exchange in septic shock: results from a randomized controlled trial.. <i>Critical Care</i> , 2022 , 26, 134	10.8	2
90	Comparison of anticoagulation strategies for veno-venous ECMO support in acute respiratory failure. <i>Critical Care</i> , 2021 , 24, 701	10.8	11
89	Effects of therapeutic plasma exchange on the endothelial glycocalyx in septic shock. <i>Intensive Care Medicine Experimental</i> , 2021 , 9, 57	3.7	1
88	Targeting the "sweet spot" in septic shock - A perspective on the endothelial glycocalyx regulating proteins Heparanase-1 and -2.. <i>Matrix Biology Plus</i> , 2021 , 12, 100095	5.1	3
87	Altered fibrin clot structure and dysregulated fibrinolysis contribute to thrombosis risk in severe COVID-19. <i>Blood Advances</i> , 2021 ,	7.8	4
86	Unraveling the secret of re-balancing homeostasis in sepsis: a critical view on extracorporeal blood purification modalities. <i>Intensive Care Medicine</i> , 2021 , 1	14.5	1
85	Effect of Therapeutic Plasma Exchange on Immunoglobulin Deficiency in Early and Severe Septic Shock. <i>Journal of Intensive Care Medicine</i> , 2021 , 36, 1491-1497	3.3	5
84	Modulation of the Permeability-Inducing Factor Angiotensin-2 Through Bifonazole in Systemic Inflammation. <i>Shock</i> , 2021 , 56, 1049-1056	3.4	2
83	Circulating cardiovascular microRNAs in critically ill COVID-19 patients. <i>European Journal of Heart Failure</i> , 2021 , 23, 468-475	12.3	39
82	Adjuvant therapeutic plasma exchange in septic shock. <i>Intensive Care Medicine</i> , 2021 , 47, 352-354	14.5	13

81	High Incidence of Epileptiform Potentials During Continuous EEG Monitoring in Critically Ill COVID-19 Patients. <i>Frontiers in Medicine</i> , 2021 , 8, 613951	4.9	
80	Absence of SARS-CoV-2 RNA in COVID-19-associated intestinal endothelialitis. <i>Intensive Care Medicine</i> , 2021 , 47, 359-360	14.5	7
79	Extracorporeal membrane oxygenation in non-intubated immunocompromised patients. <i>Critical Care</i> , 2021 , 25, 164	10.8	4
78	The Janus Face of Coronavirus Disease 2019-Associated Coagulopathy. <i>Critical Care Medicine</i> , 2021 , 49, e1049-e1050	1.4	3
77	Between inflammation and thrombosis: endothelial cells in COVID-19. <i>European Respiratory Journal</i> , 2021 , 58,	13.6	15
76	Near real-time observation reveals increased prevalence of young patients in the ICU during the emerging third SARS-CoV-2 wave in Switzerland. <i>Swiss Medical Weekly</i> , 2021 , 151, w20553	3.1	1
75	Immunoglobulin deficiency as an indicator of disease severity in patients with COVID-19. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2021 , 320, L590-L599	5.8	5
74	F-FDG PET/CT of off-target lymphoid organs in CD19-targeting chimeric antigen receptor T-cell therapy for relapsed or refractory diffuse large B-cell lymphoma. <i>Annals of Nuclear Medicine</i> , 2021 , 35, 132-138	2.5	5
73	SP-D Serum Levels Reveal Distinct Epithelial Damage in Direct Human ARDS. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
72	COVID-19 immune signatures reveal stable antiviral T cell function despite declining humoral responses. <i>Immunity</i> , 2021 , 54, 340-354.e6	32.3	87
71	Role of endothelial microRNA 155 on capillary leakage in systemic inflammation. <i>Critical Care</i> , 2021 , 25, 76	10.8	1
70	What every intensivist should know about Tocilizumab. <i>Critical Care</i> , 2021 , 25, 262	10.8	3
69	Flow-dependent regulation of endothelial Tie2 by GATA3 in vivo. <i>Intensive Care Medicine Experimental</i> , 2021 , 9, 38	3.7	1
68	Complement inhibition for the treatment of COVID-19 triggered thrombotic microangiopathy with cardiac failure: a case report. <i>European Heart Journal - Case Reports</i> , 2021 , 5, ytab386	0.9	0
67	Staying Awake in Severe Acute Respiratory Distress Syndrome: A Perspective on Immunocompromised Patients. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021 , 204, 738-739	10.2	
66	Endothelial dysfunction contributes to severe COVID-19 in combination with dysregulated lymphocyte responses and cytokine networks. <i>Signal Transduction and Targeted Therapy</i> , 2021 , 6, 418	21	9
65	First do no harm-beware the risk of therapeutic plasma exchange in severe COVID-19. <i>Critical Care</i> , 2020 , 24, 363	10.8	14
64	Non-occlusive mesenteric ischemia (NOMI): evaluation of 2D-perfusion angiography (2D-PA) for early treatment response assessment. <i>Abdominal Radiology</i> , 2020 , 45, 3342-3351	3	4

63	Effect of therapeutic plasma exchange on endothelial activation and coagulation-related parameters in septic shock. <i>Critical Care</i> , 2020 , 24, 71	10.8	19
62	Therapeutic plasma exchange in acute on chronic liver failure. <i>Journal of Clinical Apheresis</i> , 2020 , 35, 316-327	3.2	4
61	Extracorporeal cytokine removal in severe CAR-T cell associated cytokine release syndrome. <i>Journal of Critical Care</i> , 2020 , 57, 124-129	4	19
60	Soluble neprilysin, NT-proBNP, and growth differentiation factor-15 as biomarkers for heart failure in dialysis patients (SONGBIRD). <i>Clinical Research in Cardiology</i> , 2020 , 109, 1035-1047	6.1	7
59	Activated Clotting Time (ACT) for Monitoring of Low-Dose Heparin: Performance Characteristics in Healthy Adults and Critically Ill Patients. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2020 , 26, 10760296201975494	3.3	1
58	Identification of specific Tie2 cleavage sites and therapeutic modulation in experimental sepsis. <i>ELife</i> , 2020 , 9,	8.9	4
57	Extracorporeal Membrane Oxygenation for Severe ARDS Due to Immune Diffuse Alveolar Hemorrhage: A Retrospective Observational Study. <i>Chest</i> , 2020 , 157, 744-747	5.3	8
56	Nonocclusive Mesenteric Ischemia and Interventional Local Vasodilatory Therapy: A Meta-Analysis and Systematic Review of the Literature. <i>Journal of Intensive Care Medicine</i> , 2020 , 35, 128-139	3.3	10
55	Dual Pharmacological Inhibition of Angiotensin-2 and VEGF-A in Murine Experimental Sepsis. <i>Journal of Vascular Research</i> , 2020 , 57, 34-45	1.9	6
54	Reappearance of effector T cells is associated with recovery from COVID-19. <i>EBioMedicine</i> , 2020 , 57, 102885	8.8	65
53	Injury to the Endothelial Glycocalyx in Critically Ill Patients with COVID-19. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 202, 1178-1181	10.2	54
52	Direct evidence of SARS-CoV-2 in gut endothelium. <i>Intensive Care Medicine</i> , 2020 , 46, 2081-2082	14.5	14
51	A Retrospective Analysis of Nonocclusive Mesenteric Ischemia in Medical and Surgical ICU Patients: Clinical Data on Demography, Clinical Signs, and Survival. <i>Journal of Intensive Care Medicine</i> , 2020 , 35, 1162-1172	3.3	16
50	Donor-derived IL-17A and IL-17F deficiency triggers Th1 allo-responses and increases gut leakage during acute GVHD. <i>PLoS ONE</i> , 2020 , 15, e0231222	3.7	
49	Maintenance Immunosuppression Is Associated With Better Outcome in the 2017/2018 Influenza Epidemic. <i>Open Forum Infectious Diseases</i> , 2019 , 6, ofz381	1	1
48	Extracorporeal membrane oxygenation for acute respiratory distress syndrome due to pneumonia. <i>European Respiratory Journal</i> , 2019 , 54,	13.6	6
47	Development of an Optimized LC-MS Method for the Detection of Specialized Pro-Resolving Mediators in Biological Samples. <i>Frontiers in Pharmacology</i> , 2019 , 10, 169	5.6	31
46	Therapeutic plasma exchange in acute liver failure. <i>Journal of Clinical Apheresis</i> , 2019 , 34, 589-597	3.2	24

45	"Better be awake"-a role for awake extracorporeal membrane oxygenation in acute respiratory distress syndrome due to Pneumocystis pneumonia. <i>Critical Care</i> , 2019 , 23, 418	10.8	6
44	Single- and multiple-dose pharmacokinetics and total removal of colistin in critically ill patients with acute kidney injury undergoing prolonged intermittent renal replacement therapy. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 997-1002	5.1	9
43	Multiplexed, high-throughput measurements of cell contraction and endothelial barrier function. <i>Laboratory Investigation</i> , 2019 , 99, 138-145	5.9	3
42	Endothelial-to-mesenchymal transition shapes the atherosclerotic plaque and modulates macrophage function. <i>FASEB Journal</i> , 2019 , 33, 2278-2289	0.9	25
41	Molecular Regulation of Acute Tie2 Suppression in Sepsis. <i>Critical Care Medicine</i> , 2018 , 46, e928-e936	1.4	9
40	miR-125b regulates chemotaxis and survival of bone marrow derived granulocytes in vitro and in vivo. <i>PLoS ONE</i> , 2018 , 13, e0204942	3.7	3
39	Clinical course, treatment and outcome of Pneumocystis pneumonia in immunocompromised adults: a retrospective analysis over 17 years. <i>Critical Care</i> , 2018 , 22, 307	10.8	46
38	Early therapeutic plasma exchange in septic shock: a prospective open-label nonrandomized pilot study focusing on safety, hemodynamics, vascular barrier function, and biologic markers. <i>Critical Care</i> , 2018 , 22, 285	10.8	70
37	Effect of extracorporeal cytokine removal on vascular barrier function in a septic shock patient. <i>Journal of Intensive Care</i> , 2017 , 5, 12	7	38
36	Flunarizine suppresses endothelial Angiotensin-2 in a calcium - dependent fashion in sepsis. <i>Scientific Reports</i> , 2017 , 7, 44113	4.9	8
35	Gene control of tyrosine kinase TIE2 and vascular manifestations of infections. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 2472-7	11.5	63
34	BRAF Inhibition in a Lung Transplant Recipient With Metastatic Melanoma. <i>JAMA Dermatology</i> , 2016 , 152, 228-30	5.1	4
33	Role of angiotensin-2 in infection - A double-edged sword?. <i>Cytokine</i> , 2016 , 83, 61-63	4	5
32	Differential Effects of Gut-Homing Molecules CC Chemokine Receptor 9 and Integrin- α during Acute Graft-versus-Host Disease of the Liver. <i>Biology of Blood and Marrow Transplantation</i> , 2015 , 21, 2069-2078	4.7	3
31	Cationic amphiphilic drugs enhance entry of lentiviral particles pseudotyped with rabies virus glycoprotein into non-neuronal cells. <i>Antiviral Research</i> , 2015 , 124, 122-31	10.8	3
30	Drug Repurposing Screen Identifies Foxo1-Dependent Angiotensin-2 Regulation in Sepsis. <i>Critical Care Medicine</i> , 2015 , 43, e230-40	1.4	27
29	Involvement of Angiotensin-2 and Tie2 Receptor Phosphorylation in STEC-HUS Mediated by Escherichia coli O104:H4. <i>Mediators of Inflammation</i> , 2015 , 2015, 670248	4.3	3
28	Angiotensin-1 requires oxidant signaling through p47phox to promote endothelial barrier defense. <i>PLoS ONE</i> , 2015 , 10, e0119577	3.7	10

27	The Endothelial Receptor Tyrosine Kinase Tie2 is Essential for Vascular Integrity Dependent/Independent of Inflammation. <i>FASEB Journal</i> , 2015 , 29, LB99	0.9	
26	The clinically approved drugs amiodarone, dronedarone and verapamil inhibit filovirus cell entry. <i>Journal of Antimicrobial Chemotherapy</i> , 2014 , 69, 2123-31	5.1	140
25	Lung-targeted RNA interference against angiotensin-2 ameliorates multiple organ dysfunction and death in sepsis. <i>Critical Care Medicine</i> , 2014 , 42, e654-62	1.4	50
24	Angiotensin-2 and biliary diseases: elevated serum, but not bile levels are associated with cholangiocarcinoma. <i>PLoS ONE</i> , 2014 , 9, e97046	3.7	19
23	Mending leaky blood vessels: the angiotensin-Tie2 pathway in sepsis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013 , 345, 2-6	4.7	48
22	Quantification of experimental acute kidney injury by computer-assisted imaging of lectin phytohemagglutinin E. <i>Journal of Nephrology</i> , 2013 , 26, 385-8	4.8	1
21	Angiotensin-2 levels predict mortality in CKD patients. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 1867-72	4.3	61
20	Impaired function of the Tie-2 receptor contributes to vascular leakage and lethality in anthrax. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 10024-9	11.5	42
19	Angiotensin-2 may contribute to multiple organ dysfunction and death in sepsis*. <i>Critical Care Medicine</i> , 2012 , 40, 3034-41	1.4	123
18	Acute administration of recombinant Angiotensin-1 ameliorates multiple-organ dysfunction syndrome and improves survival in murine sepsis. <i>Cytokine</i> , 2011 , 55, 251-9	4	68
17	PGC-1 β promotes recovery after acute kidney injury during systemic inflammation in mice. <i>Journal of Clinical Investigation</i> , 2011 , 121, 4003-14	15.9	303
16	The synthetic tie2 agonist peptide vasculotide protects against vascular leakage and reduces mortality in murine abdominal sepsis. <i>Critical Care</i> , 2011 , 15, R261	10.8	92
15	Angiotensin-1 requires IQ domain GTPase-activating protein 1 to activate Rac1 and promote endothelial barrier defense. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 2643-52	9.4	64
14	Circulating angiotensin-1 could be confounded by ex vivo platelet activation. <i>Kidney International</i> , 2011 , 79, 687	9.9	2
13	Effects of a synthetic PEG-ylated Tie-2 agonist peptide on endotoxemic lung injury and mortality. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2011 , 300, L851-62	5.8	76
12	Circulating angiotensin-2 levels increase with progress of chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 2571-6	4.3	52
11	Angiotensin-2 in patients requiring renal replacement therapy in the ICU: relation to acute kidney injury, multiple organ dysfunction syndrome and outcome. <i>Intensive Care Medicine</i> , 2010 , 36, 462-70	14.5	66
10	Prospective evaluation of an in-centre conversion from conventional haemodialysis to an intensified nocturnal strategy. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 2232-40	4.3	40

9	Angiotensin 2 and cardiovascular disease in dialysis and kidney transplantation. <i>American Journal of Kidney Diseases</i> , 2009 , 53, 770-8	7.4	53
8	Time course of angiotensin-2 release during experimental human endotoxemia and sepsis. <i>Critical Care</i> , 2009 , 13, R64	10.8	74
7	Circulating angiotensin-2 in essential hypertension: relation to atherosclerosis, vascular inflammation, and treatment with olmesartan/pravastatin. <i>Journal of Hypertension</i> , 2009 , 27, 1641-7	1.9	47
6	Circulating angiotensin-1 and angiotensin-2 in critically ill patients: development and clinical application of two new immunoassays. <i>Critical Care</i> , 2008 , 12, R94	10.8	67
5	Excess circulating angiotensin-2 is a strong predictor of mortality in critically ill medical patients. <i>Critical Care</i> , 2008 , 12, R147	10.8	120
4	Angiotensin-2 predicts disease-free survival after allogeneic stem cell transplantation in patients with high-risk myeloid malignancies. <i>Blood</i> , 2008 , 112, 2139-48	2.2	39
3	Diagnostic value of N-terminal pro-B-type natriuretic peptide (NT-proBNP) for left ventricular dysfunction in patients with chronic kidney disease stage 5 on haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 1370-7	4.3	66
2	Circulating Angiotensin-2 Predicts Time to Relapse after Allogeneic Hematopoietic Stem Cell Transplantation for Acute Myeloid Leukemia.. <i>Blood</i> , 2008 , 112, 3259-3259	2.2	
1	Heavy metal--rely on gut feelings: novel diagnostic approach to test drug compliance in patients with lanthanum intake. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 2091-2	4.3	12