Domingo Orozco-Beltran

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6334396/domingo-orozco-beltran-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

97
papers

1,548
citations

19
h-index

35
g-index

125
ext. papers

2,069
ext. citations

3
L-index

#	Paper	IF	Citations
97	Impact of Advanced Diabetes Centers on the healthcare experience of patients with type 2 diabetes using the IEXPAC tool. <i>Endocrinolog<mark>ù Diabetes Y Nutriciù (English Ed)</mark></i> , 2021 , 68, 416-427	0.1	
96	Impacto de los Centros Avanzados de Diabetes en la experiencia de los pacientes con diabetes tipo 2 con la atencifi sanitaria mediante la herramienta IEXPAC. <i>Endocrinologia, Diabetes Y Nutrici</i> lo, 2021 , 68, 416-427	1.3	О
95	Analysis of LDL and HDL size and number by nuclear magnetic resonance in a healthy working population: The LipoLab Study. <i>International Journal of Clinical Practice</i> , 2021 , 75, e13610	2.9	3
94	Hospital admissions trends for severe hypoglycemia in diabetes patients in Spain, 2005 to 2015. Diabetes Research and Clinical Practice, 2021 , 171, 108565	7.4	3
93	Expert consensus for primary management of reproductive health: a Delphi study. <i>Irish Journal of Medical Science</i> , 2021 , 190, 677-684	1.9	O
92	The Experience With Health Care of Patients With Inflammatory Arthritis: A Cross-sectional Survey Using the Instrument to Evaluate the Experience of Patients With Chronic Diseases. <i>Journal of Clinical Rheumatology</i> , 2021 , 27, 25-30	1.1	О
91	Validation and psychometric properties of the 8-item Morisky Medication Adherence Scale (MMAS-8) in type 2 diabetes patients in Spain. <i>Atencion Primaria</i> , 2021 , 53, 101942	3.6	2
90	Healthcare experience among patients with type 2 diabetes: A cross-sectional survey using the IEXPAC tool. <i>Endocrinology, Diabetes and Metabolism</i> , 2021 , 4, e00220	2.7	О
89	Trends in premature mortality due to ischemic heart disease in Spain from 1998 to 2018. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021 , 74, 838-845	0.7	O
88	Adherence, control of cardiometabolic factors and therapeutic inertia in patients with type 2 diabetes in the primary care setting <i>Endocrinology, Diabetes and Metabolism</i> , 2021 , e00320	2.7	1
87	Efficacy of a multidisciplinary care protocol for the treatment of operated hip fracture patients <i>Scientific Reports</i> , 2021 , 11, 24082	4.9	O
86	A new risk score to assess atrial fibrillation risk in hypertensive patients (ESCARVAL-RISK Project. <i>Scientific Reports</i> , 2020 , 10, 4796	4.9	4
85	The influence of hemoglobin A1c levels on cardiovascular events and all-cause mortality in people with diabetes over 70 years of age. A prospective study. <i>Primary Care Diabetes</i> , 2020 , 14, 678-684	2.4	3
84	Different Associations of Intentional and Non-Intentional Non-Adherence Behaviors with Patient Experience with Healthcare and Patient Beliefs in Medications: A Survey of Patients with Chronic Conditions. <i>Patient Preference and Adherence</i> , 2020 , 14, 2439-2450	2.4	3
83	Improving Engagement Among Patients With Chronic Cardiometabolic Conditions Using mHealth: Critical Review of Reviews. <i>JMIR MHealth and UHealth</i> , 2020 , 8, e15446	5.5	8
82	Tendencias de mortalidad prematura por cardiopat\(\textit{\textit{lisquthica}}\) isquthica en Espa\(\textit{\textit{lisquthica}}\) durante el periodo 1998-2018. Revista Espanola De Cardiologia, 2020 ,	1.5	2
81	Plantar pressure improvement in moderate hallux valgus with modified chevron osteotomy: Clinical and radiographic outcomes. <i>Foot and Ankle Surgery</i> , 2020 , 26, 205-208	3.1	5

(2018-2020)

80	Association between non-adherence behaviors, patientsTexperience with healthcare and beliefs in medications: a survey of patients with different chronic conditions. <i>Current Medical Research and Opinion</i> , 2020 , 36, 293-300	8	
79	Effect of the vaginal microbiome on the pregnancy rate in women receiving assisted reproductive treatment. <i>Journal of Assisted Reproduction and Genetics</i> , 2019 , 36, 2111-2119	19	
78	Feasibility study of portable microwave microstrip open-loop resonator for non-invasive blood glucose level sensing: proof of concept. <i>Medical and Biological Engineering and Computing</i> , 2019 , 57, 2389-24	05 ¹²	
77	Predictive validity of the risk SCORE model in a Mediterranean population with dyslipidemia. Atherosclerosis, 2019, 290, 80-86	2	
76	Number of drugs used in secondary cardiovascular prevention and late survival in the population of Valencia Community, Spain. <i>International Journal of Cardiology</i> , 2019 , 293, 260-265	3	
75	The FIFA 11 programme reduces the costs associated with ankle and hamstring injuries in amateur Spanish football players: A retrospective cohort study. <i>European Journal of Sport Science</i> , 2019 , 19, 1150 ³ 195	6 ⁸	
74	Nut Consumptions as a Marker of Higher Diet Quality in a Mediterranean Population at High Cardiovascular Risk. <i>Nutrients</i> , 2019 , 11,	9	
73	The Influence of Patient Experience with Healthcare on the Health-Related Quality of Life of People Living with HIV: An Observational Cross-Sectional Survey. <i>Infectious Diseases and Therapy</i> , 6.2 2019 , 8, 369-382	2	
72	Machine learning to predict cardiovascular risk. <i>International Journal of Clinical Practice</i> , 2019 , 73, e1338 2 .9	28	
71	Total and Subtypes of Dietary Fat Intake and Its Association with Components of the Metabolic Syndrome in a Mediterranean Population at High Cardiovascular Risk. <i>Nutrients</i> , 2019 , 11,	30	
70	Comparison of the assisted reproductive technology outcomes between conventional IVF and ICSI with donor oocytes in normozoospermic patients. <i>Human Fertility</i> , 2019 , 1-7	1	
69	Maternal periodontitis and preterm birth: Systematic review and meta-analysis. <i>Community Dentistry and Oral Epidemiology</i> , 2019 , 47, 243-251	38	
68	Association between preoperative dynamic plantar pressures and clinical outcomes at 6 months after hallux valgus surgery. Fuss Und Sprunggelenk, 2019 , 17, 75-86	O	
67	The experience of inflammatory bowel disease patients with healthcare: A survey with the IEXPAC instrument. <i>Medicine (United States)</i> , 2019 , 98, e15044	7	
66	Association between the Foot Posture Index and running related injuries: A case-control study. Clinical Biomechanics, 2019 , 61, 217-221	5	
65	Healthcare Experience and their Relationship with Demographic, Disease and Healthcare-Related Variables: A Cross-Sectional Survey of Patients with Chronic Diseases Using the IEXPAC Scale. Patient, 2019, 12, 307-317	14	
64	Worldwide scientific production in obstetrics: a bibliometric analysis. <i>Irish Journal of Medical Science</i> , 2019 , 188, 913-919	8	
63	Hyperuricemia as a prognostic factor after acute coronary syndrome. <i>Atherosclerosis</i> , 2018 , 269, 229-235 _{3.1}	17	

62	Calculating individualized glycaemic targets using an algorithm based on expert worldwide diabetologists: Implications in real-life clinical practice. <i>Diabetes/Metabolism Research and Reviews</i> , 2018 , 34, e2976	7·5	3
61	Tendencias de mortalidad prematura por insuficiencia cardiaca por comunidades autflomas en Espall, periodo 1999-2013. <i>Revista Espanola De Cardiologia</i> , 2018 , 71, 531-537	1.5	10
60	Validation of the electronic prescription as a method for measuring treatment adherence in hypertension. <i>Patient Education and Counseling</i> , 2018 , 101, 1654-1660	3.1	11
59	Clinical benefit of the FIFA 11 programme for the prevention of hamstring and lateral ankle ligament injuries among amateur soccer players. <i>Injury Prevention</i> , 2018 , 24, 149-154	3.2	15
58	Adherence to European Clinical Practice Guidelines for Secondary Prevention of Cardiovascular Disease: A Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	4
57	Association analysis between hyperuricemia and long term mortality after acute coronary syndrome in three subgroups of patients. <i>Data in Brief</i> , 2018 , 17, 885-889	1.2	1
56	Impact of hypoglycemic episodes on health-related quality of life of type-2 diabetes mellitus patients: development and validation of a specific QoLHYPO questionnaire. <i>Health and Quality of Life Outcomes</i> , 2018 , 16, 52	3	7
55	Inappropriate Use of Medication by Elderly, Polymedicated, or Multipathological Patients with Chronic Diseases. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	37
54	OPENCRONIC Study. Knowledge and Experiences of Spanish Patients and Carers about Chronic Disease. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 16,	4.6	1
53	Mortality and cardiovascular disease burden of uncontrolled diabetes in a registry-based cohort: the ESCARVAL-risk study. <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 180	2.3	16
52	Adherence to insulin therapeutic regims in patients with type 1 diabetes. A nationwide survey in brazil-Comment on Gomes et al. <i>Diabetes Research and Clinical Practice</i> , 2017 , 128, 136-137	7.4	1
51	Clinical applicability and cost-effectiveness of DIABSCORE in screening for type 2 diabetes in primary care. <i>Diabetes Research and Clinical Practice</i> , 2017 , 130, 15-23	7.4	5
50	Falsely elevated thyroid-stimulating hormone value due to anti-ruthenium antibodies in a patient with primary hypothyroidism: a case report. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017 , 55, e273-	e 2 75	6
49	Trends in Mortality From Diabetes Mellitus in Spain: 1998-2013. <i>Revista Espanola De Cardiologia</i> (English Ed), 2017 , 70, 433-443	0.7	5
48	Lipid profile, cardiovascular disease and mortality in a Mediterranean high-risk population: The ESCARVAL-RISK study. <i>PLoS ONE</i> , 2017 , 12, e0186196	3.7	45
47	Dialogue of knowledges: proposal to identify and understand problems and situations in population health. <i>Salud Uninorte</i> , 2017 , 33, 242-251	0.1	3
46	Evolucifi de la mortalidad por diabetes mellitus en Espafi: anlisis del periodo 1998-2013. <i>Revista Espanola De Cardiologia</i> , 2017 , 70, 433-443	1.5	16
45	Telemedicine in Primary Care for Patients With Chronic Conditions: The ValCrBic Quasi-Experimental Study. <i>Journal of Medical Internet Research</i> , 2017 , 19, e400	7.6	30

(2014-2016)

44	Family Practice, 2016 , 33, 678-683	1.9	3
43	Attitudes towards insulin initiation in type 2 diabetes patients among healthcare providers: A survey research. <i>Diabetes Research and Clinical Practice</i> , 2016 , 122, 46-53	7.4	13
42	Inclusion of the equity focus and social determinants of health in health care education programmes in Colombia: a qualitative approach. <i>Family Practice</i> , 2016 , 33, 268-73	1.9	5
41	Impact of hypertension on mortality and cardiovascular disease burden in patients with cardiovascular risk factors from a general practice setting: the ESCARVAL-risk study. <i>Journal of Hypertension</i> , 2016 , 34, 1075-83	1.9	41
40	Saxagliptin and risk of heart failure hospitalization: Concern or miscalculation?. <i>International Journal of Cardiology</i> , 2016 , 220, 573-4	3.2	7
39	Renal function and attributable risk of death and cardiovascular hospitalization in patients with cardiovascular risk factors from a registry-based cohort: the Estudio Cardiovascular Valencia-risk study. <i>Journal of Hypertension</i> , 2016 , 34, 2266-73	1.9	5
38	Basal insulin initiation in primary vs. specialist care: similar glycaemic control in two different patient populations. <i>International Journal of Clinical Practice</i> , 2016 , 70, 236-43	2.9	3
37	Health economic evaluation of type 2 diabetes mellitus: a clinical practice focused review. <i>Clinical Medicine Insights: Endocrinology and Diabetes</i> , 2015 , 8, 13-9	4.3	36
36	Use of QR and EAN-13 codes by older patients taking multiple medications for a safer use of medication. <i>International Journal of Medical Informatics</i> , 2015 , 84, 406-12	5.3	26
35	Claves para avanzar hacia un rol ma activo por parte del paciente con diabetes mellitus tipo 2 en Espaa. <i>Avances En Diabetolog</i> a, 2015 , 31, 128-135		1
34	Mejorar la adherencia: una de las acciones m⊠ eficientes para aumentar la supervivencia de los pacientes en prevenci⊡ secundaria. <i>Revista Espanola De Cardiologia Suplementos</i> , 2015 , 15, 12-18	0.2	4
33	A cardiovascular educational intervention for primary care professionals in Spain: positive impact in a quasi-experimental study. <i>British Journal of General Practice</i> , 2015 , 65, e32-40	1.6	6
32	Diagnostic inertia in obesity and the impact on cardiovascular risk in primary care: a cross-sectional study. <i>British Journal of General Practice</i> , 2015 , 65, e454-9	1.6	7
31	PatientsTand physiciansTpreferences for type 2 diabetes mellitus treatments in Spain and Portugal: a discrete choice experiment. <i>Patient Preference and Adherence</i> , 2015 , 9, 1443-58	2.4	16
30	Disability-adjusted life years lost due to diabetes in France, Italy, Germany, Spain, and the United Kingdom: a burden of illness study. <i>ClinicoEconomics and Outcomes Research</i> , 2015 , 7, 163-71	1.7	7
29	Construction and validation of a model to predict nonadherence to guidelines for prescribing antiplatelet therapy to hypertensive patients. <i>Current Medical Research and Opinion</i> , 2015 , 31, 883-9	2.5	8
28	Barriers to improved dyslipidemia control: Delphi survey of a multidisciplinary panel. <i>Family Practice</i> , 2015 , 32, 672-80	1.9	2

26	Non-compliance and inertia in hypertensive Spaniards at high cardiovascular risk: CUMPLE study. <i>Current Medical Research and Opinion</i> , 2014 , 30, 11-7	2.5	9
25	Do family physicians need more payment for working better? Financial incentives in primary care. <i>Atencion Primaria</i> , 2014 , 46, 261-6	3.6	3
24	Is the physician's behavior in dyslipidemia diagnosis in accordance with guidelines? Cross-sectional ESCARVAL study. <i>PLoS ONE</i> , 2014 , 9, e91567	3.7	18
23	Appropriateness of clopidogrel use according to current recommendations. <i>Family Practice</i> , 2014 , 31, 694-8	1.9	
22	What older complex chronic patients need to know about their everyday medication for safe drug use. <i>Expert Opinion on Drug Safety</i> , 2014 , 13, 713-21	4.1	9
21	Safety of once-daily insulin detemir in patients with type 2 diabetes treated with oral hypoglycemic agents in routine clinical practice. <i>Journal of Diabetes</i> , 2014 , 6, 243-50	3.8	6
20	Are obese patients assisted in losing weight?. American Journal of Managed Care, 2014, 20, e122-8	2.1	5
19	Effectiveness of a new health care organization model in primary care for chronic cardiovascular disease patients based on a multifactorial intervention: the PROPRESE randomized controlled trial. <i>BMC Health Services Research</i> , 2013 , 13, 293	2.9	4
18	The CLUES study: a cluster randomized clinical trial for the evaluation of cardiovascular guideline implementation in primary care. <i>BMC Health Services Research</i> , 2013 , 13, 438	2.9	26
17	Adherence to therapies in patients with type 2 diabetes. <i>Diabetes Therapy</i> , 2013 , 4, 175-94	3.6	394
17 16	Adherence to therapies in patients with type 2 diabetes. <i>Diabetes Therapy</i> , 2013 , 4, 175-94 Clinical inertia in poorly controlled elderly hypertensive patients: a cross-sectional study in Spanish physicians to ascertain reasons for not intensifying treatment. <i>American Journal of Cardiovascular Drugs</i> , 2013 , 13, 213-9	3.6	394 16
	Clinical inertia in poorly controlled elderly hypertensive patients: a cross-sectional study in Spanish physicians to ascertain reasons for not intensifying treatment. <i>American Journal of Cardiovascular</i>		
16	Clinical inertia in poorly controlled elderly hypertensive patients: a cross-sectional study in Spanish physicians to ascertain reasons for not intensifying treatment. <i>American Journal of Cardiovascular Drugs</i> , 2013 , 13, 213-9 Physician patient communication failure facilitates medication errors in older polymedicated	4	16
16 15	Clinical inertia in poorly controlled elderly hypertensive patients: a cross-sectional study in Spanish physicians to ascertain reasons for not intensifying treatment. <i>American Journal of Cardiovascular Drugs</i> , 2013 , 13, 213-9 Physician patient communication failure facilitates medication errors in older polymedicated patients with multiple comorbidities. <i>Family Practice</i> , 2013 , 30, 56-63 Trends in mortality from myocardial infarction. A comparative study between Spain and the United	1.9	16 39
16 15	Clinical inertia in poorly controlled elderly hypertensive patients: a cross-sectional study in Spanish physicians to ascertain reasons for not intensifying treatment. <i>American Journal of Cardiovascular Drugs</i> , 2013 , 13, 213-9 Physician patient communication failure facilitates medication errors in older polymedicated patients with multiple comorbidities. <i>Family Practice</i> , 2013 , 30, 56-63 Trends in mortality from myocardial infarction. A comparative study between Spain and the United States: 1990-2006. <i>Revista Espanola De Cardiologia</i> , 2012 , 65, 1079-85 Protective factors in patients aged over 65 with stroke treated by physiotherapy, showing cognitive impairment, in the Valencia Community. Protection study in older people (EPACV). <i>BMC</i>	4 1.9 1.5	16 39 19
16 15 14	Clinical inertia in poorly controlled elderly hypertensive patients: a cross-sectional study in Spanish physicians to ascertain reasons for not intensifying treatment. <i>American Journal of Cardiovascular Drugs</i> , 2013 , 13, 213-9 Physician patient communication failure facilitates medication errors in older polymedicated patients with multiple comorbidities. <i>Family Practice</i> , 2013 , 30, 56-63 Trends in mortality from myocardial infarction. A comparative study between Spain and the United States: 1990-2006. <i>Revista Espanola De Cardiologia</i> , 2012 , 65, 1079-85 Protective factors in patients aged over 65 with stroke treated by physiotherapy, showing cognitive impairment, in the Valencia Community. Protection study in older people (EPACV). <i>BMC Neurology</i> , 2012 , 12, 118 Is there a predictive profile for clinical inertia in hypertensive patients? An observational,	1.9 1.5	16 39 19
16 15 14 13	Clinical inertia in poorly controlled elderly hypertensive patients: a cross-sectional study in Spanish physicians to ascertain reasons for not intensifying treatment. <i>American Journal of Cardiovascular Drugs</i> , 2013 , 13, 213-9 Physician patient communication failure facilitates medication errors in older polymedicated patients with multiple comorbidities. <i>Family Practice</i> , 2013 , 30, 56-63 Trends in mortality from myocardial infarction. A comparative study between Spain and the United States: 1990-2006. <i>Revista Espanola De Cardiologia</i> , 2012 , 65, 1079-85 Protective factors in patients aged over 65 with stroke treated by physiotherapy, showing cognitive impairment, in the Valencia Community. Protection study in older people (EPACV). <i>BMC Neurology</i> , 2012 , 12, 118 Is there a predictive profile for clinical inertia in hypertensive patients? An observational, cross-sectional, multicentre study. <i>Drugs and Aging</i> , 2011 , 28, 981-92 In the Identification of Cardiovascular Risk With the SCORE Model, Could We Recommend Its Calculation Interchangeably With Total Cholesterol or Atherogenic Index? Concordance Between	4 1.9 1.5 3.1 4.7	16 39 19

LIST OF PUBLICATIONS

8	Clinical inertia in diagnosis and treatment of hypertension in primary care: quantification and associated factors. <i>Blood Pressure</i> , 2010 , 19, 3-10	1.7	41
7	Practical guidance to insulin management. <i>Primary Care Diabetes</i> , 2010 , 4 Suppl 1, S43-56	2.4	12
6	Rationale and methods of the cardiometabolic Valencian study (Escarval-Risk) for validation of risk scales in Mediterranean patients with hypertension, diabetes or dyslipidemia. <i>BMC Public Health</i> , 2010 , 10, 717	4.1	14
5	Determinant factors of osteoporosis patientsTreported therapeutic adherence to calcium and/or vitamin D supplements: a cross-sectional, observational study of postmenopausal women. <i>Drugs and Aging</i> , 2009 , 26, 861-9	4.7	28
4	Estudio de la vascularizacifi placentaria mediante power Doppler tridimensional. Validacifi de la tEnica. <i>Progresos En Obstetricia Y Ginecologia</i> , 2009 , 52, 272-280	О	
3	Chronotherapy: a smart approach for refractory hypertension. <i>BMJ Case Reports</i> , 2009 , 2009,	0.9	1
2	Primary care diabetes in Spain. <i>Primary Care Diabetes</i> , 2008 , 2, 101-3	2.4	6
1	Determinantes del control de la presifi arterial y los lpidos en pacientes con enfermedad cardiovascular (estudio PREseAP). <i>Revista Espanola De Cardiologia</i> , 2008 , 61, 317-321	1.5	20