Christopher J Edwards

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6335599/publications.pdf

Version: 2024-02-01

535685 388640 1,417 58 17 36 citations h-index g-index papers 62 62 62 2217 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Comparison of Responsiveness of British Isles Lupus Assessment Group 2004 Index, Systemic Lupus Erythematosus Disease Activity Index 2000, and British Isles Lupus Assessment Group 2004 Systems Tally. Arthritis Care and Research, 2022, 74, 1623-1630.	1.5	3
2	Apremilast monotherapy for long-term treatment of active psoriatic arthritis in DMARD-na \tilde{A} -ve patients. Rheumatology, 2022, 61, 1035-1043.	0.9	6
3	Anti-3-hydroxy-3-methylglutaryl-coenzyme A reductase antibodies: incidence using different testing criteria, and case series. Clinical and Experimental Rheumatology, 2022, 40, 298-303.	0.4	1
4	Anti-3-hydroxy-3-methylglutaryl-coenzyme A reductase antibodies: incidence using different testing criteria, and case series Clinical and Experimental Rheumatology, 2022, 40, 298-303.	0.4	0
5	P244 The use of anti-malarial therapy in UK Rheumatology practice. A UK-based pilot survey for the BILAG group. Rheumatology, 2022, 61, .	0.9	O
6	P246â€fRevision to musculoskeletal domain of BILAG-2004 index to incorporate ultrasound findings. Rheumatology, 2022, 61, .	0.9	0
7	2019 EULAR points to consider for the assessment of competences in rheumatology specialty training. Annals of the Rheumatic Diseases, 2021, 80, 65-70.	0.5	12
8	A Matching-Adjusted Indirect Comparison of Upadacitinib Versus Tofacitinib in Adults with Moderate-to-Severe Rheumatoid Arthritis. Rheumatology and Therapy, 2021, 8, 167-181.	1.1	6
9	Rituximab versus tocilizumab in anti-TNF inadequate responder patients with rheumatoid arthritis (R4RA): 16-week outcomes of a stratified, biopsy-driven, multicentre, open-label, phase 4 randomised controlled trial. Lancet, The, 2021, 397, 305-317.	6.3	145
10	Ultrasound to identify systemic lupus erythematosus patients with musculoskeletal symptoms who respond best to therapy: the US Evaluation For mUsculoskeletal Lupus longitudinal multicentre study. Rheumatology, 2021, 60, 5194-5204.	0.9	16
11	O10â€∫Characteristics of patients who discontinued baricitinib treatment within 12 months and reasons for discontinuation: real-world data. Rheumatology, 2021, 60, .	0.9	3
12	O33â€∫Baricitinib in the BSRBR-RA registry: characteristics and status of patients at first follow-up. Rheumatology, 2021, 60, .	0.9	1
13	Lupus, vaccinations and COVID-19: What we know now. Lupus, 2021, 30, 1541-1552.	0.8	21
14	TNF inhibitors for the prevention of Alzheimer's disease: Preliminary findings from the rheumatoid arthritis medication and memory study (RESIST). Alzheimer's and Dementia, 2021, 17, .	0.4	0
15	Descriptive epidemiology of hip and knee replacement in rheumatoid arthritis: An analysis of UK electronic medical records. Seminars in Arthritis and Rheumatism, 2020, 50, 237-244.	1.6	12
16	An Analysis of Real-World Data on the Safety of Etanercept in Older Patients with Rheumatoid Arthritis. Drugs and Aging, 2020, 37, 35-41.	1.3	2
17	Clinical management of Lupus patients during the COVID-19 pandemic. Lupus, 2020, 29, 1661-1672.	0.8	15
18	Hydroxychloroquine and coronavirus disease 19. Lupus, 2020, 29, 669-670.	0.8	0

#	Article	IF	CITATIONS
19	O23 Ixekizumab (IXE) vs. adalimumab (ADA) for the treatment of PSA: 52-week efficacy and safety outcomes. Rheumatology, 2020, 59, .	0.9	O
20	Efficacy and Safety of Etanercept in Elderly Patients with Rheumatoid Arthritis: A Post-Hoc Analysis of Randomized Controlled Trials. Drugs and Aging, 2019, 36, 853-862.	1.3	5
21	E062 Baseline characteristics of patients with rheumatoid arthritis starting the janus kinase inhibitor baricitinib: real-life observation study. Rheumatology, 2019, 58, .	0.9	1
22	Impact of TNF inhibitor therapy on joint replacement rates in rheumatoid arthritis: a matched cohort analysis of BSRBR-RA UK registry data. Rheumatology, 2019, 58, 1168-1175.	0.9	13
23	242â€fBaseline characteristics of patients with lupus nephritis requiring rituximab therapy: results from the British Isles Lupus Assessment Group Biologics Register (BILAG-BR). Rheumatology, 2019, 58, .	0.9	O
24	Switching to biosimilars: current perspectives in immune-mediated inflammatory diseases. Expert Opinion on Biological Therapy, 2019, 19, 1001-1014.	1.4	18
25	Long-term experience with apremilast in patients with psoriatic arthritis: 5-year results from a PALACE $1\hat{a}\in {}^{c}3$ pooled analysis. Arthritis Research and Therapy, 2019, 21, 118.	1.6	55
26	Predicting disease progression and poor outcomes in patients with moderately active rheumatoid arthritis: a systematic review. Rheumatology Advances in Practice, 2019, 3, rkz002.	0.3	9
27	The effect of rheumatoid arthritis on patient-reported outcomes following knee and hip replacement: evidence from routinely collected data. Rheumatology, 2019, 58, 1016-1024.	0.9	11
28	Defining inflammatory musculoskeletal manifestations in systemic lupus erythematosus. Rheumatology, 2019, 58, 304-312.	0.9	28
29	Apremilast monotherapy in DMARD-naive psoriatic arthritis patients: results of the randomized, placebo-controlled PALACE 4 trial. Rheumatology, 2018, 57, 1253-1263.	0.9	72
30	Trends and determinants of length of stay and hospital reimbursement following knee and hip replacement: evidence from linked primary care and NHS hospital records from 1997 to 2014. BMJ Open, 2018, 8, e019146.	0.8	97
31	Association between NICE guidance on biologic therapies with rates of hip and knee replacement among rheumatoid arthritis patients in England and Wales: An interrupted time-series analysis. Seminars in Arthritis and Rheumatism, 2018, 47, 605-610.	1.6	21
32	Tapering versus steady-state methotrexate in combination with tocilizumab for rheumatoid arthritis: a randomized, double-blind trial. Rheumatology, 2018, 57, 84-91.	0.9	17
33	Patient-reported outcomes and safety in patients undergoing synovial biopsy: comparison of ultrasound-guided needle biopsy, ultrasound-guided portal and forceps and arthroscopic-guided synovial biopsy techniques in five centres across Europe. RMD Open, 2018, 4, e000799.	1.8	31
34	The impact of rheumatoid arthritis on the risk of adverse events following joint replacement: a real-world cohort study. Clinical Epidemiology, 2018, Volume 10, 697-704.	1.5	18
35	Inflammation and dementia: Using rheumatoid arthritis as a model to develop treatments?. Autoimmunity Reviews, 2018, 17, 919-925.	2.5	40
36	Therapeutic benefit of apremilast on enthesitis and dactylitis in patients with psoriatic arthritis: a pooled analysis of the PALACE $1\hat{a}\in$ 3 studies. RMD Open, 2018, 4, e000669.	1.8	31

#	Article	IF	Citations
37	What is the added value of ultrasound joint examination for monitoring synovitis in rheumatoid arthritis and can it be used to guide treatment decisions? A systematic review and cost-effectiveness analysis. Health Technology Assessment, 2018, 22, 1-258.	1.3	17
38	Switching to biosimilar infliximab: real world data in patients with severe inflammatory arthritis. Clinical and Experimental Rheumatology, 2018, 36, 171-172.	0.4	9
39	Characteristics of hand involvement in a comparative study of two early <scp>RA</scp> cohorts from the <scp>UK</scp> and <scp>C</scp> hina. International Journal of Rheumatic Diseases, 2017, 20, 1426-1436.	0.9	3
40	Both rare and common ERAP1 allotypes have distinct functionality defined by polymorphic context and are important in AS association. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E1575-E1576.	3. 3	5
41	Randomized Controlled Trial of Rituximab and Costâ€Effectiveness Analysis in Treating Fatigue and Oral Dryness in Primary Sjögren's Syndrome. Arthritis and Rheumatology, 2017, 69, 1440-1450.	2.9	194
42	Dosing down with biologic therapies: a systematic review and clinicians' perspective. Rheumatology, 2017, 56, 1847-1856.	0.9	59
43	$190. \hat{a} \in f$ RHEUMATOID ARTHRITIS, A STUDY OF CONTINUOUS MONITORING OF PHYSICAL ACTIVITY USING SMARTPHONES. Rheumatology, 2017, 56, .	0.9	0
44	The effectiveness of a real life dose reduction strategy for tumour necrosis factor inhibitors in ankylosing spondylitis and psoriatic arthritis. Rheumatology, 2016, 55, 1837-1842.	0.9	19
45	Apremilast, an oral phosphodiesterase 4 inhibitor, in patients with psoriatic arthritis and current skin involvement: a phase III, randomised, controlled trial (PALACE 3). Annals of the Rheumatic Diseases, 2016, 75, 1065-1073.	0.5	225
46	Clinical trials of new drugs for the treatment of rheumatoid arthritis: focus on early disease. Annals of the Rheumatic Diseases, 2016, 75, 1268-1271.	0.5	26
47	Are there dangers in biologic dose reduction strategies?. Autoimmunity Reviews, 2016, 15, 742-746.	2.5	6
48	125â€∱An Exploration of the Characteristics of Early Rheumatoid Arthritis Hand Involvement Among Different Gender, Age and Hand-Dominance in a Chinese Population. Rheumatology, 2016, , .	0.9	0
49	Can the publication of guidelines change the management of early rheumatoid arthritis? An interrupted time series analysis from the United Kingdom. Rheumatology, 2015, 54, kev268.	0.9	11
50	Are guidelines good value for money?: Fig. 1. Rheumatology, 2015, 54, kev308.	0.9	0
51	Does Combined Clinical and Ultrasound Assessment Allow Selection of Individuals With Rheumatoid Arthritis for Sustained Reduction of Anti–Tumor Necrosis Factor Therapy?. Arthritis Care and Research, 2015, 67, 746-753.	1.5	24
52	Raising the quality of rheumatology management recommendations: lessons from the EULAR process 10 years after provision of standard operating procedures. Rheumatology, 2015, 54, 1392-1396.	0.9	5
53	Reply to Robinson and Brown: It is the combination of ERAP1 allotypes that identifies individuals with Ankylosing Spondylitis. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E1817-E1817.	3.3	1
54	Phase I studies: the role of publicly funded academic-healthcare partnerships. BMJ, The, 2015, 351, h3889.	3.0	0

#	Article	IF	CITATIONS
55	Functionally distinct $\langle i \rangle$ ERAP1 $\langle i \rangle$ allotype combinations distinguish individuals with Ankylosing Spondylitis. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 17594-17599.	3.3	90
56	The reliability of a novel magnetic resonance imaging-based tool for the evaluation of forefoot bursae in patients with rheumatoid arthritis: the FFB score. Rheumatology, 2014, 53, 2014-2017.	0.9	6
57	The BILAG-2004 index is associated with development of new damage in SLE. Rheumatology, 0, , .	0.9	О
58	Outcomes of children born to mothers with systemic lupus erythematosus exposed to hydroxychloroquine or azathioprine. Rheumatology, 0, , .	0.9	2