# Jun Yong Park

#### List of Publications by Citations

Source: https://exaly.com/author-pdf/633575/jun-yong-park-publications-by-citations.pdf

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

358 8,003 45 71 g-index

386 9,514 4.9 5.81 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
358	Risk assessment of hepatitis B virus-related hepatocellular carcinoma development using liver stiffness measurement (FibroScan). <i>Hepatology</i> , <b>2011</b> , 53, 885-94	11.2	285
357	Performance of transient elastography for the staging of liver fibrosis in patients with chronic hepatitis B: a meta-analysis. <i>PLoS ONE</i> , <b>2012</b> , 7, e44930	3.7	202
356	Sarcopenia is associated with significant liver fibrosis independently of obesity and insulin resistance in nonalcoholic fatty liver disease: Nationwide surveys (KNHANES 2008-2011). <i>Hepatology</i> , <b>2016</b> , 63, 776-86	11.2	175
355	Validation of FIB-4 and comparison with other simple noninvasive indices for predicting liver fibrosis and cirrhosis in hepatitis B virus-infected patients. <i>Liver International</i> , <b>2010</b> , 30, 546-53	7.9	167
354	A liver stiffness measurement-based, noninvasive prediction model for high-risk esophageal varices in B-viral liver cirrhosis. <i>American Journal of Gastroenterology</i> , <b>2010</b> , 105, 1382-90	0.7	159
353	Lack of difference among terlipressin, somatostatin, and octreotide in the control of acute gastroesophageal variceal hemorrhage. <i>Hepatology</i> , <b>2014</b> , 60, 954-63	11.2	117
352	Genome-wide association study confirming association of HLA-DP with protection against chronic hepatitis B and viral clearance in Japanese and Korean. <i>PLoS ONE</i> , <b>2012</b> , 7, e39175	3.7	117
351	Usefulness of FibroScan for detection of early compensated liver cirrhosis in chronic hepatitis B. <i>Digestive Diseases and Sciences</i> , <b>2009</b> , 54, 1758-63	4	115
350	Controlled attenuation parameter (CAP) for detection of hepatic steatosis in patients with chronic liver diseases: a prospective study of a native Korean population. <i>Liver International</i> , <b>2014</b> , 34, 102-9	7.9	113
349	Quantitative hepatitis B surface antigen and hepatitis B e antigen titers in prediction of treatment response to entecavir. <i>Hepatology</i> , <b>2011</b> , 53, 1486-93	11.2	110
348	Complete response at first chemoembolization is still the most robust predictor for favorable outcome in hepatocellular carcinoma. <i>Journal of Hepatology</i> , <b>2015</b> , 62, 1304-10	13.4	108
347	MDM2 and p53 polymorphisms are associated with the development of hepatocellular carcinoma in patients with chronic hepatitis B virus infection. <i>Carcinogenesis</i> , <b>2008</b> , 29, 1192-6	4.6	108
346	Increased risk of hepatocellular carcinoma in chronic hepatitis B patients with transient elastography-defined subclinical cirrhosis. <i>Hepatology</i> , <b>2015</b> , 61, 1851-9	11.2	100
345	A multicenter study of entecavir vs. tenofovir on prognosis of treatment-nalle chronic hepatitis B in South Korea. <i>Journal of Hepatology</i> , <b>2019</b> , 71, 456-464	13.4	91
344	Lamivudine maintenance beyond one year after HBeAg seroconversion is a major factor for sustained virologic response in HBeAg-positive chronic hepatitis B. <i>Hepatology</i> , <b>2010</b> , 51, 415-21	11.2	91
343	Persistent hepatitis B viral replication affects recurrence of hepatocellular carcinoma after curative resection. <i>Liver International</i> , <b>2008</b> , 28, 393-401	7.9	91
342	Prediction of development of liver-related events by transient elastography in hepatitis B patients with complete virological response on antiviral therapy. <i>American Journal of Gastroenterology</i> , <b>2014</b> , 109, 1241-9	0.7	89

## (2018-2010)

341	diagnosing liver cirrhosis in patients with chronic hepatitis B?. <i>Journal of Clinical Gastroenterology</i> , <b>2010</b> , 44, 66-71	3	88
340	Repetitive short-course hepatic arterial infusion chemotherapy with high-dose 5-fluorouracil and cisplatin in patients with advanced hepatocellular carcinoma. <i>Cancer</i> , <b>2007</b> , 110, 129-37	6.4	85
339	Applicability of BCLC stage for prognostic stratification in comparison with other staging systems: single centre experience from long-term clinical outcomes of 1717 treatment-nalle patients with hepatocellular carcinoma. <i>Liver International</i> , <b>2012</b> , 32, 1120-7	7.9	83
338	Noninvasive models to predict liver cirrhosis in patients with chronic hepatitis B. <i>Liver International</i> , <b>2007</b> , 27, 969-76	7.9	80
337	Outcome after curative resection for a huge (>or=10 cm) hepatocellular carcinoma and prognostic significance of gross tumor classification. <i>American Journal of Surgery</i> , <b>2009</b> , 198, 693-701	2.7	77
336	Prediction of liver-related events using fibroscan in chronic hepatitis B patients showing advanced liver fibrosis. <i>PLoS ONE</i> , <b>2012</b> , 7, e36676	3.7	76
335	Validation of hepatitis B virus-related hepatocellular carcinoma prediction models in the era of antiviral therapy. <i>Hepatology</i> , <b>2015</b> , 62, 1757-66	11.2	73
334	Liver stiffness measurement using acoustic radiation force impulse (ARFI) elastography and effect of necroinflammation. <i>Digestive Diseases and Sciences</i> , <b>2012</b> , 57, 1682-91	4	73
333	Prediction of postoperative hepatic insufficiency by liver stiffness measurement (FibroScan((R))) before curative resection of hepatocellular carcinoma: a pilot study. <i>Hepatology International</i> , <b>2008</b> , 2, 471-7	8.8	66
332	Prospective comparison of prognostic values of modified Response Evaluation Criteria in Solid Tumours with European Association for the Study of the Liver criteria in hepatocellular carcinoma following chemoembolisation. <i>European Journal of Cancer</i> , <b>2013</b> , 49, 826-34	7.5	65
331	Liver stiffness measurement in combination with noninvasive markers for the improved diagnosis of B-viral liver cirrhosis. <i>Journal of Clinical Gastroenterology</i> , <b>2009</b> , 43, 267-71	3	63
330	What are Narue normalNiver stiffness values using FibroScan?: a prospective study in healthy living liver and kidney donors in South Korea. <i>Liver International</i> , <b>2010</b> , 30, 268-74	7.9	62
329	Clinical outcomes and predictors for relapse after cessation of oral antiviral treatment in chronic hepatitis B patients. <i>Journal of Gastroenterology</i> , <b>2016</b> , 51, 830-9	6.9	61
328	Long-term adefovir dipivoxil monotherapy for up to 5 years in lamivudine-resistant chronic hepatitis B. <i>Antiviral Therapy</i> , <b>2010</b> , 15, 235-41	1.6	59
327	Hepatocellular carcinoma presenting with bone metastasis: clinical characteristics and prognostic factors. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2008</b> , 134, 1377-84	4.9	59
326	Prospective validation of ELF test in comparison with Fibroscan and FibroTest to predict liver fibrosis in Asian subjects with chronic hepatitis B. <i>PLoS ONE</i> , <b>2012</b> , 7, e41964	3.7	59
325	Serotonin signals through a gut-liver axis to regulate hepatic steatosis. <i>Nature Communications</i> , <b>2018</b> , 9, 4824	17.4	58
324	Association of non-alcoholic steatohepatitis with subclinical myocardial dysfunction in non-cirrhotic patients. <i>Journal of Hepatology</i> , <b>2018</b> , 68, 764-772	13.4	55

arterial infusion chemotherapy in patients with advanced hepatocellular carcinoma with portal vein tumor thrombosis. <i>Cancer Chemotherapy and Pharmacology</i> , <b>2018</b> , 82, 469-478	3.5	54
Prediction of recurrence after curative resection of hepatocellular carcinoma using liver stiffness measurement (FibroScan ). <i>Annals of Surgical Oncology</i> , <b>2012</b> , 19, 4278-86	3.1	54
Combined use of AFP, PIVKA-II, and AFP-L3 as tumor markers enhances diagnostic accuracy for hepatocellular carcinoma in cirrhotic patients. <i>Scandinavian Journal of Gastroenterology</i> , <b>2016</b> , 51, 344-	5 <del>3</del> ·4	52
Addition of tumor multiplicity improves the prognostic performance of the hepatoma arterial-embolization prognostic score. <i>Liver International</i> , <b>2016</b> , 36, 100-7	7.9	51
Prognostic value of the 7th edition of the AJCC staging system as a clinical staging system in patients with hepatocellular carcinoma. <i>European Journal of Cancer</i> , <b>2011</b> , 47, 2568-75	7.5	50
Early Efetoprotein response as a predictor for clinical outcome after localized concurrent chemoradiotherapy for advanced hepatocellular carcinoma. <i>Liver International</i> , <b>2011</b> , 31, 369-76	7.9	50
Prognostic value of 18F-FDG PET for hepatocellular carcinoma patients treated with sorafenib. <i>Liver International</i> , <b>2011</b> , 31, 1144-9	7.9	50
Prognostic value of Efetoprotein and des-Etarboxy prothrombin responses in patients with hepatocellular carcinoma treated with transarterial chemoembolization. <i>BMC Cancer</i> , <b>2013</b> , 13, 5	4.8	48
Risk assessment of esophageal variceal bleeding in B-viral liver cirrhosis by a liver stiffness measurement-based model. <i>American Journal of Gastroenterology</i> , <b>2011</b> , 106, 1654-62, 1730	0.7	48
The accuracy of noninvasive methods in predicting the development of hepatocellular carcinoma and hepatic decompensation in patients with chronic hepatitis B. <i>Journal of Clinical Gastroenterology</i> , <b>2012</b> , 46, 518-25	3	48
18F-fluorodeoxyglucose uptake on positron emission tomography as a prognostic predictor in locally advanced hepatocellular carcinoma. <i>Cancer</i> , <b>2011</b> , 117, 4779-87	6.4	45
Specific mutations in the enhancer II/core promoter/precore regions of hepatitis B virus subgenotype C2 in Korean patients with hepatocellular carcinoma. <i>Journal of Medical Virology</i> , <b>2009</b> , 81, 1002-8	19.7	45
Efficacy of adefovir add-on lamivudine rescue therapy compared with switching to entecavir monotherapy in patients with lamivudine-resistant chronic hepatitis B. <i>Journal of Medical Virology</i> , <b>2010</b> , 82, 1835-42	19.7	45
Prospective validation of FibroTest in comparison with liver stiffness for predicting liver fibrosis in Asian subjects with chronic hepatitis B. <i>PLoS ONE</i> , <b>2012</b> , 7, e35825	3.7	44
A randomized comparative study of high-dose and low-dose hepatic arterial infusion chemotherapy for intractable, advanced hepatocellular carcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , <b>2010</b> , 65, 373-82	3.5	44
Long-term clinical outcomes of hepatic arterial infusion chemotherapy with cisplatin with or without 5-fluorouracil in locally advanced hepatocellular carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2011</b> , 137, 659-67	4.9	43
Normal liver elasticity values using acoustic radiation force impulse imaging: a prospective study in healthy living liver and kidney donors. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2012</b> , 27, 130-6	4	42
Risk prediction for patients with hepatocellular carcinoma undergoing chemoembolization: development of a prediction model. <i>Liver International</i> , <b>2016</b> , 36, 92-9	7.9	41
	Prediction of recurrence after curative resection of hepatocellular carcinoma using liver stiffness measurement (FibroScanll ). Annals of Surgical Oncology, 2012, 19, 4278-86.  Combined use of AFP, PIVKA-II, and AFP-L3 as tumor markers enhances diagnostic accuracy for hepatocellular carcinoma in cirrhotic patients. Scandinavian Journal of Gastroenterology, 2016, 51, 344- Addition of tumor multiplicity improves the prognostic performance of the hepatoma arterial-embolization prognostic score. Liver International, 2016, 36, 100-7  Prognostic value of the 7th edition of the AJCC staging system as a clinical staging system in patients with hepatocellular carcinoma. European Journal of Cancer, 2011, 47, 2568-75  Early IFetoprotein response as a predictor for clinical outcome after localized concurrent chemoradiotherapy for advanced hepatocellular carcinoma. Liver International, 2011, 31, 369-76  Prognostic value of 18F-FDG PET for hepatocellular carcinoma patients treated with sorafenib. Liver International, 2011, 31, 1144-9  Prognostic value of Fetoprotein and des-Earboxy prothrombin responses in patients with hepatocellular carcinoma treated with transarterial chemoembolization. BMC Cancer, 2013, 13, 5  Risk assessment of esophageal variceal bleeding in B-viral liver cirrhosis by a liver stiffness measurement-based model. American Journal of Gastroenterology, 2011, 106, 1654-62, 1730  The accuracy of noninvasive methods in predicting the development of hepatocellular carcinoma and hepatic decompensation in patients with chronic hepatitis B. Journal of Clinical Castroenterology, 2012, 46, 518-25  18F-Fluorodeoxyglucose uptake on positron emission tomography as a prognostic predictor in locally advanced hepatocellular carcinoma. Cancer, 2011, 117, 4779-87  Specific mutations in the enhancer llycore promoter/precore regions of hepatitis B virus subgenotype C2 in Korean patients with hepatocellular carcinoma. Journal of Medical Virology, 2009, 81, 1002-8  Efficacy of adefovir add-on lamivudine-resistant chronic hepati	tumor thrombosis. Cancer Chemotherapy and Pharmacology, 2018, 82, 469-478  Prediction of recurrence after curative resection of hepatocellular carcinoma using liver stiffness measurement (FibroScanll ). Annals of Surgical Oncology, 2012, 19, 4278-86  Combined use of AFP, PIVKA-II, and AFP-L3 as tumor markers enhances diagnostic accuracy for hepatocellular carcinoma in cirrhotic patients. Scandinavian Journal of Gastroenterology, 2016, 51, 344-53-44  Addition of tumor multiplicity improves the prognostic performance of the hepatoma arterial-embolization prognostic score. Liver International, 2016, 36, 100-7  Prognostic value of the 7th edition of the AJCC staging system as a clinical staging system in patients with hepatocellular carcinoma. European Journal of Cancer, 2011, 47, 2568-75  Early Hetoprotein response as a predictor for clinical outcome after localized concurrent chemoradiotherapy for advanced hepatocellular carcinoma. Liver International, 2011, 31, 369-76  Prognostic value of 18F-FDG PET for hepatocellular carcinoma patients treated with sorafenib. Liver International, 2011, 31, 1144-9  Prognostic value of Ffetoprotein and des-Etarboxy prothrombin responses in patients with hepatocellular carcinoma treated with transarterial chemoembolization. BMC Cancer, 2013, 13, 5  4.8  Risk assessment of esophageal variceal bleeding in B-viral liver cirrhosis by a liver stiffness measurement-based model. American Journal of Gastroenterology, 2011, 105, 1654-62, 1730  The accuracy of noninvasive methods in predicting the development of hepatocellular carcinoma and hepatic decompensation in patients with chronic hepatitis B. Journal of Clinical Castroenterology, 2012, 46, 518-25  18F-fluorodeoxyglucose uptake on positron emission tomography as a prognostic predictor in locally advanced hepatocellular carcinoma. Cancer, 2011, 117, 4779-87  Specific mutations in the enhancer II/core promoter/precore regions of hepatitis B virus subgenotype C2 in Korean patients with hepatocellular carcinoma. Journal of Medical Virol

305	Surgical resection after down-staging of locally advanced hepatocellular carcinoma by localized concurrent chemoradiotherapy. <i>Annals of Surgical Oncology</i> , <b>2014</b> , 21, 3646-53	3.1	41	
304	Prognostic significance of the worst grade in hepatocellular carcinoma with heterogeneous histologic grades of differentiation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2013</b> , 28, 1384-90	4	41	
303	Liver stiffness measurement using FibroScan is influenced by serum total bilirubin in acute hepatitis. <i>Liver International</i> , <b>2009</b> , 29, 810-5	7.9	41	
302	Characterization of focal liver masses using acoustic radiation force impulse elastography. <i>World Journal of Gastroenterology</i> , <b>2013</b> , 19, 219-26	5.6	41	
301	Clinical features and prognosis of spontaneous bacterial peritonitis in korean patients with liver cirrhosis: a multicenter retrospective study. <i>Gut and Liver</i> , <b>2009</b> , 3, 197-204	4.8	39	
300	Survival of hepatocellular carcinoma patients may be improved in surveillance interval not more than 6 months compared with more than 6 months: a 15-year prospective study. <i>Journal of Clinical Gastroenterology</i> , <b>2013</b> , 47, 538-44	3	38	
299	Non-invasive assessment of changes in liver fibrosis via liver stiffness measurement in patients with chronic hepatitis B: impact of antiviral treatment on fibrosis regression. <i>Hepatology International</i> , <b>2010</b> , 4, 673-80	8.8	37	
298	Number of target lesions for EASL and modified RECIST to predict survivals in hepatocellular carcinoma treated with chemoembolization. <i>Clinical Cancer Research</i> , <b>2013</b> , 19, 1503-11	12.9	36	
297	Histological subclassification of cirrhosis can predict recurrence after curative resection of hepatocellular carcinoma. <i>Liver International</i> , <b>2014</b> , 34, 1008-17	7.9	35	
296	Factors associated with significant liver fibrosis assessed using transient elastography in general population. <i>World Journal of Gastroenterology</i> , <b>2015</b> , 21, 1158-66	5.6	34	
295	No association for Chinese HBV-related hepatocellular carcinoma susceptibility SNP in other East Asian populations. <i>BMC Medical Genetics</i> , <b>2012</b> , 13, 47	2.1	34	
294	Gastroduodenal complications after concurrent chemoradiation therapy in patients with hepatocellular carcinoma: endoscopic findings and risk factors. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2011</b> , 81, 1343-51	4	34	
293	Hepatocellular carcinoma in Budd-Chiari syndrome: a single center experience with long-term follow-up in South Korea. <i>World Journal of Gastroenterology</i> , <b>2012</b> , 18, 1946-52	5.6	34	
292	Improvement of Liver Fibrosis after Long-Term Antiviral Therapy Assessed by Fibroscan in Chronic Hepatitis B Patients With Advanced Fibrosis. <i>American Journal of Gastroenterology</i> , <b>2017</b> , 112, 882-891	0.7	33	
291	Risk assessment of clinical outcomes in Asian patients with chronic hepatitis B using enhanced liver fibrosis test. <i>Hepatology</i> , <b>2014</b> , 60, 1911-9	11.2	33	
290	Clinical significance of AFP and PIVKA-II responses for monitoring treatment outcomes and predicting prognosis in patients with hepatocellular carcinoma. <i>BioMed Research International</i> , <b>2013</b> , 2013, 310427	3	33	
289	Predictive factors for long-term survival in patients with clinically significant portal hypertension following resection of hepatocellular carcinoma. <i>Liver International</i> , <b>2011</b> , 31, 485-93	7.9	33	
288	Liver fibrosis assessed with transient elastography is an independent risk factor for ischemic stroke. <i>Atherosclerosis</i> , <b>2017</b> , 260, 156-162	3.1	32	

287	Liver injury in acute hepatitis A is associated with decreased frequency of regulatory T cells caused by Fas-mediated apoptosis. <i>Gut</i> , <b>2015</b> , 64, 1303-13	19.2	32
286	Role of surgical resection for multiple hepatocellular carcinomas. <i>World Journal of Gastroenterology</i> , <b>2013</b> , 19, 366-74	5.6	32
285	Validation of PAGE-B model in Asian chronic hepatitis B patients receiving entecavir or tenofovir. Liver International, <b>2017</b> , 37, 1788-1795	7.9	31
284	Impact of spontaneous hepatocellular carcinoma rupture on recurrence pattern and long-term surgical outcomes after partial hepatectomy. <i>World Journal of Surgery</i> , <b>2014</b> , 38, 2070-8	3.3	31
283	Ascitic fluid infection in patients with hepatitis B virus-related liver cirrhosis: culture-negative neutrocytic ascites versus spontaneous bacterial peritonitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2010</b> , 25, 122-8	4	30
282	Clinical characteristics and prognosis of hepatocellular carcinoma with different sets of serum AFP and PIVKA-II levels. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2012</b> , 24, 849-56	2.2	30
281	Factors affecting the accuracy of controlled attenuation parameter (CAP) in assessing hepatic steatosis in patients with chronic liver disease. <i>PLoS ONE</i> , <b>2014</b> , 9, e98689	3.7	30
<b>2</b> 80	Wisteria floribunda agglutinin-positive human Mac-2 binding protein predicts the risk of HBV-related liver cancer development. <i>Liver International</i> , <b>2017</b> , 37, 879-887	7.9	29
279	Lower incidence of hepatocellular carcinoma and cirrhosis in hepatitis C patients with sustained virological response by pegylated interferon and ribavirin. <i>Digestive Diseases and Sciences</i> , <b>2015</b> , 60, 573	3-181	29
278	Association Between Level of Fibrosis, Rather Than Antiviral Regimen, and Outcomes of Patients With Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , <b>2016</b> , 14, 1647-1656.e6	6.9	29
277	Early on-treatment predictions of clinical outcomes using alpha-fetoprotein and des-gamma-carboxy prothrombin responses in patients with advanced hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2012</b> , 27, 313-22	4	29
276	A novel liver stiffness measurement-based prediction model for cirrhosis in hepatitis B patients. Liver International, <b>2010</b> , 30, 1073-81	7.9	29
275	Prevalence and genotype distribution of hepatitis C virus among apparently healthy individuals in Mongolia: a population-based nationwide study. <i>Liver International</i> , <b>2008</b> , 28, 1389-95	7.9	29
274	Natural history of hepatitis B virus-related cirrhotic patients hospitalized to control ascites. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2008</b> , 23, 1722-7	4	29
273	Liver stiffness-based model for prediction of hepatocellular carcinoma in chronic hepatitis B virus infection: comparison with histological fibrosis. <i>Liver International</i> , <b>2015</b> , 35, 1054-62	7.9	28
272	Combination treatment of localized concurrent chemoradiation therapy and transarterial chemoembolization in locally advanced hepatocellular carcinoma with intrahepatic metastasis. <i>Cancer Chemotherapy and Pharmacology</i> , <b>2013</b> , 71, 165-73	3.5	28
271	Efficacy and safety of transarterial chemoembolization in recurrent hepatocellular carcinoma after curative surgical resection. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , <b>2009</b> , 32, 564-9	2.7	28
270	Current Status and Future Direction of Immunotherapy in Hepatocellular Carcinoma: What Do the Data Suggest?. <i>Immune Network</i> , <b>2020</b> , 20, e11	6.1	28

269	Genetic alterations and their clinical implications in gastric cancer peritoneal carcinomatosis revealed by whole-exome sequencing of malignant ascites. <i>Oncotarget</i> , <b>2016</b> , 7, 8055-66	3.3	28	
268	Long-term changes of liver stiffness values assessed using transient elastography in patients with chronic hepatitis B receiving entecavir. <i>Liver International</i> , <b>2014</b> , 34, 1216-23	7.9	27	
267	"Normal" liver stiffness values differ between men and women: a prospective study for healthy living liver and kidney donors in a native Korean population. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2012</b> , 27, 781-8	4	27	
266	Predictive value of HBsAg quantification for determining the clinical course of genotype C HBeAg-negative carriers. <i>Liver International</i> , <b>2012</b> , 32, 796-802	7.9	27	
265	Combined measurement of preoperative Efetoprotein and des-Ecarboxy prothrombin predicts recurrence after curative resection in patients with hepatitis-B-related hepatocellular carcinoma. <i>International Journal of Cancer</i> , <b>2012</b> , 131, 2332-41	7.5	26	
264	The Relationship between Type 2 Diabetes Mellitus and Non-Alcoholic Fatty Liver Disease Measured by Controlled Attenuation Parameter. <i>Yonsei Medical Journal</i> , <b>2016</b> , 57, 885-92	3	26	
263	Inhibition of tumour angiogenesis and growth by small hairpin HIF-1 and IL-8 in hepatocellular carcinoma. <i>Liver International</i> , <b>2014</b> , 34, 632-42	7.9	25	
262	Gamma-glutamyl transpeptidase-to-platelet ratio is an independent predictor of hepatitis B virus-related liver cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2017</b> , 32, 1221-1229	4	25	
261	Serum Dickkopf-1 as a Biomarker for the Diagnosis of Hepatocellular Carcinoma. <i>Yonsei Medical Journal</i> , <b>2015</b> , 56, 1296-306	3	25	
260	Clinicopathological characteristics in combined hepatocellular-cholangiocarcinoma: a single center study in Korea. <i>Yonsei Medical Journal</i> , <b>2011</b> , 52, 753-60	3	25	
259	Development of a New Nomogram Including Neutrophil-to-Lymphocyte Ratio to Predict Survival in Patients with Hepatocellular Carcinoma Undergoing Transarterial Chemoembolization. <i>Cancers</i> , <b>2019</b> , 11,	6.6	24	
258	Early on-treatment change in liver stiffness predicts development of liver-related events in chronic hepatitis B patients receiving antiviral therapy. <i>Liver International</i> , <b>2013</b> , 33, 180-9	7.9	24	
257	Conventional versus drug-eluting beads chemoembolization for hepatocellular carcinoma: Emphasis on the impact of tumor size. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2017</b> , 32, 487-496	4	24	
256	A novel model to predict esophageal varices in patients with compensated cirrhosis using acoustic radiation force impulse elastography. <i>PLoS ONE</i> , <b>2015</b> , 10, e0121009	3.7	24	
255	The clinical significance of ascitic fluid CEA in advanced gastric cancer with ascites. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2010</b> , 136, 517-26	4.9	24	
254	Use of Wisteria Floribunda Agglutinin-Positive Human Mac-2 Binding Protein in Assessing Risk of Hepatocellular Carcinoma Due to Hepatitis B Virus. <i>Medicine (United States)</i> , <b>2016</b> , 95, e3328	1.8	24	
253	Nonalcoholic Fatty Liver Disease and Sarcopenia Are Independently Associated With Cardiovascular Risk. <i>American Journal of Gastroenterology</i> , <b>2020</b> , 115, 584-595	0.7	24	
252	Clinical outcomes and prognostic factors of patients with advanced hepatocellular carcinoma treated with sorafenib as first-line therapy: a Korean multicenter study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2014</b> , 29, 1463-9	4	23	

251	Association between IL28B polymorphisms and spontaneous clearance of hepatitis B virus infection. <i>PLoS ONE</i> , <b>2013</b> , 8, e69166	3.7	23
250	Efficacy and safety of glecaprevir/pibrentasvir in renally impaired patients with chronic HCV infection. <i>Liver International</i> , <b>2020</b> , 40, 1032-1041	7.9	23
249	Rituximab and hepatitis B reactivation in HBsAg-negative/anti-HBc-positive kidney transplant recipients. <i>Nephrology Dialysis Transplantation</i> , <b>2017</b> , 32, 722-729	4.3	22
248	Efficient long-term amplification of hepatitis B virus isolates after infection of slow proliferating HepG2-NTCP cells. <i>Journal of Hepatology</i> , <b>2019</b> , 71, 289-300	13.4	22
247	External validation of the modified PAGE-B score in Asian chronic hepatitis B patients receiving antiviral therapy. <i>Liver International</i> , <b>2019</b> , 39, 1624-1630	7.9	22
246	Red cell volume distribution width-to-platelet ratio in assessment of liver fibrosis in patients with chronic hepatitis B. <i>Liver International</i> , <b>2016</b> , 36, 24-30	7.9	22
245	Use of the delta neutrophil index as a prognostic factor of mortality in patients with spontaneous bacterial peritonitis: implications of a simple and useful marker. <i>PLoS ONE</i> , <b>2014</b> , 9, e86884	3.7	22
244	Risk assessment of liver-related events using transient elastography in patients with chronic hepatitis B receiving entecavir. <i>Journal of Clinical Gastroenterology</i> , <b>2014</b> , 48, 272-8	3	22
243	Comparison of clinical practice guidelines for the management of chronic hepatitis B: When to start, when to change, and when to stop. <i>Clinical and Molecular Hepatology</i> , <b>2020</b> , 26, 411-429	6.9	22
242	Human liver CD8 MAIT cells exert TCR/MR1-independent innate-like cytotoxicity in response to IL-15. <i>Journal of Hepatology</i> , <b>2020</b> , 73, 640-650	13.4	20
241	Feasibility of dynamic risk prediction for hepatocellular carcinoma development in patients with chronic hepatitis B. <i>Liver International</i> , <b>2018</b> , 38, 676-686	7.9	20
240	Development and validation of a prognostic model for patients with hepatocellular carcinoma undergoing radiofrequency ablation. <i>Cancer Medicine</i> , <b>2019</b> , 8, 5023-5032	4.8	20
239	Prognosis of hepatocellular carcinoma patients with extrahepatic metastasis and the controllability of intrahepatic lesions. <i>Clinical and Experimental Metastasis</i> , <b>2014</b> , 31, 475-82	4.7	20
238	Efficacy of sorafenib monotherapy versus sorafenib-based loco-regional treatments in advanced hepatocellular carcinoma. <i>PLoS ONE</i> , <b>2013</b> , 8, e77240	3.7	19
237	Partial virological response to entecavir in treatment-naive patients with chronic hepatitis B. <i>Antiviral Therapy</i> , <b>2011</b> , 16, 469-77	1.6	19
236	Rescue Monotherapy in Lamivudine-Resistant Hepatitis B e Antigen-Positive Chronic Hepatitis B: Adefovir versus Entecavir. <i>Antiviral Therapy</i> , <b>2009</b> , 14, 705-712	1.6	19
235	Subcirrhotic liver stiffness by FibroScan correlates with lower risk of hepatocellular carcinoma in patients with HBV-related cirrhosis. <i>Hepatology International</i> , <b>2017</b> , 11, 268-276	8.8	18
234	Use of transient elastography to predict de novo recurrence after radiofrequency ablation for hepatocellular carcinoma. <i>OncoTargets and Therapy</i> , <b>2015</b> , 8, 347-56	4.4	18

233	Liver stiffness value-based risk estimation of late recurrence after curative resection of hepatocellular carcinoma: development and validation of a predictive model. <i>PLoS ONE</i> , <b>2014</b> , 9, e9910	67 <sup>3.7</sup>	18	
232	Transient elastography-based risk estimation of hepatitis B virus-related occurrence of hepatocellular carcinoma: development and validation of a predictive model. <i>OncoTargets and Therapy</i> , <b>2013</b> , 6, 1463-9	4.4	18	
231	Functions of human liver CD69CD103CD8 T cells depend on HIF-2Dactivity in healthy and pathologic livers. <i>Journal of Hepatology</i> , <b>2020</b> , 72, 1170-1181	13.4	18	
230	Entecavir plus tenofovir combination therapy in patients with multidrug-resistant chronic hepatitis B: results of a multicentre, prospective study. <i>Liver International</i> , <b>2016</b> , 36, 1108-15	7.9	18	
229	Prognostic value of the combined use of transient elastography and fibrotest in patients with chronic hepatitis B. <i>Liver International</i> , <b>2015</b> , 35, 455-62	7.9	17	
228	Prediction of Sustained Response After Nucleo(s)tide Analogue Cessation Using HBsAg and HBcrAg Levels: A Multicenter Study (CREATE). <i>Clinical Gastroenterology and Hepatology</i> , <b>2020</b> ,	6.9	17	
227	Diffusion and perfusion MRI prediction of progression-free survival in patients with hepatocellular carcinoma treated with concurrent chemoradiotherapy. <i>Journal of Magnetic Resonance Imaging</i> , <b>2014</b> , 39, 286-92	5.6	17	
226	Hepatic fibrosis assessed using transient elastography independently associated with coronary artery calcification. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2015</b> , 30, 1536-42	4	17	
225	Abnormal liver stiffness assessed using transient elastography (Fibroscan ) in HIV-infected patients without HBV/HCV coinfection receiving combined antiretroviral treatment. <i>PLoS ONE</i> , <b>2013</b> , 8, e52720	3.7	17	
224	Risk assessment of development of hepatic decompensation in histologically proven hepatitis B viral cirrhosis using liver stiffness measurement. <i>Digestion</i> , <b>2012</b> , 85, 219-27	3.6	17	
223	Hepatocellular Carcinoma Risk Steadily Persists over Time Despite Long-Term Antiviral Therapy for Hepatitis B: A Multicenter Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2020</b> , 29, 832-837	4	17	
222	A survey on transarterial chemoembolization refractoriness and a real-world treatment pattern for hepatocellular carcinoma in Korea. <i>Clinical and Molecular Hepatology</i> , <b>2020</b> , 26, 24-32	6.9	17	
221	Subclassification of Barcelona Clinic Liver Cancer B and C hepatocellular carcinoma: A cohort study of the multicenter registry database. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2016</b> , 31, 842-7	4	17	
220	Liver Fibrosis, Not Steatosis, Associates with Long-Term Outcomes in Ischaemic Stroke Patients. <i>Cerebrovascular Diseases</i> , <b>2019</b> , 47, 32-39	3.2	16	
219	Extremely low risk of hepatocellular carcinoma development in patients with chronic hepatitis B in immune-tolerant phase. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2020</b> , 52, 196-204	6.1	16	
218	Effects of Entecavir and Tenofovir on Renal Function in Patients with Hepatitis B Virus-Related Compensated and Decompensated Cirrhosis. <i>Gut and Liver</i> , <b>2017</b> , 11, 828-834	4.8	16	
217	Tumor Necrosis Factor-producing T-regulatory Cells Are[Associated With Severe Liver Injury in Patients With Acute[Hepatitis A. <i>Gastroenterology</i> , <b>2018</b> , 154, 1047-1060	13.3	16	
216	Safety of Tocilizumab in Rheumatoid Arthritis Patients with Resolved Hepatitis B Virus Infection: Data from Real-World Experience. <i>Yonsei Medical Journal</i> , <b>2018</b> , 59, 452-456	3	16	

215	Early Efetoprotein response predicts survival in patients with advanced hepatocellular carcinoma treated with sorafenib. <i>Journal of Hepatocellular Carcinoma</i> , <b>2015</b> , 2, 39-47	5.3	16
214	Adjuvant hepatic arterial infusional chemotherapy with 5-fluorouracil and cisplatin after curative resection of hepatocellular carcinoma. <i>Oncology</i> , <b>2011</b> , 81, 184-91	3.6	16
213	Influence of hepatic steatosis on the outcomes of patients with chronic hepatitis B treated with entecavir and tenofovir. <i>Clinical and Molecular Hepatology</i> , <b>2019</b> , 25, 283-293	6.9	16
212	Validation of the CAMD Score in Patients With Chronic Hepatitis B Virus Infection Receiving Antiviral Therapy. <i>Clinical Gastroenterology and Hepatology</i> , <b>2020</b> , 18, 693-699.e1	6.9	16
211	An optimized hepatocellular carcinoma prediction model for chronic hepatitis B with well-controlled viremia. <i>Liver International</i> , <b>2020</b> , 40, 1736-1743	7.9	15
210	Long-term outcomes of chronic hepatitis B virus infection in the era of antiviral therapy in Korea. Journal of Gastroenterology and Hepatology (Australia), <b>2014</b> , 29, 1005-11	4	15
209	Hepatitis B e antigen-negative mutations in the precore and core promoter regions in Korean patients. <i>Journal of Medical Virology</i> , <b>2009</b> , 81, 594-601	19.7	15
208	Variability in liver stiffness values from different intercostal spaces. <i>Liver International</i> , <b>2009</b> , 29, 760-6	7.9	15
207	Dynamics of the liver stiffness value using transient elastography during the perioperative period in patients with valvular heart disease. <i>PLoS ONE</i> , <b>2014</b> , 9, e92795	3.7	15
206	Comprehensive immune profiling and immune-monitoring using body fluid of patients with metastatic gastric cancer <b>2019</b> , 7, 268		14
205	Using transient elastography to predict hepatocellular carcinoma recurrence after radiofrequency ablation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2017</b> , 32, 1079-1086	4	14
204	III-FDG PET metabolic parameters and MRI perfusion and diffusion parameters in hepatocellular carcinoma: a preliminary study. <i>PLoS ONE</i> , <b>2013</b> , 8, e71571	3.7	14
203	Can preoperative diffusion-weighted MRI predict postoperative hepatic insufficiency after curative resection of HBV-related hepatocellular carcinoma? A pilot study. <i>Magnetic Resonance Imaging</i> , <b>2010</b> , 28, 802-11	3.3	14
202	Risk assessment of hepatocellular carcinoma development for indeterminate hepatic nodules in patients with chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , <b>2019</b> , 25, 390-399	6.9	14
201	Factors Influencing the Diagnostic Accuracy of Acoustic Radiation Force Impulse Elastography in Patients with Chronic Hepatitis B. <i>Gut and Liver</i> , <b>2016</b> , 10, 275-82	4.8	14
200	Knockdown of HIF-1 and IL-8 induced apoptosis of hepatocellular carcinoma triggers apoptosis of vascular endothelial cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , <b>2016</b> , 21, 85-95	5 <sup>5.4</sup>	13
199	Prevalence and Predictors of Significant Fibrosis Among Subjects with Transient Elastography-Defined Nonalcoholic Fatty Liver Disease. <i>Digestive Diseases and Sciences</i> , <b>2017</b> , 62, 2150-	2458	13
198	Additional fibrate treatment in UDCA-refractory PBC patients. <i>Liver International</i> , <b>2019</b> , 39, 1776-1785	7.9	13

197	Prognostic role of magnetic resonance imaging vs. computed tomography for hepatocellular carcinoma undergoing chemoembolization. <i>Liver International</i> , <b>2015</b> , 35, 1722-30	7.9	13
196	Reproducibility of European Association for the Study of the Liver criteria and modified Response Evaluation Criteria in Solid Tumors in patients treated with sorafenib. <i>Liver International</i> , <b>2018</b> , 38, 1655	5-7:863	13
195	Incidence and risk factors of delayed postpolypectomy bleeding in patients with chronic liver disease. <i>Scandinavian Journal of Gastroenterology</i> , <b>2016</b> , 51, 618-24	2.4	13
194	Lesson from 610 liver resections of hepatocellular carcinoma in a single center over 10 years. <i>World Journal of Surgical Oncology</i> , <b>2014</b> , 12, 192	3.4	13
193	Relationship between Cerebral Microbleeds and Liver Stiffness Determined by Transient Elastography. <i>PLoS ONE</i> , <b>2015</b> , 10, e0139227	3.7	13
192	Antiviral efficacy of lamivudine versus entecavir in patients with hepatitis B virus-related advanced hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2012</b> , 27, 1528-34	4	13
191	Normal enhanced liver fibrosis (ELF) values in apparently healthy subjects undergoing a health check-up and in living liver donors in South Korea. <i>Liver International</i> , <b>2013</b> , 33, 706-13	7.9	13
190	Prospective validation of P2/MS noninvasive index using complete blood counts for detecting oesophageal varices in B-viral cirrhosis. <i>Liver International</i> , <b>2010</b> , 30, 860-6	7.9	13
189	Clinical efficacy of a 24-months course of lamivudine therapy in patients with HBeAg negative chronic hepatitis B: a long-term prospective study. <i>Journal of Korean Medical Science</i> , <b>2010</b> , 25, 882-7	4.7	13
188	Transarterial Radioembolization Versus Concurrent Chemoradiation Therapy for Locally Advanced Hepatocellular Carcinoma: AlPropensity Score Matching Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2017</b> , 99, 396-406	4	12
187	Serum cystatin C level: An excellent predictor of mortality in patients with cirrhotic ascites. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2018</b> , 33, 910-917	4	12
186	Optimal time for restoring the reliability of liver stiffness measurement in patients with chronic hepatitis B experiencing acute exacerbation. <i>Journal of Clinical Gastroenterology</i> , <b>2012</b> , 46, 602-7	3	12
185	A 96-week randomized trial of switching to entecavir in chronic hepatitis B patients with a partial virological response to lamivudine. <i>Antiviral Therapy</i> , <b>2012</b> , 17, 1563-70	1.6	12
184	Chemotherapy for advanced hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology</i> (Australia), <b>2008</b> , 23, 682-4	4	12
183	Dickkopf-1 induces angiogenesis via VEGF receptor 2 regulation independent of the Wnt signaling pathway. <i>Oncotarget</i> , <b>2017</b> , 8, 58974-58984	3.3	12
182	Antiviral efficacies of currently available rescue therapies for multidrug-resistant chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , <b>2013</b> , 19, 29-35	6.9	12
181	Effects of the knockdown of hypoxia inducible factor-1 expression by adenovirus-mediated shRNA on angiogenesis and tumor growth in hepatocellular carcinoma cell lines. <i>The Korean Journal of Hepatology</i> , <b>2010</b> , 16, 280-7		12
180	Regulation of the hypoxic tumor environment in hepatocellular carcinoma using RNA interference. <i>Cancer Cell International</i> , <b>2017</b> , 17, 3	6.4	11

179	Normal controlled attenuation parameter values: a prospective study of healthy subjects undergoing health checkups and liver donors in Korea. <i>Digestive Diseases and Sciences</i> , <b>2015</b> , 60, 234-42	4	11
178	How many valid measurements are necessary to assess liver fibrosis using FibroScan in patients with chronic viral hepatitis? An analysis of subjects with at least 10 valid measurements. <i>Yonsei Medical Journal</i> , <b>2012</b> , 53, 337-45	3	11
177	The relationship between visceral obesity and hepatic steatosis measured by controlled attenuation parameter. <i>PLoS ONE</i> , <b>2017</b> , 12, e0187066	3.7	11
176	Serum Wisteria floribunda agglutinin-positive human Mac-2 binding protein level predicts recurrence of hepatitis B virus-related hepatocellular carcinoma after curative resection. <i>Clinical and Molecular Hepatology</i> , <b>2020</b> , 26, 33-44	6.9	11
175	Cutaneous metastasis from cholangiocarcinoma as the first clinical sign: a report of two cases. <i>Gut and Liver</i> , <b>2011</b> , 5, 100-4	4.8	11
174	Quasispecies and pre-existing drug-resistant mutations of hepatitis B virus in patients with chronic hepatitis B. <i>Gut and Liver</i> , <b>2013</b> , 7, 329-34	4.8	11
173	Predicting Liver-Related Events Using Transient Elastography in Chronic Hepatitis C Patients with Sustained Virological Response. <i>Gut and Liver</i> , <b>2016</b> , 10, 429-36	4.8	11
172	Fibrosis-4 index at diagnosis can predict all-cause mortality in patients with rheumatoid arthritis: A retrospective monocentric study. <i>Modern Rheumatology</i> , <b>2020</b> , 30, 70-77	3.3	11
171	Comparison between chronic hepatitis B patients with untreated immune-tolerant phase vs. those with virological response by antivirals. <i>Scientific Reports</i> , <b>2019</b> , 9, 2508	4.9	10
170	Efficacy and Safety of Liver-Directed Concurrent Chemoradiotherapy and Sequential Sorafenib for Advanced Hepatocellular Carcinoma: A Prospective Phase 2 Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2020</b> , 107, 106-115	4	10
169	Alpha-Fetoprotein, Des-Gamma-Carboxy Prothrombin, and Modified RECIST Response as Predictors of Survival after Transarterial Radioembolization for Hepatocellular Carcinoma. <i>Journal of Vascular and Interventional Radiology</i> , <b>2019</b> , 30, 1194-1200.e1	2.4	10
168	Maintaining remission in lamivudine-resistant patients with a virological response to adefovir add-on lamivudine after stopping lamivudine therapy. <i>Liver International</i> , <b>2014</b> , 34, 1543-9	7.9	10
167	Prevention and management of variceal hemorrhage. <i>International Journal of Hepatology</i> , <b>2013</b> , 2013, 434609	2.7	10
166	Antibody-secreting cells with a phenotype of Ki-67low, CD138high, CD31high, and CD38high secrete nonspecific IgM during primary hepatitis A virus infection. <i>Journal of Immunology</i> , <b>2013</b> , 191, 127-34	5.3	10
165	Combination of preS deletions and A1762T/G1764A mutations in HBV subgenotype C2 increases the risk of developing HCC. <i>Intervirology</i> , <b>2012</b> , 55, 296-302	2.5	10
164	Discordance between liver biopsy and FibroTest in assessing liver fibrosis in chronic hepatitis B. <i>PLoS ONE</i> , <b>2013</b> , 8, e55759	3.7	10
163	Tenofovir disoproxil fumarate monotherapy for nucleos(t)ide-nalle chronic hepatitis B patients in Korea: data from the clinical practice setting in a single-center cohort. <i>Clinical and Molecular Hepatology</i> , <b>2014</b> , 20, 261-6	6.9	10
162	A case of embryonal sarcoma of the liver mimicking a hydatid cyst in an adult. <i>Gut and Liver</i> , <b>2010</b> , 4, 24	5 <b>±9</b> 8	10

161	Sarcopenia Is Independently Associated with the Degree of Liver Fibrosis in Patients with Type 2 Diabetes Mellitus. <i>Gut and Liver</i> , <b>2020</b> , 14, 626-635	4.8	10
160	Efficacy of Lenvervimab, a Recombinant Human Immunoglobulin, in Treatment of Chronic Hepatitis B Virus Infection. <i>Clinical Gastroenterology and Hepatology</i> , <b>2020</b> , 18, 3043-3045.e1	6.9	10
159	Design and validation of risk prediction model for hepatocellular carcinoma development after sustained virological response in patients with chronic hepatitis C. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2020</b> , 32, 378-385	2.2	10
158	Transient Elastography is Superior to FIB-4 in Assessing the Risk of Hepatocellular Carcinoma in Patients With Chronic Hepatitis B. <i>Medicine (United States)</i> , <b>2016</b> , 95, e3434	1.8	10
157	Prognosis of Untreated Minimally Active Chronic Hepatitis B Patients in Comparison With Virological Responders by Antivirals. <i>Clinical and Translational Gastroenterology</i> , <b>2019</b> , 10, e00036	4.2	10
156	Long-term Efficacy of Tenofovir Disoproxil Fumarate Monotherapy for Multidrug-Resistant Chronic HBV infection. <i>Clinical Gastroenterology and Hepatology</i> , <b>2019</b> , 17, 1348-1355.e2	6.9	10
155	Staged partial hepatectomy versus transarterial chemoembolization for the treatment of spontaneous hepatocellular carcinoma rupture: a multicenter analysis in Korea. <i>Annals of Surgical Treatment and Research</i> , <b>2019</b> , 96, 275-282	2	9
154	Progression of Untreated Minimally Active Chronic HBV Infection Compared to Inactive Infection. <i>Clinical Gastroenterology and Hepatology</i> , <b>2019</b> , 17, 2808-2810.e2	6.9	9
153	Natural History of Untreated HBeAg-Positive Chronic HBV Infection With Persistently Elevated HBV DNA but Normal Alanine Aminotransferase. <i>Clinical and Translational Gastroenterology</i> , <b>2020</b> , 11, e00140	4.2	9
152	Synchronous development of intrahepatic cholangiocarcinoma and hepatocellular carcinoma in different sites of the liver with chronic B-viral hepatitis: two case reports. <i>BMC Research Notes</i> , <b>2013</b> , 6, 520	2.3	9
151	Serum cytokine levels in chronic hepatitis B patients receiving peginterferon alpha-2a therapy. Hepatobiliary and Pancreatic Diseases International, <b>2012</b> , 11, 499-506	2.1	9
150	Acute variceal hemorrhage in patients with liver cirrhosis: weekend versus weekday admissions. <i>Yonsei Medical Journal</i> , <b>2012</b> , 53, 318-27	3	9
149	Silencing of hypoxia-inducible factor-1[Induces anti-tumor effects in hepatoma cell lines under tumor hypoxia. <i>PLoS ONE</i> , <b>2014</b> , 9, e103304	3.7	9
148	Spontaneous rupture of hepatic metastasis from a thymoma: A case report. <i>World Journal of Gastroenterology</i> , <b>2016</b> , 22, 9860-9864	5.6	9
147	Comparison of the Effects of Telbivudine and Entecavir Treatment on Estimated Glomerular Filtration Rate in Patients with Chronic Hepatitis B. <i>Gut and Liver</i> , <b>2015</b> , 9, 776-83	4.8	9
146	Liver Cirrhosis, Not Antiviral Therapy, Predicts Clinical Outcome in Cohorts with Heterogeneous Hepatitis B Viral Status. <i>Gut and Liver</i> , <b>2019</b> , 13, 197-205	4.8	9
145	Lenvatinib is independently associated with the reduced risk of progressive disease when compared with sorafenib in patients with advanced hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2021</b> , 36, 1317-1325	4	9
144	Effects of rituximab dose on hepatitis B reactivation in patients with resolved infection undergoing immunologic incompatible kidney transplantation. <i>Scientific Reports</i> , <b>2018</b> , 8, 15629	4.9	9

143	Fibrosis-4 index at diagnosis is associated with all-cause mortality in patients with microscopic polyangiitis and granulomatosis with polyangiitis. <i>BMC Gastroenterology</i> , <b>2019</b> , 19, 90	3	8
142	Early reduction of regulatory T cells is associated with acute rejection in liver transplantation under tacrolimus-based immunosuppression with basiliximab induction. <i>American Journal of Transplantation</i> , <b>2020</b> , 20, 2058-2069	8.7	8
141	Longitudinal assessment of alpha-fetoprotein for early detection of hepatocellular carcinoma in patients with cirrhosis. <i>Scandinavian Journal of Gastroenterology</i> , <b>2019</b> , 54, 1283-1290	2.4	8
140	Lamivudine plus adefovir vs. entecavir in HBeAg-positive hepatitis B with sequential treatment failure of lamivudine and adefovir. <i>Liver International</i> , <b>2012</b> , 32, 1179-85	7.9	8
139	Orthotopic liver transplantation after the combined use of locoregional therapy and sorafenib for advanced hepatocellular carcinoma. <i>OncoTargets and Therapy</i> , <b>2013</b> , 6, 755-9	4.4	8
138	Clinical features of re-emerging hepatitis A: an analysis of patients hospitalized during an urban epidemic in Korea. <i>Yonsei Medical Journal</i> , <b>2011</b> , 52, 686-91	3	8
137	Clinical features and prognosis of hepatocellular carcinoma with respect to pre-S deletion and basal core promoter mutations of hepatitis B virus Genotype C2. <i>Journal of Medical Virology</i> , <b>2011</b> , 83, 2088-9	9 <b>5</b> 9.7	8
136	What is the role of diagnostic laparoscopy in a gastroenterology unit?. <i>Journal of Gastroenterology</i> , <b>2007</b> , 42, 881-6	6.9	8
135	Hepatocellular Carcinoma in Korea Between 2008 and 2011: an Analysis of Korean Nationwide Cancer Registry. <i>Journal of Liver Cancer</i> , <b>2020</b> , 20, 41-52	0.7	8
134	The Modified Response Evaluation Criteria in Solid Tumors (RECIST) Yield a More Accurate Prognoses Than the RECIST 1.1 in Hepatocellular Carcinoma Treated with Transarterial Radioembolization. <i>Gut and Liver</i> , <b>2020</b> , 14, 765-774	4.8	8
133	Hepatic Decompensation in Cirrhotic Patients Receiving Antiviral Therapy for Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , <b>2021</b> , 19, 1950-1958.e7	6.9	8
132	Prediction of virologic response to tenofovir mono-rescue therapy for multidrug resistant chronic hepatitis B. <i>Journal of Medical Virology</i> , <b>2016</b> , 88, 1027-34	19.7	8
131	Hepatic Steatosis Index in the Detection of Fatty Liver in Patients with Chronic Hepatitis B Receiving Antiviral Therapy. <i>Gut and Liver</i> , <b>2021</b> , 15, 117-127	4.8	8
130	Feasibility of dynamic risk assessment for patients with repeated trans-arterial chemoembolization for hepatocellular carcinoma. <i>BMC Cancer</i> , <b>2019</b> , 19, 363	4.8	7
129	Effects of transarterial chemoembolization on regulatory T cell and its subpopulations in patients with hepatocellular carcinoma. <i>Hepatology International</i> , <b>2020</b> , 14, 249-258	8.8	7
128	An evaluation of entecavir for the treatment of chronic hepatitis B infection in adults. <i>Expert Review of Gastroenterology and Hepatology</i> , <b>2016</b> , 10, 177-86	4.2	7
127	Spontaneous bacterial peritonitis in patients with hepatitis B virus-related liver cirrhosis: community-acquired versus nosocomial. <i>Yonsei Medical Journal</i> , <b>2012</b> , 53, 328-36	3	7
126	A novel estimation of the relative economic value in terms of different chronic hepatitis B treatment options. <i>PLoS ONE</i> , <b>2013</b> , 8, e57900	3.7	7

125	Clinical course of virologic breakthrough after emergence of YMDD mutations in HBeAg-positive chronic hepatitis B. <i>Intervirology</i> , <b>2008</b> , 51, 293-8	2.5	7
124	Efficacy of switching from adefovir to tenofovir in chronic hepatitis B patients who exhibit suboptimal responses to adefovir-based combination rescue therapy due to resistance to nucleoside analogues (SATIS study). <i>Clinical and Molecular Hepatology</i> , <b>2016</b> , 22, 443-449	6.9	7
123	A case of isolated metastatic hepatocellular carcinoma arising from the pelvic bone. <i>The Korean Journal of Hepatology</i> , <b>2012</b> , 18, 89-93		7
122	An Observational, Multicenter, Cohort Study Evaluating the Antiviral Efficacy and Safety in Korean Patients With Chronic Hepatitis B Receiving Pegylated Interferon-alpha 2a (Pegasys): TRACES Study. <i>Medicine (United States)</i> , <b>2016</b> , 95, e3026	1.8	7
121	Outcome of adefovir add-on lamivudine rescue therapy of up to 5 years in patients with lamivudine-resistant chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2016</b> , 31, 241-7	4	7
120	Empirical Treatment With Carbapenem vs Third-generation Cephalosporin for Treatment of Spontaneous Bacterial Peritonitis. <i>Clinical Gastroenterology and Hepatology</i> , <b>2021</b> , 19, 976-986.e5	6.9	7
119	Long-term Outcomes of Antiviral Therapy in Patients With Advanced Chronic HBV Infection. <i>Clinical Gastroenterology and Hepatology</i> , <b>2019</b> , 17, 2811-2813.e1	6.9	6
118	Transarterial Chemoembolization in Treatment-Naße and Recurrent Hepatocellular Carcinoma: A Propensity-Matched Outcome Analysis. <i>Digestive Diseases and Sciences</i> , <b>2019</b> , 64, 3660-3668	4	6
117	Analysis of miRNA expression patterns in human and mouse hepatocellular carcinoma cells. Hepatology Research, <b>2015</b> , 45, 1331-40	5.1	6
116	Spontaneous neoplastic remission of hepatocellular carcinoma. <i>Korean journal of gastroenterology</i> = Taehan Sohwagi Hakhoe chi, The, <b>2015</b> , 65, 312-5	0.6	6
115	Efficacy of switching to telbivudine plus adefovir in suboptimal responders to lamivudine plus adefovir. <i>World Journal of Gastroenterology</i> , <b>2013</b> , 19, 7671-9	5.6	6
114	Spontaneous HBsAg loss in Korean patients: relevance of viral genotypes, S gene mutations, and covalently closed circular DNA copy numbers. <i>Clinical and Molecular Hepatology</i> , <b>2014</b> , 20, 251-60	6.9	6
113	When to stop nucleos(t)ide analogues treatment for chronic hepatitis B? Durability of antiviral response. <i>World Journal of Gastroenterology</i> , <b>2014</b> , 20, 7207-12	5.6	6
112	Combination of Transient Elastography and an Enhanced Liver Fibrosis Test to Assess the Degree of Liver Fibrosis in Patients with Chronic Hepatitis B. <i>Gut and Liver</i> , <b>2018</b> , 12, 190-200	4.8	6
111	Daclatasvir Plus Asunaprevir for the Treatment of Patients with Hepatitis C Virus Genotype 1b Infection: Real-World Efficacy, Changes in Liver Stiffness and Fibrosis Markers, and Safety. <i>Gut and Liver</i> , <b>2018</b> , 12, 324-330	4.8	6
110	Prognosis of Early-Stage Hepatocellular Carcinoma: Comparison between Trans-Arterial Chemoembolization and Radiofrequency Ablation. <i>Cancers</i> , <b>2020</b> , 12,	6.6	6
109	The efficacies of entecavir and tenofovir in terms of enhancing prognosis after curative treatment of hepatitis B virus-related hepatocellular carcinoma. <i>European Journal of Internal Medicine</i> , <b>2021</b> , 89, 48-55	3.9	6
108	Risk stratification using sarcopenia status among subjects with metabolic dysfunction-associated fatty liver disease. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , <b>2021</b> , 12, 1168-1178	10.3	6

107	Association between the severity of liver fibrosis and cardiovascular outcomes in patients with type 2 diabetes. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2021</b> , 36, 1703-1713	4	6
106	Prognostic factors of sorafenib therapy in hepatocellular carcinoma patients with failure of transarterial chemoembolization. <i>Hepatology International</i> , <b>2017</b> , 11, 292-299	8.8	5
105	Durability of the virological response after lamivudine discontinuation in lamivudine-resistant patients with a complete virological response after lamivudine and adefovir combination therapy. Journal of Medical Virology, <b>2017</b> , 89, 85-90	19.7	5
104	Inter-observer variability of response evaluation criteria for hepatocellular carcinoma treated with chemoembolization. <i>Digestive and Liver Disease</i> , <b>2015</b> , 47, 682-8	3.3	5
103	Systemic treatment in advanced/metastatic hepatocellular carcinoma in the era of targeted therapy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2010</b> , 25, 1023-5	4	5
102	Association between polymorphism of tumor necrosis factor-alpha promoter and response to lamivudine treatment in patients with chronic hepatitis B. <i>Digestive Diseases and Sciences</i> , <b>2010</b> , 55, 204	3 <sup>4</sup> 8	5
101	External validation of P2/MS and comparison with other simple non-invasive indices for predicting liver fibrosis in HBV-infected patients. <i>Digestive Diseases and Sciences</i> , <b>2010</b> , 55, 2636-43	4	5
100	Conditional survival estimate in patients with Barcelona Clinic Liver Cancer stage B/C hepatocellular carcinoma treated with hepatic arterial infusion chemotherapy with/without concurrent radiotherapy. <i>Oncotarget</i> , <b>2017</b> , 8, 79914-79926	3.3	5
99	An observational study on long-term renal outcome in patients with chronic hepatitis B treated with tenofovir disoproxil fumarate. <i>Journal of Viral Hepatitis</i> , <b>2020</b> , 27, 316-322	3.4	5
98	Sarcopenia assessed using bioimpedance analysis is associated independently with significant liver fibrosis in patients with chronic liver diseases. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2020</b> , 32, 58-65	2.2	5
97	Advanced Liver Fibrosis Predicts Unfavorable Long-Term Prognosis in First-Ever Ischemic Stroke or Transient Ischemic Attack. <i>Cerebrovascular Diseases</i> , <b>2020</b> , 49, 474-480	3.2	5
96	Hepatocellular Carcinoma Risk According to Regimens for Eradication of Hepatitis C Virus; Interferon or Direct Acting Antivirals. <i>Cancers</i> , <b>2020</b> , 12,	6.6	5
95	Clinical Utility of a New Automated Hepatitis C Virus Core Antigen Assay for Prediction of Treatment Response in Patients with Chronic Hepatitis C. <i>Journal of Korean Medical Science</i> , <b>2016</b> , 31, 1431-7	4.7	5
94	Switching from tenofovir and nucleoside analogue therapy to tenofovir monotherapy in virologically suppressed chronic hepatitis B patients with antiviral resistance. <i>Journal of Medical Virology</i> , <b>2018</b> , 90, 497-502	19.7	5
93	YAP/TAZ Suppress Drug Penetration Into Hepatocellular Carcinoma Through Stromal Activation. Hepatology, <b>2021</b> , 74, 2605-2621	11.2	5
92	Impact of tenofovir alafenamide vs. entecavir on hepatocellular carcinoma risk in patients with chronic hepatitis B. <i>Hepatology International</i> , <b>2021</b> , 15, 1083-1092	8.8	5
91	Risk and Risk Score Performance of Hepatocellular Carcinoma Development in Patients With Hepatitis B Surface Antigen Seroclearance. <i>Clinical and Translational Gastroenterology</i> , <b>2021</b> , 12, e00290	) <sup>4.2</sup>	5
90	Predictors of Discordance in the Assessment of Skeletal Muscle Mass between Computed Tomography and Bioimpedance Analysis. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	4

89	Refractoriness to transarterial chemoembolization in patients with recurrent hepatocellular carcinoma after curative resection. <i>PLoS ONE</i> , <b>2019</b> , 14, e0214613	3.7	4
88	HKR3 regulates cell cycle through the inhibition of hTERT in hepatocellular carcinoma cell lines. <i>Journal of Cancer</i> , <b>2020</b> , 11, 2442-2452	4.5	4
87	Non-O1, Non-O139Vibrio choleraeSepticemia after Acupuncture. <i>The Ewha Medical Journal</i> , <b>2013</b> , 36, S22	0.1	4
86	Prognostic indicators for acute liver failure development and mortality in patients with hepatitis A: consecutive case analysis. <i>Yonsei Medical Journal</i> , <b>2014</b> , 55, 953-9	3	4
85	Clinical factors associated with hepatitis A virus seropositivity in HIV-infected adults living in a country with an epidemiologic shift for hepatitis A virus infection. <i>Journal of Korean Medical Science</i> , <b>2012</b> , 27, 969-71	4.7	4
84	The use of health functional foods in gastrointestinal cancer patients. <i>Clinical Nutrition Research</i> , <b>2013</b> , 2, 19-25	1.7	4
83	Serum PD-1 Levels Change with Immunotherapy Response but Do Not Predict Prognosis in Patients with Hepatocellular Carcinoma. <i>Journal of Liver Cancer</i> , <b>2019</b> , 19, 108-116	0.7	4
82	Appraisal of Long-Term Outcomes of Liver-Directed Concurrent Chemoradiotherapy for Hepatocellular Carcinoma with Major Portal Vein Invasion. <i>Journal of Hepatocellular Carcinoma</i> , <b>2020</b> , 7, 403-412	5.3	4
81	Conditional Survival Estimates Improve Over Time for Patients with Hepatocellular Carcinoma: An Analysis for Nationwide Korea Cancer Registry Database. <i>Cancer Research and Treatment</i> , <b>2019</b> , 51, 13	47 <sup>5</sup> †35	6 <sup>4</sup>
80	Survival Estimates after Stopping Sorafenib in Patients with Hepatocellular Carcinoma: NEXT Score Development and Validation. <i>Gut and Liver</i> , <b>2017</b> , 11, 693-701	4.8	4
79	Cardiovascular Risk Is Elevated in Lean Subjects with Nonalcoholic Fatty Liver Disease. <i>Gut and Liver</i> , <b>2021</b> ,	4.8	4
78	Validation of risk prediction scores for hepatocellular carcinoma in patients with chronic hepatitis B treated with entecavir or tenofovir. <i>Journal of Viral Hepatitis</i> , <b>2021</b> , 28, 95-104	3.4	4
77	HBsAg-negative and anti-HBc-positive in eosinophilic granulomatosis with polyangiitis: a retrospective pilot study. <i>Rheumatology International</i> , <b>2018</b> , 38, 1531-1538	3.6	4
76	Disease duration and MedsgerN severity score are associated with significant liver fibrosis in patients with systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , <b>2015</b> , 33, S68-74	2.2	4
75	Clinical characteristics of acute hepatitis A complicated by acute kidney injury. <i>Scandinavian Journal of Infectious Diseases</i> , <b>2012</b> , 44, 144-8		3
74	Predictors of refractory ascites development in patients with hepatitis B virus-related cirrhosis hospitalized to control ascitic decompensation. <i>Yonsei Medical Journal</i> , <b>2013</b> , 54, 145-53	3	3
73	Hepatocellular Carcinoma in Korea between 2012 and 2014: an Analysis of Data from the Korean Nationwide Cancer Registry. <i>Journal of Liver Cancer</i> , <b>2020</b> , 20, 135-147	0.7	3
72	Genetic risk factors associated with NAFLD. Hepatoma Research,2020,	4.3	3

71	Dynamics of liver stiffness-based risk prediction model during antiviral therapy in patients with chronic hepatitis B. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2021</b> , 33, 885-893	2.2	3
70	A multi-centre study of trends in hepatitis B virus-related hepatocellular carcinoma risk over time during long-term entecavir therapy. <i>Journal of Viral Hepatitis</i> , <b>2020</b> , 27, 1352-1358	3.4	3
69	Negligible risks of hepatocellular carcinoma during biomarker-defined immune-tolerant phase for patients with chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , <b>2021</b> , 27, 295-304	6.9	3
68	Predictive Performance of CAGE-B and SAGE-B Models in Asian Treatment-Naive Patients Who Started Entecavir for Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , <b>2021</b> ,	6.9	3
67	Predictive validation of qualitative fibrosis staging in patients with chronic hepatitis B on antiviral therapy. <i>Scientific Reports</i> , <b>2019</b> , 9, 15628	4.9	3
66	High body mass index hinders fibrosis improvement in patients receiving long-term tenofovir therapy in hepatitis B virus-related cirrhosis. <i>Journal of Viral Hepatitis</i> , <b>2020</b> , 27, 1119-1126	3.4	2
65	Renal safety of tenofovir disoproxil fumarate and entecavir with hepatitis B immunoglobulin in liver transplant patients. <i>Journal of Viral Hepatitis</i> , <b>2020</b> , 27, 818-825	3.4	2
64	Clonal evolution of multidrug resistant hepatitis B virus during entecavir rescue therapy. <i>Liver International</i> , <b>2015</b> , 35, 2370-83	7.9	2
63	Partial virological response to adefovir add-on lamivudine rescue therapy in patients with lamivudine-resistant chronic hepatitis B. <i>Digestion</i> , <b>2013</b> , 87, 196-203	3.6	2
62	Prediction of esophageal variceal bleeding in B-viral liver cirrhosis using the P2/MS noninvasive index based on complete blood counts. <i>Digestion</i> , <b>2012</b> , 86, 264-72	3.6	2
61	Influence of Besifovir Dipivoxil Maleate Combined with L-Carnitine on Hepatic Steatosis in Patients with Chronic Hepatitis B. <i>Journal of Korean Medical Science</i> , <b>2020</b> , 35, e104	4.7	2
60	Performance evaluation of the HepB Typer-Entecavir kit for detection of entecavir resistance mutations in chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , <b>2013</b> , 19, 399-408	6.9	2
59	Noninvasive Biomarker for Predicting Treatment Response to Concurrent Chemoradiotherapy in Patients with Hepatocellular Carcinoma <b>2019</b> , 23, 351		2
58	Combined use of rosuvastatin and ezetimibe improves hepatic steatosis in patients with dyslipidemia. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2020</b> , 32, 1538-1544	2.2	2
57	Establishment and validation of a risk prediction model in patients with hepatocellular carcinoma treated with transarterial radioembolization. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2020</b> , 32, 739-747	2.2	2
56	Association between liver fibrosis and appendicular skeletal muscle mass during antiviral therapy in chronic hepatitis B. <i>Digestive and Liver Disease</i> , <b>2020</b> , 52, 1338-1345	3.3	2
55	Direct-Acting Antivirals Improve Treatment Outcomes in Patients with Hepatitis C Virus-Related Hepatocellular Carcinoma Treated with Transarterial Chemoembolization: A Nationwide, Multi-center, Retrospective Cohort Study. <i>Digestive Diseases and Sciences</i> , <b>2021</b> , 66, 2427-2438	4	2
54	External validation of CAGE-B and SAGE-B scores for Asian chronic hepatitis B patients with well-controlled viremia by antivirals. <i>Journal of Viral Hepatitis</i> , <b>2021</b> , 28, 951-958	3.4	2

## (2021-2021)

53	Increased prevalence rate of metabolic syndrome is an independent predictor of cardiovascular disease in patients with antineutrophil cytoplasmic antibody-associated vasculitis. <i>Rheumatology International</i> , <b>2021</b> , 1	3.6	2
52	A 96-week randomized trial of switching to entecavir in patients who achieved virological suppression on lamivudine therapy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2016</b> , 31, 865-71	4	2
51	Clinical predictors of silent but substantial liver fibrosis in primary SjogrenN syndrome. <i>Modern Rheumatology</i> , <b>2016</b> , 26, 576-82	3.3	2
50	Evolution of liver fibrosis and steatosis markers in patients with type 2 diabetes after metformin treatment for 2 years. <i>Journal of Diabetes and Its Complications</i> , <b>2021</b> , 35, 107747	3.2	2
49	Impact of antiviral therapy on risk prediction model for hepatocellular carcinoma development in patients with chronic hepatitis B. <i>Hepatology Research</i> , <b>2021</b> , 51, 406-416	5.1	2
48	Impaired antibacterial response of liver sinusoidal VBV $\overline{Q}$ T cells in patients with chronic liver disease. <i>Gut</i> , <b>2021</b> ,	19.2	2
47	Effect of tenofovir alafenamide vs. tenofovir disoproxil fumarate on hepatocellular carcinoma risk in chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , <b>2021</b> , 28, 1570-1578	3.4	2
46	Episodic Detectable Viremia Does Not Affect Prognosis in Untreated Compensated Cirrhosis With Serum Hepatitis B Virus DNA . <i>American Journal of Gastroenterology</i> , <b>2021</b> ,	0.7	2
45	Entecavir and tenofovir on renal function in patients with hepatitis B virus-related hepatocellular carcinoma. <i>Journal of Viral Hepatitis</i> , <b>2020</b> , 27, 932-940	3.4	1
44	Factors that affect visibility during endoscopic hemostasis for upper GI bleeding: a prospective study. <i>Gastrointestinal Endoscopy</i> , <b>2015</b> , 81, 1392-400	5.2	1
43	Nivolumab for Advanced Hepatocellular Carcinoma with Multiple Lung Metastases after Sorafenib Failure. <i>Journal of Liver Cancer</i> , <b>2020</b> , 20, 72-77	0.7	1
42	Entecavir+tenofovir vs. lamivudine/telbivudine+adefovir in chronic hepatitis B patients with prior suboptimal response. <i>Clinical and Molecular Hepatology</i> , <b>2020</b> , 26, 352-363	6.9	1
41	Correlation of the grade of hepatic steatosis between controlled attenuation parameter and ultrasound in patients with fatty liver: a multi-center retrospective cohort study. <i>Korean Journal of Internal Medicine</i> , <b>2020</b> , 35, 1346-1353	2.5	1
40	Autoimmune Hepatic Failure Following Acute Hepatitis A is Accompanied by Inflammatory Conversion of Regulatory T Cells. <i>Yonsei Medical Journal</i> , <b>2020</b> , 61, 100-102	3	1
39	Proposal of a New Risk Score for Patients Treated with Transarterial Chemoembolization due to Recurrent Hepatocellular Carcinoma after Curative Resection: A Multicenter Study. <i>Gut and Liver</i> , <b>2020</b> , 14, 477-485	4.8	1
38	Multicenter Retrospective Risk Assessment of Esophageal Variceal Bleeding in Patients with Cirrhosis: An Acoustic Radiation Force Impulse Elastography-Based Prediction Model. <i>Gut and Liver</i> , <b>2019</b> , 13, 206-214	4.8	1
37	Tenofovir-based combination therapy or monotherapy for multidrug-resistant chronic hepatitis B: Long-term data from a multicenter cohort study. <i>Journal of Viral Hepatitis</i> , <b>2020</b> , 27, 1306-1318	3.4	1
36	Treatment efficacy by hepatic arterial infusion chemotherapy vs. sorafenib after liver-directed concurrent chemoradiotherapy for advanced hepatocellular carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2021</b> , 147, 3123-3133	4.9	1

35	Change in the Recurrence Pattern and Predictors over Time after Complete Cure of Hepatocellular Carcinoma. <i>Gut and Liver</i> , <b>2021</b> , 15, 420-429	4.8	1
34	Hepatic Angiomyolipoma Mimicking Primary Hepatocellular Carcinoma. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , <b>2016</b> , 68, 284	0.6	1
33	Fibrosis-matched outcomes between chronic hepatitis B patients with drug-induced virological response and inactive carriers. <i>Liver International</i> , <b>2019</b> , 39, 81-89	7.9	1
32	Prognostic Value of Alpha-Fetoprotein in Patients Who Achieve a Complete Response to Transarterial Chemoembolization for Hepatocellular Carcinoma. <i>Yonsei Medical Journal</i> , <b>2021</b> , 62, 12-20	3	1
31	Predictors of Complete Response in Patients with Hepatocellular Carcinoma Treated with Trans-Arterial Radioembolization. <i>Current Oncology</i> , <b>2021</b> , 28, 965-977	2.8	1
30	A Case of Lymphocyte-Rich Hepatocellular Carcinoma in a Patient Who Was Treated for Colon Cancer. <i>Journal of Liver Cancer</i> , <b>2021</b> , 21, 69-75	0.7	1
29	Histologic Risk Factor for Mortality and Development of Severe Liver Disease in Biopsy-proven Non-alcoholic Fatty Liver Disease. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The,</i> <b>2018</b> , 71, 58	0.6	1
28	Besifovir dipivoxil maleate: a novel antiviral agent with low toxicity and high genetic barriers for chronic hepatitis B. <i>Expert Opinion on Pharmacotherapy</i> , <b>2021</b> , 22, 2427-2433	4	1
27	Long-term effects of entecavir and tenofovir treatment on the fibrotic burden in patients with chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2021</b> ,	4	1
26	Subclinical but significant liver fibrosis in patients with ANCA-associated vasculitis. <i>Clinical and Experimental Rheumatology</i> , <b>2019</b> , 37 Suppl 117, 26-31	2.2	1
25	Anti-Cancer Effects of YAP Inhibitor (CA3) in Combination with Sorafenib against Hepatocellular Carcinoma (HCC) in Patient-Derived Multicellular Tumor Spheroid Models (MCTS). <i>Cancers</i> , <b>2022</b> , 14, 2733	6.6	1
24	New Concept of Hepatocellular Carcinoma Treatment with the Tumor Suppressor NVDR76Nthrough RASNDegradation. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , <b>2019</b> , 73, 190-	19:6	O
23	Regression of liver fibrosis and hepatocellular carcinoma development after HCV eradication with oral antiviral agents <i>Scientific Reports</i> , <b>2022</b> , 12, 193	4.9	O
22	Pharmacokinetics and safety of evogliptin in hepatically impaired patients. <i>British Journal of Clinical Pharmacology</i> , <b>2021</b> , 87, 2757-2766	3.8	O
21	Screening, confirmation, and treatment rates of hepatitis C virus infection in a tertiary academic medical center in South Korea. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2021</b> , 36, 2479-24	4 <del>8</del> 5	O
20	The Prognostic Role of On-Treatment Liver Stiffness for Hepatocellular Carcinoma Development in Patients with Chronic Hepatitis B. <i>Journal of Hepatocellular Carcinoma</i> , <b>2021</b> , 8, 467-476	5.3	O
19	Association Between Curative Treatment after Transarterial Radioembolization and Better Survival Outcomes in Patients with Hepatocellular Carcinoma. <i>Cancer Investigation</i> , <b>2021</b> , 39, 274-283	2.1	О
18	Controlled attenuation parameter value and the risk of hepatocellular carcinoma in chronic hepatitis B patients under antiviral therapy. <i>Hepatology International</i> , <b>2021</b> , 15, 892-900	8.8	O

#### LIST OF PUBLICATIONS

17	Risk assessment of hepatocellular carcinoma and liver-related events using ultrasonography and transient elastography in patients with chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , <b>2021</b> , 28, 1362-13	372 <sup>3.4</sup>	O
16	No influence of hepatic steatosis on the 3-year outcomes of patients with quiescent chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , <b>2021</b> , 28, 1545-1553	3.4	O
15	Revised Korean Antiviral Guideline Reduces the Hepatitis B-related Hepatocellular Carcinoma Risk in Cirrhotic Patients. <i>Journal of Korean Medical Science</i> , <b>2021</b> , 36, e105	4.7	О
14	Comparison of FibroScan-Aspartate Aminotransferase (FAST) Score and Other Non-invasive Surrogates in Predicting High-Risk Non-alcoholic Steatohepatitis Criteria <i>Frontiers in Medicine</i> , <b>2022</b> , 9, 869190	4.9	O
13	Liver-Directed Concurrent Chemoradiotherapy versus Sorafenib in Hepatocellular Carcinoma with Portal Vein Tumor Thrombosis. <i>Cancers</i> , <b>2022</b> , 14, 2396	6.6	О
12	Strategy for Hepatitis C Treatment in Liver Transplant Settings. <i>The Journal of the Korean Society for Transplantation</i> , <b>2016</b> , 30, 149	0.3	
11	Reply to Huang et al. American Journal of Gastroenterology, 2017, 112, 1478-1479	0.7	
10	Multiple Hepatic Angiomyolipoma Detected by Abdominal Ultrasonography. <i>Journal of Clinical Ultrasound</i> , <b>2018</b> , 3, 20-23	O	
9	Persistence of Hepatocellular Carcinoma Risk after Hepatitis C Virus Eradication. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , <b>2020</b> , 75, 308-310	0.6	
8	A Delayed Hepatico-colonic Fistula after Radiofrequency Ablation in Hepatocellular Carcinoma. <i>Korean Journal of Medicine</i> , <b>2014</b> , 86, 722	0.5	
7	Predictors of Sarcopenia in an Obese Asian Population. <i>Nutrition and Cancer</i> , <b>2021</b> , 1-10	2.8	
6	Liver transplantation for acute on chronic liver disease; when and how?. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , <b>2021</b> , 25, S8-S8	1.5	
5	Malignant Transformation of Inflammatory Hepatocellular Adenoma into Hepatocellular Carcinoma. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , <b>2018</b> , 72, 267	0.6	
4	Step-down strategy in antiviral resistant chronic hepatitis B patients who achieved viral suppression with rescue combination therapy. <i>Future Virology</i> , <b>2018</b> , 13, 711-717	2.4	
3	Risk of Hepatocellular Carcinoma in Patients with Non-alcoholic Fatty Liver Disease. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , <b>2021</b> , 78, 69-71	0.6	
2	Prevalence and Risk Factors of Cardiovascular Disease in Patients with Chronic Hepatitis B. <i>Digestive Diseases and Sciences</i> , <b>2021</b> , 1	4	
1	Dickkopf-1 promotes angiogenesis by upregulating VEGF receptor 2-mediated mTOR/p70S6K signaling in hepatocellular carcinoma. <i>American Journal of Cancer Research</i> , <b>2021</b> , 11, 4788-4806	4.4	